Commodity	Parts per mil- lion
Corn, field, forage	0.02
Corn, field, grain	0.02
Corn, field, stover	0.02
Cotton, gin by-products	0.02
Cotton, undelinted seed	0.02
Soybean, forage	0.15
Soybean, hay	0.30
Soybean, meal	0.05
Soybean, seed	0.04

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[82 FR 20283, May 1, 2017]

## §180.693 Benzobicyclon; tolerances for residues.

- (a) General. [Reserved]
- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. Tolerances with regional registration, as defined in § 180.1(1), are established for residues of the herbicide benzobicyclon, including its metabolites and degradates, in or on the commodity in the table below. Compliance with the tolerance levels specified below is to be determined by measuring only benzobicyclon, 3-[2-chloro-4-(methylsulfonyl)benzoyl]-4-(phenylthio)bicyclos 3.2 1loct 3.2 no.2.

(phenylthio)bicyclo-[3.2.1]oct-3-en-2-one), in or on the following raw agricultural commodities:

Commodity	Parts per million
Rice, grain	0.01

#### 40 CFR Ch. I (7-1-17 Edition)

(d) Indirect or inadvertent residues. [Reserved]

[82 FR 19001, Apr. 25, 2017]

## Subpart D—Exemptions From Tolerances

### § 180.900 Exemptions from the requirement of a tolerance.

An exemption from a tolerance shall be granted when it appears that the total quantity of the pesticide chemical in or on all raw agricultural commodities for which it is useful under conditions of use currently prevailing or proposed will involve no hazard to the public health.

[69 FR 23117, Apr. 28, 2004]

# § 180.905 Pesticide chemicals; exemptions from the requirement of a tolerance.

- (a) When applied to growing crops, in accordance with good agricultural practice, the following pesticide chemicals are exempt from the requirement of a tolerance:
  - (1) Petroleum oils.
  - (2) Piperonyl butoxide.
  - (3) Pyrethrins.
  - (4) Sabadilla.
- (b) When applied to growing crops, in accordance with good agricultural practice, the pesticides rotenone or derris or cube roots are exempt from the requirement of a tolerance. There are no U.S. registrations for use of rotenone, derris, or cube roots on food commodities as of March 23, 2011.
- (c) These pesticides are not exempted from the requirement of a tolerance when applied to a crop at the time of or after harvest.

[77 FR 59128, Sept. 26, 2012]

#### § 180.910 Inert ingredients used preand post-harvest; exemptions from the requirement of a tolerance.

Residues of the following materials are exempted from the requirement of

a tolerance when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops or to raw agricultural commodities after harvest:

Inert ingredients	Limits	Uses
Acetic acid		Catalyst Solvent, cosolvent Do. Emulsifiers
ular weight (in amu) range of 200 to 6,000.  Alkyl (Cs-C <sub>24</sub> ) benzenesulfonic acid and its ammonium, calcium, magnesium, potassium, sodium, and zinc salts.		Surfactants, related adjuvants of surfactants
C <sub>10</sub> -C <sub>18</sub> -Alkyl dimethyl amine oxides (CAS Reg. Nos. 1643-20-5, 2571-88-2, 2605-79-0, 3332-27-2, 61788-90-7, 68955-55-5, 70592-80-2, 7128-91-8, 85408-48-6, and 85408-49-7).	15% by weight in pesticide formulation.	Surfactant
$\alpha$ -alkyl(C <sub>6</sub> - C <sub>15</sub> )-ω-hydroxypoly(oxyethylene)sulfate, and its ammonium, calcium, magnesium, potassium, sodium, and zinc salts, poly(oxyethylene) content averages 2–4 moles (CAS Reg. Nos.: 3088–31–1, 3694–74–4, 9004–82–4, 9004–84, 9004–81–1, 25446–78–0, 26183–44–8, 27140–00–7, 27731–62–0, 32612–48–9, 34431–25–9, 35015–74–8, 56062–06–7, 52286–18–7, 52286–19–8, 54116–08–4, 55901–67–2, 61702–79–2, 61894–66–4, 62755–21–9, 63428–85–3, 63428–86–4, 63428–87–5, 65086–57–9, 65086–79–5, 65104–74–7, 65122–38–5, 67674–66–2, 67762–19–0, 67762–21–4, 67845–82–3, 67845–83–4, 67923–90–4, 68037–05–8, 68037–06–9, 68171–41–5, 68424–50–0, 68511–39–7, 68585–34–2, 68610–66–2, 68611–29–0, 68611–55–2, 68649–53–6, 6899–88–0, 68891–29–2, 68891–30–5, 68991–326–4, 78330–27–5, 78330–28–6, 78330–29–7, 78330–30–0, 96130–61–9, 106597–03–9, 110392–50–2, 119432–41–6, 125301–88–4, 125301–88–5, 125301–89–5, 180901–27–9, 160901–28–0, 160901–29–1, 160901–29–1, 160901–29–1, 160901–29–1, 160901–30–4, 219756–63–5).	Not to exceed 30% of formulation.	Surfactants, related adjuvants of surfactants.
$\alpha\text{-alkyl}$ $(C_{12}\text{-}C_{15})\text{-}\omega\text{-hydroxypoly}$ (oxypropylene) poly (oxypthylene) copolymers (where the poly (oxypropylene) content is 3-60 moles and the poly (oxyethylene) content is 5-80 moles).	Not more than 20% of pes- ticide formulations.	Surfactant

Inert ingredients	Limits	Uses
x-alkyl-ω-hydroxypoly (oxypropylene) and/or poly		Surfactants, related adjuvants of surfactants
(oxyethylene) polymers where the alkyl chain		,
contains a minimum of six carbons (CAS Reg.		
Nos.: 9002-92-0; 9004-95-9; 9004-98-2; 9005		
-00-9; 9035-85-2; 9038-29-3; 9038-43-1;		
9040-05-5; 9043-30-5; 9087-53-0; 25190-05-		
0; 24938-91-8; 25231-21-4; 251553-55-6;		•
26183-52-8; 26468-86-0; 26636-39-5; 27252-		
75-1; 27306-79-2; 31726-34-8; 34398-01-1;		
34398-05-5; 37251-67-5; 37311-00-5; 37311-		
01-6; 37311-02-7; 37311-04-9; 39587-22-9;		
50861-66-0; 52232-09-4; 52292-17-8; 52609-		
19-5; 57679-21-7; 59112-62-8; 60828-78-6;		
61702-78-1; 61725-89-1; 61791-13-7; 61791-		
20-6; 61791-28-4; 61804-34-0; 61827-42-7;		
61827-84-7; 62648-50-4; 63303-01-5; 63658-		
45-7; 63793-60-2; 64366-70-7; 64415-24-3;		
64415-25-4; 64425-86-1; 65104-72-5; 65150-		
81-4; 66455-14-9; 66455-15-0; 67254-71-1;		
67763-08-0; 68002-96-0; 68002-97-1; 68131-		
39-5; 68131-40-8; 68154-96-1; 68154-97-2;		
68154-98-3; 68155-01-1; 68213-23-0; 68213-		
24-1; 68238-81-3; 68238-82-4; 68409-58-5;		
68409-59-6; 68439-30-5; 68439-45-2; 68439-		
46-3; 68439-48-5; 68439-49-6; 68439-50-9;		
68439-51-0; 68439-53-2; 68439-54-3; 68458-		
88–8;.		
68526-94-3; 68526-95-4; 68551-12-2; 68551-		
13-3; 68551-14-4; 68603-20-3; 68603-25-8;		
68920-66-1; 68920-69-4; 68937-66-6; 68951-		
67-7; 68954-94-9; 68987-81-5; 68991-48-0;		
69011-36-5; 69013-18-9; 69013-19-0; 69227-		
20-9; 69227-21-0; 69227-22-1; 69364-63-2;		
70750-27-5; 70879-83-3; 70955-07-6; 71011-		
10-4; 71060-57-6; 71243-46-4; 72066-65-0;		
72108-90-8; 72484-69-6; 72854-13-8; 72905-		
87-4; 73018-31-2; 73049-34-0; 74432-13-6;		
74499-34-6; 78330-19-5; 78330-20-8; 78330-		
21-9; 78330-23-1; 79771-03-2; 84133-50-6;		
85422-93-1; 97043-91-9; 97953-22-5; 102782		
-43-4; 103331-86-8; 103657-84-7; 103657-85		
-8; 103818-93-5; 103819-03-0; 106232-83-1;		
111905-54-5; 116810-31-2; 116810-32-3;		
116810-33-4; 120313-48-6; 120944-68-5;		
121617-09-2; 126646-02-4; 126950-62-7;		
127036-24-2; 139626-71-4; 152231-44-2;		
154518-36-2; 157627-86-6; 157627-88-8;		
157707-41-0; 157707-43-2; 159653-49-3;		
160875-66-1; 160901-20-2; 160901-09-7;	1	
160901-19-9; 161025-21-4; 161025-22-5;		
166736-08-9; 169107-21-5; 172588-43-1;		
176022-76-7; 196823-11-7; 287935-46-0;		
288260-45-7; 303176-75-2; 954108-36-2)		

Inert ingredients	Limits	Uses
$\alpha$ -alkyl (minimum $C_6$ linear, branched, saturated and/or unsaturated)- $\omega$ -hydroxypolyoxyethylene	Not to exceed 30% of for- mulation.	Surfactants, related adjuvants of surfactants.
polymer with or without polyoxypropylene, mix-		
ture of di- and monohydrogen phosphate esters and the corresponding ammonium, calcium,		
magnesium, monoethanolamine, potassium, so-		
dium, and zinc salts of the phosphate esters;		
minimum oxyethylene content is 2 moles; min-		
imum oxypropylene content is 0 moles (CAS		
Reg. Nos.: 9004-80-2, 9046-01-9, 26982-05-		
8, 31800-89-2, 37280-82-3, 37281-86-0,		
39341-09-8, 39341-65-6, 39464-66-9, 39464-69-2, 42612-52-2, 50643-20-4, 50668-50-3,		
51325-10-1, 51884-64-1, 52019-36-0, 57486-		
09-6, 58206-38-5, 58318-92-6, 58857-49-1,		
59112-71-9, 60267-55-2, 61837-79-4, 62362-		
49-6, 62482-61-5, 63747-86-4, 63887-54-7,		
63887-55-8, 66020-37-9, 66272-25-1, 66281-		
20-7, 67711-84-6, 67786-06-5, 67989-06-4, 68070-99-5, 68071-17-0, 68071-35-2, 68071-		
37-4, 68130-44-9, 68130-45-0, 68130-46-1,		
68130-47-2, 68186-29-8, 68186-34-5, 68186-		
36-7, 68186-37-8, 68238-84-6, 68311-02-4,		
68311-04-6, 68332-75-2, 68389-72-0, 68400-		
75-9, 68413-78-5, 68425-73-0, 68425-75-2,	İ '	
68439-39-4, 68458-48-0, 6851115-9, 68511- 36-4, 68511-37-5, 68551-05-3, 68585-15-9,		
68585-16-0, 68585-17-1, 68585-36-4, 68585-		
39-7, 68603-24-7, 68607-14-7, 68610-64-0,		
68610-65-1, 68649-29-6, 68649-30-9, 68650-		
84-0, 68815-11-2, 68855-46-9, 68856-03-1,		
68890-90-4, 68890-91-5, 68891-12-3, 68891-		
13-4, 68891-26-9, 68908-64-5, 68909-65-9, 68909-67-1, 68909-69-3, 68921-24-4, 68921-		
60-8, 68954-87-0, 68954-88-1, 68954-92-7,		
68987-35-9, 69029-43-2, 69980-69-4, 70247-		
99-3, 70248-14-5, 70844-96-1, 70903-63-8,		
71965–23–6, 71965–24–7, 72480–27–4, 72623–		
67-7, 72623-68-8, 72828-56-9, 72828-57-0, 73018-34-5, 73038-25-2, 73050-08-5, 73050-		
09-6, 73361-29-2, 73378-71-9, 73378-72-0,		
73559-42-9, 73559-43-0, 73559-44-1, 73559-		
45-2, 74499-76-6, 76930-25-1, 78041-18-6,		
78330-22-0, 78330-24-2, 82465-25-6, 84843-		
37–8, 91254–26–1, 93925–54–3, 95014–34–9, 96416–89–6, 99924–51–3, 103170–31–6,		
103170–32–7, 106233–09–4, 106233–10–7,		
108818-88-8, 110392-49-9, 111798-26-6,		
111905–50–1, 116671–23–9, 117584–36–8,		
119415-05-3, 120913-45-3, 121158-61-0,		
121158-63-2, 123339-53-7, 125139-13-1,		
125301–86–2, 125301–87–3, 126646–03–5, 129208–04–4, 129870–77–5, 129870–80–0,		
130354-37-9, 136504-88-6, 143372-50-3,		
143372-51-4, 144336-75-4, 146815-57-8,		
151688-56-1, 154518-39-5, 154518-40-8,		
155240-11-2, 159704-69-5, 160498-49-7,		
160611–24–5, 171543–66–1, 172027–16–6, 172274–69–0, 176707–42–9, 181963–82–6,		
188741-55-1, 191940-53-1, 210493-60-0,		
210993-53-6, 246159-55-7, 251298-11-0,		
261627-68-3, 290348-69-5, 290348-70-8,		
317833-96-8, 340681-28-9 , 422563-19-7,		
422563-26-6, 522613-09-8, 717140-06-2,		
717140-09-5, 717827-29-7, 762245-80-7, 762245-81-8, 866538-89-8, 866538-90-1,		
873662-29-4, 913068-96-9, 936100-29-7,		
936100-30-0, 1072943-56-6, 1087209-87-7,		
1174313-54-2, 1187742-89-7, 1187743-35-6,		
1205632-03-6, 1233235-49-8, 1451002-50-8,		
1456802-88-2, 1456802-89-3, 1456803-12-5).		

Inert ingredients	Limits	Uses
N-alkyl (C8-C18) primary amines and their acetate salts where the alkyl group is linear and may be saturated and/or unsaturated (CAS Reg. Nos. 61790–57–6, 61790–58–8, 61790–69–8, 61790–60–1, 61788–46–3, 61790–33–8, 68155–38–4).	Concentration in formu- lated end-use products not to exceed 10% by weight in herbicide prod- ucts, 4% by weight in in- secticide products, and 4% by weight in fun- gicide products.	Surfactants, related adjuvants of surfactants
Alkyl $(C_8\text{-}C_{18})$ sulfate and its ammonium, calcium, isopropylamine, magnesium, potassium, sodium, and zinc salts.		Surfactants.
Aluminum hydroxide		Diluent, carrier
Aluminum oxide		Diluent Surfactant
Amides, C <sub>5</sub> -C <sub>9</sub> , N-[3-(dimethylamino) propyl] (CAS Reg. No. 1044764–00–2).		Surfactant
Amides, C <sub>6</sub> -C <sub>12</sub> , N-[3-(dimethylamino) propyl] (CAS Reg. No. 1044764–06–8).		Surfactant
Ammonium bicarbonate		Surfactant, suspending agent, dispersing agent
Ammonium carbamate		Synergist in aluminum phosphide formula- tions
Ammonium chloride		Intensifier when used with ammonium nitrate as a dessicant or defoliant. Fire suppres- sant in aluminum phosphide and magne- sium phosphide formulations
Ammonium hydroxide  Ammonium persulfate (CAS Reg.No. 7727–54–0)	0.05%	Solvent, cosolvent, neutralizer, solubilizing agent
Ammonium salts of fatty acids (C <sub>8</sub> -C <sub>18</sub> saturated)	0.05%	Preservative Surfactant
(CAS Reg. No. 5972–76–9, 63718–65–0, 16530 -70–4, 32582–95–9, 2437–23–2, 191799–95–8, 16530–71–5, 93917–76–1, 5297–93–8, 94266– 36–1, 1002–89–7).		
Ammonium stearate		Surfactant
Ammonium sulfate		Solid diluent, carrier Intensifier when used with ammonium nitrate as desiccant or defoliant
Amyl acetate		Solvent, cosolvent, attractant
Ascorbyl palmitate		Preservative Solid diluent, carrier, thickener
Bacillus simplex strain BU288		Emulsifier Diluent, carrier
Bentonite	***************************************	Solid diluent, carrier
Benzoic acid	***************************************	Preservative for formulation
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, homopolymer (Alpha-pinene, homopolymer)(CAS Reg. No. 25766–18–1).		Surfactants, related adjuvants of surfactants
Bicyclo[3.1.1]heptane, 6,6–dimethyl–2–methylene–, homopolymer (Beta-pinene, homopolymer) (CAS Reg. No. 25719–60–2).		Surfactants, related adjuvants of surfactants
Bicyclo[3.1.1]hept-2-ene, 2,6,6-trimethyl-, polymer with 6,6-dimethyl-2-methylenebicyclo [3.1.1] heptane (Copolymer of alpha- and betapinene) (CAS Reg. No. 31393-98-3).		Surfactants, related adjuvants of surfactants
2-Bromo-2-nitro-1,3-propanediol (CAS Reg. No. 52–51–7).	0.04% or less by weight of the total pesticide formulation.	In-can preservative
Butane  Butanedicic acid, 2-sulfo-, C-C9-11-isoalkyl esters, C10-rich, disodium salts (CAS Reg. No. 815583-91-6).	Not to exceed 10% by weight in pesticide for-mulation for agricultural use.	Propellant Surfactant
n-Butanol (CAS Reg. No. 71-36-3)		Solvent, cosolvent
n-Butyl benzoate (ČAS Reg. No.136-60-7)di-n-Butyl adipate (CAS Reg. No. 105-99-7)	Not to exceed 25% by weight of pesticide formulation.	Solvent Plasticizer in pesticide formulations for varroa mite control around bee hives
n-Butyl-3-hydroxybutyrate (CAS Reg. No. 53605-	mulation.	Solvent
Butylated hydroxyanisoleButylated hydroxytoluene		Antioxidant Do.
Calcareous shale		Solid diluent carrier

Inert ingredients	Limits	Uses
Calcite		Do.
Calcium carbonate		Do.
Calcium chloride		Stabilizer
Calcium phosphate		Solid diluent, carrier
Calcium hydroxide		Do.
Calcium hypochlorite		Sanitizing and bleaching agent
Calcium lactate pentahydrate (CAS Reg. No. 5743–47–5).		Nutrient, stabilizer
Calcium oxide	***************************************	Solid diluent, carrier
Calcium salt of partially dimerized rosin, conforming to 21 CFR 172.210.		Coating agent
Calcium silicate		Solid diluent, carrier
Calcium stearate		Do.
Carbon Dioxide (CAS Reg. No. 124-38-9)	None	Propellant
Carrageenan, conforming to 21 CFR 172.620	Minimum molecular weight (in amu): 100,000.	Thickener
Cetyl alcohol (CAS Reg. No. 36653-82-4)	Not more than 5.0% of pesticide formulation.	Evaporation retardant
Charcoal, activated	Meets specifications in the Food Chemical Codex.	Carrier
Coconut shells		Solid diluent and carrier
Cod liver oil		Solvent, cosolvent
Croscarmellose sodium (CAS Reg. No. 74811–65–7).		Disintegrant, solid diluent, carrier, and thick- ener
n-Decyl alcohol (CAS Reg. No. 112–30–1)	**************************************	Solvent or co-solvent
Dialkyl (C <sub>8</sub> -C <sub>18</sub> ) dimethyl ammonium chloride	Not more than 0.2% in sili- ca, hydrated silica.	Flocculating agent in the manufacture of sili- ca, hydrated silica for use as a solid dil- uent, carrier
Diatomite (diatomaceous earth)		Solid diluent carrier
Diethylaminoethanol, ethoxylated, propoxylated, re-		Surfactant
action products with fatty acid dimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188-75-4).		
Diethylaminoethanol, ethoxylated, propoxylated, re- action products with fatty acid trimers, minimum		Surfactant
number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188-83-4).		
Diethylaminoethanol, ethoxylated, reaction product with fatty acid dimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188–72–1).		Surfactant
Diethylaminoethanol, ethoxylated, reaction prod- ucts with fatty acid trimers, minimum number av- erage molecular weight (in amu), 1,200 (CAS Reg. No. 1173188–81–2).		Surfactant
Diethylene glycol abietate		Surfactants, related adjuvants of surfactants
1,1-Difluoroethane (CAS Reg. No. 75-37-6)	For aerosol pesticide for-	Aerosol propellant
	mulations used for in- sect control in food- and feed-handling establish-	
1,2-Dihydro-6-ethoxy-2,2,4-trimethylquinolene	ments and animals.  Not more than 0.02% of pesticide formulation.	Antioxidant
Diisopropanolamine (CAS Reg. No. 110-97-4)	Not to exceed 10% by weight of pesticide formulation.	Neutralizer or stabilizer
Diisopropyl adipate (CAS Reg. No. 6938-94-9)	40% in mosquito control formulations.	Solvent, co-solvent.
Dimethyl adipate (CAS no. 627-93-0)	None	Solvent/co-solvent
Dimethylaminoethanol, ethoxylated, propoxylated, reaction products with fatty acid dimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188-42-5).		Surfactant
Dimethylaminoethanol, ethoxylated, propoxylated, reaction products with fatty acid trimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188–67–4).		Surfactant
Dimethylaminoethanol, ethoxylated, reaction prod- ucts with fatty acid dimers, minimum number av- erage molecular weight (in amu), 1,200 (CAS Reg. No. 1173188–38–9).		Surfactant

Inert ingredients	Limits	Uses
Dimethylaminoethanol, ethoxylated, reaction prod- ucts with fatty acid trimers, minimum number av- erage molecular weight (in amu), 1,200 (CAS Reg. No. 1173188-49-2).		Surfactant
Dimethyl ether (methane, oxybis-) (CAS Reg. No. 115–10–6).		Propellant
Dimethyl glutarate (CAS no. 1119-40-0)	None Not more than 2.5% of	Solvent/co-solvent Surfactants, related adjuvants of surfactants
Dimethyl succinate (CAS no. 106–65–0) Di-n-butyl carbonate (CAS Reg. No. 542–52–9)	pesticide formulation. None	Solvent/co-solvent
Dipropylene glycol		
Disodium phosphate		Anticaking agent, conditioning agent
Disodium zinc ethylenediaminetetraacetate dihydride.		Sequestrant
Distillates, (Fishcher-Tropsch), heavy, C <sub>18</sub> -C <sub>50</sub> , branched, cyclic and linear (CAS Reg. No. 848301–69–9).		Solvent, diluent and/or dust suppressant
Dolomite		Solid diluent, carrier
Epoxidized soybean oil		Surfactants, related adjuvants of surfactants  Do.
Ethanesulfonic acid, 2-hydroxy- (CAS Reg. No. 107–36–8).		Chelator, sequestrant, or conditioning agent
Ethanesulfonic acid, 2-hydroxy-, ammonium salts (CAS Reg. No. 57267–78–4).		Do.
Ethanesulfonic acid, 2-hydroxy-, calcium salts (CAS Reg. No. 10550–47–7).		Do.
Ethanesulfonic acid, 2-hydroxy-, magnesium salts (CAS Reg. No. 17345–56–1).		Do.
Ethanesulfonic acid, 2-hydroxy-, potassium salts (CAS Reg. No. 1561–99–5).		Do.
Ethanesulfonic acid, 2-hydroxy-, sodium salts (CAS Reg. No. 1562–00–1).	***************************************	Do.
Ethanesulfonic acid, 2-hydroxy-, zinc salts (CAS Reg. No. 129756–32–7).	•	Do.
Ethyl acetateEthyl alcohol		Solvent, cosolvent
Ethyl esters of fatty acids derived from edible fats and oils.		Solvent, cosolvent
Ethyl maltol (CAS Reg. No.4940-11-8)	Not more than 0.2 % of the pesticide formulation.	Odor masking agent
Ethylene glycol (CAS Reg. No. 107-21-1)	Without limitation	Encapsulating agent for pesticides being applied post-harvest as residual, and crack and crevice sprays in and around food and nonfood areas of residential and nonresidential structures, including food handling establishments
Ethylene oxide adducts of 2,4,7,9-tetramethyl-5- decynediol, the ethylene oxide content averages 3.5, 10 or 30 moles (CAS Reg. No. 9014–85–1).		Surfactants, related adjuvants of surfactants
(S,S)-Ethylenediamine disuccinic acid trisodium salt (CAS Reg. No. 178949-82-1).		Sequestrant or chelating agent
Ethylenediaminetetraacetic acid	3% of pesticide formulation	Sequestrant
Ethylenediaminetetraacetic acid, tetrasodium salt 2–Ethyl-1-hexanol (CAS Reg. No. 104–76–7)	5% of pesticide formulation Not more than 10% of pes- ticide	Sequestrant Solvent, adjuvant of surfactants
Fatty acids, conforming to 21 CFR 172.860FD&C Blue No. 1	Not more than 0.2% of	Binder, defoaming agent, lubricant Dye
FD&C Red No. 40 (CAS Reg. No. 25956-17-6) conforming to 21 CFR 74.340.	pesticide formulation. Not to exceed 0.002% by weight of pesticide for- mulation.	Dye, coloring agent
Ferric Citrate (CAS Reg. No. 2338-05-8)		Stabilizer
Ferric sulfate		Solid diluent, carrier
Furcelleran	Not more than 40% by weight in pesticide formulation.	Thickener Surfactant
D-glucopyranose, oligomeric, C <sub>10-16</sub> -alkyl glycosides (CAS Reg. No. 110615-47-9).		Surfactant
D-glucopyranose, oligomeric, 6-(dihydrogen citrates), $C_{8-20}$ branched and linear alkyl glycosides, sodium salts (CAS Reg. No. 1079993–97–7).		Surfactant

Inert ingredients	Limits	Uses
O-glucopyranose, oligomeric, 6-(hydrogen sulfosuccinates), C <sub>8-20</sub> branched and linear alkyl glycosides, sodium salts (CAS Reg. No. 1079993-92-2).		Surfactant
D-glucopyranose, oligomeric, lactates, C <sub>8-20</sub> branched and linear alkyl glycosides (CAS Reg. No. 1079993-94-4).		Surfactant
D-glucurono-6-deoxy-L-manno-D-glucan, acetate, calcium magnesium potassium sodium salt (diutan gum) (CAS Reg. No. 595585–15–2).		Stabilizer/suspension agent.
Glycerides, edible fats and oils derived from plants and animals, reaction products with sucrose (CAS Reg. Nos. 100403–38–1, 100403–41–6, 100403–39–2, 100403–40–5).		Emulsifier, dispersing agent
Slycerol mono-, di-, and triacetate		Solvent, cosolvent
Slyceryl monostearate		Emulsifier
Granite		Do.
Graphite		Solid diluent, carrier
Gum arabic (acacia)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Surfactant, suspending agent, dispersing agent
avpsum		Solid diluent, carrier
lexamethylenetetramine	For use in citrus washing	Preservative
,	solutions only at not more than 1%.	
3-hexen-1-ol, (3Z)- (CAS Reg. No. 928-96-1)	Not more than 0.4% of the pesticide formulation.	Odorant, alerting agent
Hexyl alcohol (CAS Reg. No. 111-27-3)		Solvent, cosolvent
C <sub>9</sub> rich aromatic hydrocarbons (CAS Reg. No. 64742–95–6).		Solvent
$\mathcal{O}_{10-11}$ rich aromatic hydrocarbons (CAS Reg. No. 64742-94-5).		Solvent
C <sub>11-12</sub> rich aromatic hydrocarbons (CAS Reg. No. 64742-94-5).		Solvent
lydrochloric acid		Solvent, neutralizer
hydroxyethylmorpholine, ethoxylated, propoxylated, reaction products with fatty acid dimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173189–06-4). ethoxylated, ethoxylated,		Surfactant
propoxylated, reaction products with fatty acid trimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173189–17–7).		
lydroxyethylmorpholine, ethoxylated, reaction products with fatty acid dimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173189–00–8).		Surfactant
lydroxyethylmorpholine, ethoxylated, reaction products with fatty acid trimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173189–09–7).		Surfactant
lydroxyethylpiperidine, ethoxylated, propoxylated, reaction products with fatty acid dimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173189–22-4.		Surfactant
lydroxyethylpiperidine, ethoxylated, propoxylated, reaction products with fatty acid trimers, min- imum number average molecular weight (in		Surfactant
amu), 1,200 (CAS Reg. No. 1173189-28-0). lydroxyethylpiperidine, ethoxylated, reaction prod- ucts with fatty acid dimers, minimum number av- erage molecular weight (in amu), 1,200 (CAS		Surfactant
Reg. No. 1173189–20–2). lydroxyethylpiperidine, ethoxylated, reaction prod- ucts with fatty acid trimers, minimum number av- erage molecular weight (in amu), 1,200 (CAS Pen No. 1173180–257)		Surfactant
Reg. No. 1173189-25-7). ydroxyethylidine diphosphonic acid (HEDP) (CAS Reg. No. 2809-21-4).	For use in antimicrobial pesticide formulations at	Stabilizer, chelator

Inert ingredients	Limits	Uses
Iron oxide yellow (CAS Reg. No. 20344–49–4)	Not to exceed 0.15% by weight of pesticide formulation.	Colorant in pesticide formulations for varroa mite control around bee hives
Isoamyl acetate (CAS Reg. No. 123–92–2)	None	Buffering agent
Isobutyl Acetate (CAS Reg. No. 110–19–0)	None	Propellant Solvent.
Isobutyl isobutyrate (CAS Reg. No. 97–85–8)	None	Solvent
Isobutyric Acid (CAS Reg. No. 79-31-2)		Solvent.
Isopropyl-3-hydroxybutyrate (CAS Reg. No. 54074–94–1).		Solvent
Isopropyl myristate (CAS Reg. No. 110–27–0) Kaolinite-type clay		Solvent Solid diluent, carrier
Lactic acid Lactic acid, 2-ethylhexyl ester (CAS Reg. No. 6283–86–9).		Solvent Solvent
Lactic acid, 2-ethylhexyl ester, (2S)- (CAS Reg. No. 186817–80–1).		Solvent
Lactic acid, n-propyl ester, (S); (CAS Reg. No. 53651–69–7).		Solvent
Lauryl alcohol	***************************************	Surfactant
Lignin (CAS Reg. No. 9005–53–2)		Surfactant, related adjuvants of surfactants
Lignin, alkali (CAS Reg. No. 8068–05–1) Lignin, alkali, oxidized, sodium salt (CAS Reg. No.		Do.
68201–23–0). Lignin alkali reaction products with disodium sulfite		Do.
and formaldehyde (CAS Reg. No. 105859–97–0). Lignin alkali reaction products with formaldehyde		Do.
and sodium bisulfite (CAS Reg. No. 68512–35–6).		50.
Lignosulfonic acid (CAS Reg. No. 8062-15-5) Lignosulfonic acid, ammonium calcium salt (CAS		Do. Do.
Reg. No. 12710-04-2). Lignosulfonic acid, ammonium magnesium salt		Do.
(CAS Reg. No. 123175–37–1). Lignosulfonic acid, ammonium salt (CAS Reg. No.		Do.
8061-53-8). Lignosulfonic acid, ammonium sodium salt (CAS		Do.
Reg. No. 166798–73–8). Lignosulfonic acid, calcium magnesium salt (CAS		Do.
Reg. No. 55598–86–2). Lignosulfonic acid, calcium salt (CAS Reg. No. 8061–52–7).		Do.
Lignosulfonic acid, calcium sodium salt (CAS Reg. No. 37325–33–0).		Do.
Lignosulfonic acid, ethoxylated, sodium salt (CAS Reg. No. 68611-14-3).		Do.
Lignosulfonic acid, magnesium salt (CAS Reg. No. 8061–54–9).		Do.
Lignosulfonic acid, potassium salt (CAS Reg. No. 37314-65-1).		Do.
Lignosulfonic acid, sodium salt (CAS Reg. No. 8061–51–6).		Do.
Lignosulfonic acid, sodium salt, oxidized (CAS Reg. No. 68855–41–4). Lignosulfonic acid, sodium salt, polymer with form-		Do.
aldehyde and phenoi (CAS Reg. No. 37207–89–9).		, bu.
Lignosulfonic acid, sodium salt, sulfomethylated (CAS Reg. No. 68512-34-5).		Do.
Lignosulfonic acid, zinc salt (CAS Reg. No. 57866–49–6).	•••••	Do.
d-Limonene (CAS Reg. No. 5989-27-5)		Solvent, fragrance
Magnesium carbonate		Anticaking agent, conditioning agent Safener
Magnesium lime		Solid diluent, carrier
Magnesium oxide		Do.
Magnesium silicate		Do.
Magnesium stearate	***************************************	Surfactant
Magnesium sulfate		Solid diluent, carrier, safener Solvent
Methyl n-amyl ketone (CAS Reg. No. 110–43–0)		Solvent, cosolvent
Methyl 5-(dimethylamino)-2-methyl-5- oxopentanoate (1174627–68–9).		Solvent

Inert ingredients	Limits	Uses
Methyl esters of fatty acids derived from edible fats and oils.		Solvent, cosolvent
Methyl esters of higher fatty acids conforming to 21 CFR 573.640.		Antidusting agent, surfactant
Methyl isobutyl ketone2-methyl-2,4-pentanediol (CAS Reg. No. 107–41–5).	Without limitation	Solvent Growing crops and food animals
Methyl isobutyrate (CAS Reg. No. 547–63–7) 2-methyl-1,3-propanediol (CAS Reg. No. 2163–42– 0).	None	Solvent Solvent, surfactant
Methylated silicones Mono-, di-, and trimethylnapthalenesulfonic acids and napthalenesulfonic acids formaldehyde con- densates, ammonium and sodium salts (CAS Reg. Nos 9008-63-3, 9069-80-1, 9084-06-4, 36290-04-7, 91078-68-1, 141959-43-5, 68425-94-5).		Antifoaming agent Surfactants, related adjuvants of surfactants
Mica		Solid diluent, carrier Diluent, carrier, and solvent
Monoammonium phosphate	No more than 3.75% by weight in formulation.  Not to exceed 3.35% by weight in pesticide formulation.	Postharvest fumigation in formulation with aluminum phosphide Solvent
Mono- and diglycerides of C s-C1s fatty acids		Surfactants, related adjuvants of surfactants Solid diluent, carrier Surfactant.
α-(p-Nonylphenol)-ω-hydroxypoly(oxyethylene) mixture of dihydrogen phosphate and monohydrogen phosphate esters and the corresponding ammonium, calcium, magnasium, potassium, sodium, and zinc salts of the phosphate esters; the nonyl group is a propylene trimer isomer and the poly(oxyethylene) content averages 4–14 or 30 moles (CAS Reg. Nos. 51811–79–1, 59139–23–0, 67922–57–0, 68412–53–3, 68553–97–9, 68954–84–7, 99821–14–4, 152143–22–1, 51609–41–7, 37340–60–6, 106151–63–7, 68584–47–4, 52503–15–8, 68458–49–1).	Not to exceed 7% of pesticide formulation.	Surfactants, related adjuvants of surfactants
α-(ρ-Nonyiphenyi)-ω-hydroxypoly(oxyethylene) produced by the condensation of 1 mole of nonyiphenol (nonyl group is a propylene trimer isomer) with an average of 4-14 or 30-90 moles of ethylene oxide; if a blend of products is used, the average number of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range of 4-14 or 30-90.		Surfactants, related adjuvants of surfactants
α-(p-Nonylphenol)-ω-hydroxypoly(oxyethylene) sulfate, ammonium, calcium, magnesium, potassium, sodium, and zinc salts the nonyl group is propylene trimer isomer and the poly(oxyethylene) content averages 4 moles (CAS Reg. Nos. 9014–90–8, 9051–57–4, 9081–17–8, 88649–55–8, 68891–33–8.	Not to exceed 7% of pesticide formulation.	Surfactants, related adjuvants of surfactants
1-Octanal (CAS Reg. No. 124–13–0)	pesticide formulation.	Odor masking agent Solvent or co-solvent

Inert ingredients	Limits	Uses
Octyl and decyl glucosides mixture with a mixture of octyl and decyloligosaccharides and related reaction products (primarily n- decanol) produced as an aqueous-based fliquid (68-72% solids) from the reaction of straight chain alcohols (C <sub>8</sub> (45%), C <sub>10</sub> (55%)) with anhydrous glucose. Oleic acid		Surfactants, related adjuvants of surfactants  Diluent
Oleic acid diester of α-hydro-ω-hydroxypoly (oxyethylene); the poly(oxyethylene) having average molecular weight (in amu) 400.		Surfactants, related adjuvants of surfactants
α-Oleoyl-ω-hydroxypoly(oxyethylene), average mo- lecular weight (in amu) of 600.		Emulsifier
Oleyl alcohol (CAS Reg. No. 143–28–2	15%  No more oxalic acid should be used than is necessary to chelate calcium and in no case should more than 2 lb oxalic acid per acre be used.	Cosolvent Calcium chelating hard water inhibitor
Palmitic acid  Pentaerythritol ester of maleic anhydride modified wood rosin.		Diluent Plasticizer
Pentaerythritol tetrakis (3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS Reg. No. 6683–19–8).	Not to exceed 5% by weight of the pesticide formulation.	Antioxidant, stabilizer
Petrolatum, conforming to 21 CFR 172.880 Petroleum hydrocarbons, light odorless conforming to 21 CFR 172.884.		Coating agent Solvent, diluent.
Petroleum hydrocarbons, synthetic isoparaffinic, conforming to 21 CFR 172.882.		Do.
Petroleum naphtha, conforming to 21 CFR 172.250(d).		Component of coating agent
Petroleum wax, conforming to 21 CFR 172.886(d) Phosphoric acid		Coating agent Buffer
Polyethylene, conforming to 21 CFR 177.1520(c) Polyethylene glycol(α-hydro-α-hydroxypoly(oxy- ethylene)); mean molecular weight (in amu) 194 to 9,500 conforms to 21 CFR 178.3750.		Binder, carrier, and coating agent Surfactants, related adjuvants of surfactants
Polyglycerol esters of fatty acids conforming to 21 CFR 172.854.		Surfactants, related adjuvants of surfactants
Polyglyceryl phthalate ester of coconut oil fatty acids, including fatty acid coco polymers with glyceryl and phthalic anhydride (CAS No. 67746–02–5) and coconut oil polymer with glyceryl and phthalic anhydride (CAS No. 66070–87–9).	None	Surfactants, related adjuvants of surfactants
Poly(oxy-1,2-ethanediyl), α-(carboxymethyl)-ω- (nonylphenoxy) produced by the condensation of 1 mole of nonylphenol (nonyl group is a pro- pylene trimer isomer) with an average of 4-14 or 30-90 moles of ethylene oxide. The molecular weight (in amu) ranges are 454-894 and 1598- 4238.		Surfactant
Poly(oxy-1,2-ethanediyl), $\alpha$ -[tris(1-phenylethyl)phenyl]- $\omega$ -hydroxy-, (CAS Reg. No. 99734-09-5).	For use in post-harvest ap- plications; not to exceed 15% by weight in pes- ticide formulations.	Surfactants
Poly(oxy-1,2-ethanediyl), α-(3-carboxy-1-oxosulfopropyl)-ω-hydroxy-, C <sub>10-12</sub> -alkyl ethers, disodium salts, the poly(oxyethylene) content averages 5–15 moles (CAS Reg. No. 68954–91–6).	Not to exceed 10% by weight of pesticide for- mulation.	Surfactant
Poly(oxy-1,2-ethanediyl), α-(3-carboxy-1-oxosulfopropyl)-α-hydroxy-, C <sub>10-16</sub> -alkyl ethers, disodium salts, the poly(oxyethylene) content averages 5–15 moles (CAS Reg, No. 68815–56–5).	Not to exceed 10% by weight of pesticide formulation.	Surfactant
Poly(oxy-1,2-ethanediyl), α-(3-carboxy-1- oxosulfopropyl)-α-hydroxy-, C <sub>12-14</sub> -alkyl ethers, disodium salts, the poly(oxyethylene) content averages 5-15 moles (CAS Reg. No. 1024612- 24-5).	Not to exceed 10% by weight of pesticide formulation.	Surfactant

Inert ingredients	Limits	Uses
Poly(oxy-1,2-ethanediyl), α-(3-carboxy-1- oxosulfopropyl)-ω-(isotridecyloxy)-, sodium salt (1:2), the poly(oxyethylene) content averages 5– 15 moles (CAS Reg. No. 1013906–64–3).	Not to exceed 10% by weight of pesticide formulation.	Surfactant
Polyoxyethylene (20) sorbitan monostearate	Not to exceed 15% in the formulated product; only for use with glyphosate.	Surfactants, related adjuvants of surfactants Surfactant
Polysorbate 65, conforming to 21 CFR 172.838 Potassium aluminum silicate		Emulsifier Solid diluent, carrier
Potassium benzoate (Cas No. 582–25–2)Potassium hydroxide	None	Preservative Neutralizer
Potassium phosphate		Buffer Solid diluent
Propanamide, 2-hydroxy- <i>N</i> , <i>N</i> -dimethyl- (CAS Reg. No. 35123–06–9).	Not to exceed 20% by weight in pesticide formulation.	Solvent/co-solvent
Propane		Propellant Solvent, co-solvent, diluent, or freeze-point depressant
Propanoic acid, 2-methyl-, monoester with 2,2,4-trimethyl-1,3-pentanediol (CAS Reg. No. 25265–77–4).		Solvent, co-solvent
2-Propanol, 1,1',1"-nitrilotris- (CAS No. 122-20-3) n-Propanol	Without limitation	Neutralizer Solvent, cosolvent
2-Propenoic acid, 2-methyl-, polymer with ethyl 2-propenoate and methyl 2-methyl-2-propenoate, ammonium salt (CAS Registration No. 55989–05-4), minimum number average molecular weight (in amu), 18,900		Encapsulating agent, dispensers, resins, fi- bers and beads
Propyl gallate Propyl p-hydroxybenzoate		Antioxidant Preservative for formulations
Propylene glycol		Solvent, cosolvent. Defoaming agent
Propylene glycol monomethyl ether (CAS No. 107–98–2).	none	solvent
Pyrophyllite		Solid diluent, carrier All leguminous food commodities
Rosin, partially dimerized (as defined in 21 CFR 172.615).		Surfactants, related adjuvants of surfactants
Rosin, partially hydrogenated (as defined in 21 CFR 172.615).		Do.
Rosin, wood	Not to exceed 14% by weight of pesticide formulation.	Do. Penetration aid
Salts of fatty acids, conforming to 21 CFR 172.863 Sand		Binder, emulsifier, anticaking agent Solid diluent, carrier
Shellac, bleached; refined, food grade, arsenic and rosin-free.		Coating agent
Silver nitrate (Cas Reg. No. 7761-88-8)	For use on potatoes as post-harvest treatment to control sprouting at no more than 0.06% by weight in pesticide formulations.	Stabilizer
Soapstone		Solid diluent
Sodium acid pyrophosphate		Surfactant, suspending agent, dispersing agent, buffer
Sodium alkyl naphthalenesulfonates (CAS Reg. Nos. 68909-83-1, 68909-84-2, 68909-82-0, 27213-90-7, 26264-58-4, 27178-87-6, 111163-74-7, 998356-16-1, 25417-20-3, 25638-17-9, 145578-88-7, 1322-93-6, 1323-19-9, 7403-47-6, 68442-09-1, 127646-44-0, 908356-18-3).	Limited to no more than 30% by weight in pesticide end-use products.	Surfactants, related adjuvants of surfactants
Sodium aluminum silicate		Solid diluent, carrier
Sodium dioctylsulfosuccinateSodium 1,4-dihexyl sulfosuccinate (CAS Reg. No.	······································	Surfactants, related adjuvants of surfactants Surfactants, related adjuvants of surfactants
3006–15–3).		. ,

Inert ingredients	Limits	Uses
Sodium 1,4-diisobutyl sulfosuccinate (CAS Reg.		Surfactants, related adjuvants of surfactants
No. 127–39–9). Sodium 1,4-dipentyl sulfosuccinate (CAS Reg. No. 922–80–5).		Surfactants, related adjuvants of surfactants
Sodium DL-lactate (CAS Reg. No. 72–17–3) Sodium hexametaphosphate		Surfactant Surfactant, emulsifier, wetting agent, suspending agent, dispersing agent, buffer
Sodium hydroxide		Neutralizer Surfactant Surfactants, emulsifiers, wetting agents, dis-
Sodium monoalkyl and dialkyl (C6-C16) phenoxy benzenedisulfonates and related acids (CAS Reg. Nos. 147732-59-0, 147732-60-3, 169662-22-0, 70191-75-2, 36445-71-3, 39354-74-0, 70146-13-3, 119345-03-8, 149119-20-0, 149119-19-7, 119345-04-9, 28519-02-0, 25167-32-2, 30260-73-2, 65143-89-7, 70191-76-3).	Not to exceed 20% in pesticide formulations.	persing agents, buffer Surfactants, related adjuvants of surfactants
Sodium $\alpha$ -olefinsulfonate (sodium $C_{14}\text{-}C_{16}$ ) (Olefin sulfonate).		Surfactants, related adjuvants of surfactants
Sodium N-oleoyl- N-methyl taurine (CAS Reg. No. 137–20–2).		Surfactants, related adjuvants of surfactants
Sodium and potassium salts of N-alkyl ( $C_8$ – $C_{18}$ )-beta-iminodipropionic acid where the $C_8$ – $C_{18}$ is linear and may be saturated and/or unsaturated (CAS Reg. Nos. 110676–19–2, 3655–00–3, 61791–56–8, 14960–06–6, 26256–79–1, 90170–43–7, 91696–17–2, 97862–48–1).	Concentration in formu- lated end-use products not to exceed 30% by weight in pesticide for- mulations.	Surfactants, related adjuvants of surfactants
Sodium salt of sulfated oleic acid		Surfactants, related adjuvants of surfactants Surfactant, emulsifier, wetting agent, sta-
Sodium starch glycolate (CAS Reg. No. 9063–38–1).	Granular and tableted products only; not to exceed 8% of the formulated product.	bilizer, inhibitor Disintegrant
Sodium sulfate		Solid diluent, carrier Buffer, surfactant, suspending agent, dis- persing agent, anticaking agent, condi- tioning agent
Sorbic acid (CAS Reg. No. 110–44–1)		Preservative for formulations Surfactants, related adjuvants or surfactants.
Soybean flour	Expires May 24, 2005	Surfactant Solvent, cosolvent Diluent
α-Stearoyl-ω-hydroxypoly(oxyethylene), average molecular weight (in amu) of 600.	***************************************	Emulsifier
α-Stearcyl-ω-hydroxypoly(oxyethylene); the poly(oxyethylene) content averages either 8, 9, or 40 moles; if a blend of products is used, the average number of moles ethylene oxide reacted to produce any product that is a component of the blend shall be either 8, 9, or 40.		Surfactants, related adjuvants of surfactants
Sucrose octaacetate		Adhesive Surfactant, related adjuvants of surfactants
Sulfuric acid (CAS Reg. No.7664–93–9)	Not to exceed 10% of the pesticide formulation; non-aerosol formulations only.	pH Control agent
Sweet orange peel tincture (CAS Reg. No. 8028–48–6).	Not to exceed 10% (weight/weight) in pes- ticide formulation.	Surfactant, fragrance, related adjuvants of surfactants
Synthetic paraffin and its succinic derivatives conforming to 21 CFR 172.275.		Carrier, binder, and carrying agent
Synthetic petroleum wax, conforming to 21 CFR 172.888.		Binder, carrier, and coating agent
Talc Tall oil; fatty acids not less than 58%, rosin acids not more than 44%, unsaponifiables not more than 8%.		Solid diluent, carriers Surfactants, related adjuvants of surfactants

Inert ingredients	Limits	Uses
Tartrazine		Dye Surfactants, related adjuvants of surfactants
1,1,1,2-Tetrafluoroethane, (CAS Reg. No. 811–97– 2).	***************************************	Aerosol propellant
Trans-1,3,3,3-tetrafluoroprop-1-ene (CAS Reg. No. 29118-24-9).		Propellant
Tetrahydrofurfuryl alcohol (THFA) (CAS Reg. No 97-99-4).	Expires February 9, 2008	Solvent/cosolvent
N,N,N',N",-\tetrakis-(2-hydroxypropyl) ethylene- diamine (CAS Reg. No. 102-60-3).	Concentration in formu- lated end-use products not to exceed 20% by weight in pesticide for- mulations.	Stabilizer for formulation.
α-[p-(1,1,3,3-tetramethylbutyl)phenyl]-ω- hydroxypoly(oxyethylene) produced by the con- densation of 1 mole of p-(1,1,3,3- tetramethylbutyl)phenol with a range of 1-14 or 30-70 moles of ethylene oxide: If a blend of products is used, the average range number of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range of 1-14 or 30-70 (CAS Reg. Nos. 9036-19-5, 9002-93-1).	Not to exceed 7% of pesticide formulation.	Surfactants related adjuvants of surfactants
2,4,7,9-Tetramethyl-5-decyn-4, 7-diol	Not more than 2.5% of pesticide formulation.	Surfactants, related adjuvants of surfactants
Tetrasodium pyrophosphate		Anticaking agent, conditioning agent Dechlorinator, reducing agent
Thiosulfuric acid, disodium salt, pentahydrate. (CAS Reg. No. 10102–17–7).		Do.
d-Alpha tocopherol (CAS Reg. No. 9-02-9d-Alpha tocopheryl acetate (CAS Reg. No. 58-95-7).	None	Safener Do.
dl-Alpha tocopherol (CAS Reg. No.10191-41-0) dl-Alpha tocopheryl acetate (CAS Reg. No. 7695-91-2).	None	Do. Do.
Tricalcium phosphate		Surfactant, suspending agent, dispersing agent, anticaking agent, conditioning agent
Trisodium phosphate Vermiculite		Surfactant, emulsifier, wetting agent Solid diluent, carrier.
Vitamin E (CAS Reg. No. 1406-18-4) Walnut shells	None	Safener Leaching inhibitor, binder for water-dispersible aggregates, sticker and suspension
Wintergreen oil	Derived from wood free of chemical preservatives.	stabilizer Attractant Solid diluent and carrier
Xanthan gum-modified, produced by the reaction of xanthan gum and glyoxal (maximum 0.3% by weight).	Not more than 0.5% of pesticide formulation.	Surfactant
Xylene meeting the specifications listed in 21 CFR 172.884(b)(4).	In pesticide formulations for grain storage only.	Solvent, cosolvent
Zeolite (hydrated alkali aluminum silicate) Zinc oxide		Solid diluent, carrier Coating agent
Zinc sulfate (basic and monohydrate) Zinc sulfate (basic and monohydrate)		Do. Solid diluent, carrier

#### [69 FR 23117, Apr. 28, 2004]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §180.910, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

#### §180.920 Inert ingredients used preharvest; exemptions from the requirement of a tolerance.

The following materials are exempted from the requirement of a tolerance

when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops only:

Inert ingredients	Limits	Uses
AcetophenoneAdenosine (CAS Reg. No. 58-61-7)	Maximum of 0.5% of formulation.	Attractant Synergist
Alder bark	20% by weight in pesticide formulation.	Seed germination stimulator Surfactant
α-Alkyl (minimum C <sub>6</sub> linear, branched, saturated and/or unsaturated)-ω-hydroxypolyoxyethylene polymer with or without polyoxypropylene, mixture of di- and monohydrogen phosphate esters and the corresponding ammonium, calcium, magnesium, monoethanolamine, potassium, sodium, and zinc salts of the phosphate esters; minimum oxyethylene content is 2 moles; minimum oxypropylene content is 2 moles (CAS Reg. Nos. 9046–01–9, 37280–82–3, 39464–66–9, 42612–52–2, 50643–20–4, 52019–36–0, 58318–92–6, 68070–99–5, 68071–33–2, 68711–24, 6871–34, 68186–37–8, 68186–36–7, 68311–024–2, 68425–73–0, 68458–48–0, 68511–37–5, 68610–65–1, 68585–36–4, 68891–31–4, 73038–25–2, 78330–24–2, 108818–88–8, 154518–39–5, 317833–96–8, 873662–29–4, 936100–29–7, 936100–30–0).	Not to exceed 30% of pesticide formulation.	Surfactants, related adjuvants of surfactants
N-alkyl(C <sub>8</sub> -C <sub>18</sub> ) dimethylamidopropylamines where the alkyl group is linear and may be saturated and/or unsaturated (CAS Reg. Nos. 109–28-4, 3179–80-4, 7651–02-7, 22890–10-4, 22890–11-5, 39669–97–1, 45267–19-4, 68140–01–2, 1147459–12–8, 146987–98–61.	Not to exceed 20% by weight in herbicide formulations.	Surfactants, related adjuvants of surfactants
N-alkyl (Cs-C1s) primary amines and their acetate salts where the alkyl group is linear and may be saturated and/or unsaturated (CAS Reg. Nos. 61790–57–6, 61790–58–7, 61790–59–8, 61790–60–1, 61788–46–3, 61790–33–8, 68155–38–4).	Concentration in formulated end-use products not to exceed 10% by weight in herbicide products, 4% by weight in insecticide products, and 4% by weight in fungicide prod- ucts.	Surfactants, related adjuvants of surfactants
N,N-Bis-α-ethyl-α-hydroxypoly(oxy-1,2-ethanediyl) C8–C18 saturated and unsaturated alkylamines; the poly(oxy-1,2-ethanediyl) content is 2–60 moles (CAS Reg. Nos. 10213–78–2, 25307–17–9, 26635–92–7, 26635–93–8, 288259–52–9, 58253–49–9, 61791–28–2, 61791–31–9, 61791–24–0, 61791–26–2, 61791–31–9, 61791–44–4, 68155–33–9, 68155–39–5, 68155–40–8,70955–14–5, 73246–96–5, 1266162–49–5).	Not to exceed 25% in herbicide formulations and 10% in insecticide and fungicide formulations.	Surfactants, related adjuvants of surfactants
N.N-Bis-α-ethyl-ω-hydroxypoly(oxy-1,2-ethanediyl/oxy(methyl-1,2-ethanediyl) C <sub>8</sub> -C <sub>18</sub> saturated and unsaturated alkylamines; the poly(oxy-1,2-ethanediyl/oxy(methyl-1,2-ethanediyl/oxy(methyl-1,2-ethanediyl) content is 2–60 moles (CAS Reg. Nos. 68213–26–3, 68153–97–9, 75601–76–2).	Not to exceed 25% in herbi- cide formulations and 10% in insecticide and fungicide formulations.	Surfactants, related adjuvants of surfactants
Aluminum sulfate	15%	Safener adjuvant Buffering Agent. Carrier/nutrient
9). Ammonium formate (CAS Reg. No. 540–69–2) Ammonium nitrate (CAS Reg. No. 6484–52–2)		Complexing or fixing agent Adjuvant/ intensifier for herbicides

Inert ingredients	Limits	Uses
Ammonium polyphosphate (CAS Reg. No. 68333–79–9).		Sequestrant, buffer, or surfactant
Quaternary ammonium compounds, benzylbis(hydrogenated tallow alkyl)methyl, bis(hydrogenated tallow alkyl)dimethylammonium salts with saponite (CAS Reg. No. 1588523-05-0).	Not to exceed 1.0% by weight of pesticide formulation.	Suspending or structuring agent
Quaternary ammonium compounds, benzylbis(hydrogenated tallow alkyl)methyl, bis(hydrogenated tallow alkyl)di- methylammonium salts with sepiolite (CAS Reg. No. 1574487–61–8).	Not to exceed 2.0% by weight of pesticide formu- lation, asbestos free and containing less than 1% crystalline silica.	Suspending or structuring agent
Barium sulfate		Carrier
1,4-Benzenedicarboxylic acid, dimethyl ester, polymer with 1,4-butanediol, adipic acid, and hexamethylene diisocyanate, minimum num- ber average molecular weight (in amu) 30,000 (CAS Reg. No. 55231–08–8).	For use in honeybee hive miticide formulations.	Component of controlled release agent
1,2-Benzisothiazolin-3-one	Not more than 0.1% of for- mulation. Not more than 0.02 lb to be applied per acre.	Preservative/stabilizer
Benzyl acetate (CAS Reg. No. 140-11-4)		Solvent
Boric acid	No more than 2.5 lbs/acre/ season (3.4 gm/acre/sea- son of Cucurbitacin).	Sequestrant Gustatory stimulant
Butyl stearate		Defoamer
γ-Butyrolactone	For seed treament use only	Solvent Dye, coloring agent
C.I. Pigment Green #7 (CAS Reg. No. 1328– 53–6; containing no more than 50 ppm poly- chlorinated biphenyls (PCBs)).	For seed treatment use only.	Dye, coloring agent
C.I. Pigment Red #112 (CAS Reg. No. 6535-46-2).	Seed treatment use only. Limited to 10% w/w of pesticide formulation.	Coloring agent
C.I. Pigment Violet #23 (CAS Reg. No. 6358–30–1; containing no more than 20 ppb of polychlorinated dibenzo-p-dioxins and/or polychlorinated dibenzofurans).	For seed treatment use only.	Dye, coloring agent
C.I. Pigment Yellow 1 (CAS Reg. No. 2512–29– 0).	Not to exceed 10% (weight/ weight) in pesticide for- mulation.	Colorant
Calcium gluconate (CAS Reg. No. 299–28–5)	Niet war de a 200 mai alet te	Sequestrant Sequestrant
Camphor (CAS Reg. No. 76-22-2)	Not more than 5% weight to weight (w/w) of pesticide formulations.	Deodorant, melting point adjustment
Carbon Black (CAS Reg. No. 1333–86–4)	For seed treatment use only.	Colorant
Carbonic acid, dipotassium salt (CAS Reg. No. 584–08–7).		Buffering agent
Carbonic acid, dipotassium salt, trihydrate (CAS Reg. No. 18662–52–7).		Buffering agent
Carboxymethyl guar gum sodium salt (CAS Reg. No. 39346-76-4),	Without limitation	Thicker/drift reduction agent
Carboxymethyl-hydroxypropyl guar (CAS Reg. No. 68130-15-4).	Without limitation	Thicker/drift reduction agent
Carrageenan, conforming to 21 CFR 172.260	10 ppm in formulation Not more than 0.15% of pesticide formulation.	Tagging agent Thickener and stabilizer for pesticide formula- tions applied to seeds before planting
Chlorobenzene	Contains not more than 1% impurities. Not for use after edible parts of plant begin to form. Do not graze livestock in treated areas within 48 hours after application.	Solvent, cosolvent

Inert ingredients	Limits	Uses
5-Chloro-2-methyl-4-isothiazolin-3-one (in combination with 2-methyl-4-isothiazolin-3-one).	Not more than 0.0022% (22.5 ppm) in the formulation; 0.00022% (or 2.25 ppm) in the final solution applied to growing crops.	Preservative
Choline chloride (CAS Reg. No. 67-48-1)		As a solvent
Choline hydroxide (CAS Reg No. 123–41–1) Cis-isomer of 1-(3-chloroallyl)-3,5,7-triaza-1- azoniaadamantane chloride (CAS Reg. No.	Without limitation  Maximum of 0.14% by weight of formulation.	Neutralizer Preservative
51229-78-8).  Coco alkyl dimethyl amines (CAS Reg. No. 61788-93-0).	Not to exceed 0.5% in pes- ticide formulation.	Emulsifier
Copper naphthenate	Not more than 2.5% of for- mulation; application lim- ited to before edible por- tions of plants begin to form.	Mercaptan scavenger in technical pesticide
Cumene sulfonic acid and its ammonium, calcium, magnesium, potassium, sodium and zinc salts (CAS Reg. Nos. 15763-76-5, 16066-35-6, 164524-02-1, 28085-69-0, 28348-53-0, 28631-63-2, 32073-22-6, 37475-88-0, 37953-05-2, and		Surfactant, related adjuvant of surfactant
Cyclohexane		Solvent, cosolvent
Cyclohexanone		Do. Synergist
D&C Green No. 6		Dye
D&C Red No. 17, technical grade		Dye
D&C Red No. 33 (CAS Reg. No. 3567–66–6); meeting the specifications listed in 21 CFR 74.1333.		Dye
D&C Violet No. 2, technical grade	Not more than 0.005% of pesticide formulation.	Dye
Decanamide, N,N-dimethyl (CAS Reg. No. 14433–76–2).		Emulsifier, solvent, cosolvent
Diammonium phosphate (CAS Reg. No. 7783–28–0).		Buffer, surfactant
dibenzylidene sorbitol (32647–67–9) Diethanolamine		Thinning agent Stabilizer, inhibitor for formulations used before
$\begin{array}{llllllllllllllllllllllllllllllllllll$	Not to exceed 7% of pesticide formulation.	crop emerges from soil Surfactants, related adjuvants of surfactants.
Diethylene glycol		Deactivator, adjuvant for formulations used be- fore crop emerges from soil
Diethylene Glycol (CAS No. 111–46–6)  Diethylene glycol and diethylene glycol monobutyl, monoethyl, and monomethyl ethers.	Without limitation	Solvent, stabilizer and/or antifreeze Deactivator for formulations used before crop emerges from soil, stabilizer
Diethylene glycol mono butyl ether (CAS Reg. No. 112–34–5).	Without limitation	Pesticide inert ingredient as a solvent, sta- bilizer and/or antifreeze
Diethylene Glycol MonoEthyl Ether (CAS Reg. No. 111-90-0).	Without limitation	Solvent, stabilizer and/or antifreeze

Inert ingredients	Limits	Uses
Dimethylaminopropylamine, isopropylamine, eth- anolamine, and triethanolamine salts of alkyl (C8+C24) benzenesulfonic acid (CAS Reg. Nos. 3088-30-0, 12068-12-1, 26264-05-1, 26836-07-7, 27323-41-7, 55470-69-4, 58089-99-9, 61886-59-7, 61931-76-8, 67924-05-4, 68110-32-7, 68259-35-8, 68411-31-4, 68442-72-8, 68567-69-1, 68584-24-7, 68584-25-8, 68648-81-7, 68648-96-4, 68649-00-3, 68815-30-5, 68915-38-0, 70528-84-6, 72391-21-0, 84961-74-0, 85480-55-3, 85480-56-4, 85995-82-0, 90194-42-6, 90194-53-9, 90194-54-0, 90194-55-1, 90218-09-0, 90218-11-4, 90218-35-2, 96687-54-6, 99924-49-9, 121617-08-1, 157966-96-6, 193562-36-6, 319926-68-6, 877677-48-0, 1093628-27-3).		Surfactants, related adjuvants of surfactants.
3,6-Dimethyl-4-octyn-3,6-diol	In pesticide formulations, for soil prior to planting or to plants before edible parts form.	Surfactants, related adjuvants of surfactants
Dimethyl sulfoxide (CAS No. 67–68–5)	For pesticide formulations used before crop emerges from soil or prior to formation of edible parts of food plants; for pesticide formulations used after crop emerges but before harvest, provided that the potential for increased residues of the formulation's active ingredient(s) in or on food commodities has been assessed.	Solvent or cosolvent for formulations used be- fore crop emerges from soil or prior to forma- tion of edible parts of food plants Solvent or co-solvent
Dipotassium hydrogen phosphate Dipropylene glycol monomethyl ether Douglas-fir bark, ground Dysprosium chloride 1,2-ethanediamine,N,N,	10 ppm in formulation For use in pesticide formu-	Buffering agent Stabilizer Solid diluent, carrier Tagging agent Adjuvant or water conditioner
mer with 1,1'-oxybis[2-chloroethane] (CAS Reg. No. 31075-24-8). (S,S)-Ethylenediaminadisuccinic acid (CAS	lations applied to cotton or wheat only.	Sequestrant or chelating agent
Reg. No. 20846–91–7). Ethylene glycol		Antifreeze, deactivator for all pesticides used before crop emerges from soil and in herbicides before or after crop emerges
Ethylene glycol (CAS Reg. No. 107–21–1)	Without limitation	Pesticide inert ingredient as a solvent, sta- bilizer and/or antifreeze.
Ethylene glycol monobutyl ether		Cosolvent, defoamer, solvent for all pesticides used before crop emerges from soil and in herbicides before or after crop emerges
Europic chlorideFD&C Blue No. 1 (CAS Reg. No. 3844–45–9)	10 ppm in formulation For seed treatment use only.	Tagging agent Dye, coloring agent
FD&C Blue No. 1, methyl-polyethylene glycol derivative (CAS Reg. No. 9079–34–9).	For seed treatment use only; Number average molecular weight (in amu) is greater than 1,000; Not to exceed 5% of the formulated pesticide product.	Dye, coloring agent
FD&C Blue No. 1, polyethylene glycol derivative (CAS Reg. No. 9079–33–8).	For seed treatment use only; Number average molecular weight (in amu) is greater than 1,000; Not to exceed 5% of the for- mulated pesticide product.	Dye, coloring agent

Inert ingredients	Limits	Uses
FD&C Red No. 40 (CAS Reg. No. 25956-17-6)	For seed treatment use only. Not to exceed 2% by weight of the pesticide formulation.	Dye, coloring agent
Ferric chloride		Not greater than 2% of suspending, dispersing agent, pesticide formulation
Fluoroapatite	Maximum of 0.5% of formulation.	Solid diluent, carrier Synergist
Gluconic acid (and sodium salt)	Seet treatment use only	Sequestrant Plant nutrient
[alpha]-D-glucopyranoside, 2-ethylhexyl 6-O- [alpha]-D glucopyranosyl- (CAS Reg. No. 330980-61-5).		Surfactant
[alpha]-D-glucopyranoside, 2-ethylhexyl (CAS Reg. No. 125590–73–0).		Surfactant
Glutamine (CAS Reg. No. 56-85-9)	Maximum of 0.5% of formulation.	Synergist
Glycerol—propylene oxide polymer (CAS Reg. No. 25791–96–2).		Component in water-soluble film
Glyceryl triacetate		Stabilizer
Glyceryl tris-12-hydroxystearate		Flow control agent
GraphiteGuar hydroxypropyltrimethylammonium chloride		Treatment aid for seeds Thickener/drift reduction agent
(CAS Reg. No. 71329-50-5).		
Hexamethylenetetramine		Stabilizer for carriers in solid pesticide formula- tions
2-(2'-hydroxy-3',5'-di-tert-amylphenyl) benzotriazole (CAS Reg. No. 25973–55–1).	Maximum concentration of 0.6% in insecticide formu- lations applied to adzuki beans, canola, chickpeas, cotton, faba beans, field peas, lentils, linola, lin- seed, lucerne, lupins, mung beans, navy beans, pigeon peas, safilower,	Ultraviolet (UV) stabilizer
2-Hydroxy-4- <i>n</i> -octoxybenzophenone (CAS Reg. No. 1843–05–6).	sunflower, and vetch.  Not more than 0.2 pt of pesticide formulation.	Light stabilizer
Hydroxypropyl guar gumIsobornyl acetate		Thickener Solvent
Isobutyl alcohol	For call application sub-	Do.
Isobutylene-butene copolymers	For soil application only Not more than 2% of pes- ticide formulation.	Binder Defoaming agent
Lanthanum chloride	None	Tagging agent. Preservation
Maleic acid	For pesticide formulations applied to apples with a minimum preharvest in- terval of 21 days.	Stabilizer
Maleic anhydride (CAS Reg. No. 108-31-6)	Not to exceed 3.5% in pes- ticide formulations; or for pesticide formulations ap- plied to apples with a minimum preharvest in- terval of 21 days.	Stabilizer
Manganese carbonateD-mannose (CAS Reg. No. 3458–28–4)		Plant nutrient Sequestrant, binder, filler
Mesityl oxide	Not for use after edible parts of plant begin to form. Do not graze livestock in treated areas within 48 hours after application.	Sequestrant, binder, filler Solvent, cosolvent
Methionine (CAS Reg. No. 59–51–8)	Maximum of 0.5% of formulation.	Synergist
Methyl alcohol		Do.
Methyl ethyl ketone Methyl p- hydroxybenzoate		Surfactant Preservative for formulations
Methyl isobutyl ketone		Solvent, cosolvent

Inert ingredients	Limits	Uses
2-Methyl-4-isothiazolin-3-one (in combination with 5-chloro-2-methyl-4-isothiazolin-3-one).	Not more than 0.0022% (22.5 ppm) in the formu- lation; 0.00022% (or 2.25 ppm) in the final solution applied to growing crops.	Preservative
Mono-, di-, and trimethylnapthalenesulfonic acids and napthalenesulfonic acids formaldehyde condensates, ammonium and sodium salts (CAS Reg. Nos. 9008–63–3, 9069–80–1, 9084–66–4, 36290–04–7, 91078–68–1, 141959–43–5, 68425–94–5).		Surfactants, related adjuvants of surfactants
Methyl oleate2-Methyl-2,4-pentanediol		Surfactant Solvent for formulations used before crop emerges from soil
Methyl poly(oxyethylene) $C_8$ – $C_{18}$ alkylammonium chlorides where the poly(oxyethylene) content is n = 2–15 and where $C_8$ – $C_{18}$ alkyl is linear and may be saturated or unsaturated (CAS Reg. Nos. 3010–24–0, 18448–65–2, 70750–47–9, 22340–01–8, 67784–77–4, 64755–05–1, 61791–10–4, 28724–32–5, 28880–55–9, 68187–69–9, 68607–27–2, 60687–90–3.	Concentration in formulated end use products not to exceed 10% by weight in herbicide products and 5% by weight in all other pesticide products.	Surfactants, related adjuvants of surfactants
M-Methylpyrrolidone (CAS Reg. No. 872-504) Mixed phytosterols (consisting of campesterol, sitosterol and stigmasterol, with minor amounts of associated plant sterols) derived from edible vegetable oils.		Solvent, cosolvent Surfactant
Mono- and bis-(1 <i>H</i> , 1 <i>H</i> , 2 <i>H</i> , 2 <i>H</i> -perfluoroalkyl) phosphates where the alkyl group is even numbered and in the C <sub>6</sub> -C <sub>12</sub> range.	Not more than 0.5% of pes- ticide formulation. Expires February 9, 2008.	Surfactant, related adjvants of surfactants
Mono- and dialkyl (C <sub>8</sub> -C <sub>18</sub> ) methylated ammo- nium chloride compounds, where the alkyl group(s) (C <sub>8</sub> -C <sub>18</sub> ) are derived from coconut, cottonseed, soya, tallow, or hogfat fatty acids.		Surfactants, related adjuvants of surfactants
Morpholine 4-C <sub>6-12</sub> Acyl Derivatives (CAS Reg. No. 887947–29–7).	Maximum of 0.50/ of farms	As a solvent
Nicotinamide (CAS Reg. No. 98–92–0)	Maximum of 0.5% of formulation.	Synergist
α-(p-Nonylphenyl)-α-hydroxypoly(oxyethylene); produced by the condensation of 1 mole of nonylphenol (nonyl group is a propylene trimer isomer) with an average of 4-14 or 30- 100 moles of ethylene oxide; if a blend of products is used, the average number of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range 4-14 or 30-100.		Surfactant
Octanamide, N,N-dimethyl (CAS Reg. No. 1118–92–9).		Emulsifier, solvent, cosolvent
α-Oleoyl-ω-(oleoyloxy) poly(oxyethylene) derived from α-hydro-ω-hydroxypoly(oxyethylene) (molecular weight 600 amu).		Component of defoamers
Oxo-decyl acetate (CAS reg. No. 108419–33–6) Oxo-heptyl acetate (CAS Reg. No. 90438–79–2)		Solvent Solvent
Oxo-hexyl acetate (CAS Reg. No. 88230–35–7) Oxo-nonyl acetate (CAS Reg. No. 108419–34–7).		Solvent Solvent
Oxo-octyl acetate (CAS Reg. No. 108419–32–5) Oxo-tridecyl acetate (CAS Reg. No. 108419–35–8).		Solvent Solvent
Phenol	Not more than 10% by weight of pesticide formulations.	Solvent, cosolvent UV stabilizer.
Phenolsulfonic acid—formaldehyde—urea con- densate and its sodium salt.	Applied to growing plants only.	Dispersant surfactant
(Phthalocyaninato (2)) copper; (C.I. pigment blue No. 15). Pigment red 48	When used as a colorant in low-density plastic films. For seed treatment use	Coloring agent, pigment  Dye
α-Pinene	only. Not more than 2% of formu-	Stabilizer
Poly(oxy-1,2-ethanediyl), α-isotridecyl-ω-methoxy (CAS Reg. No. 345642–79–7).	lation by weight. At a maximum of 10% in formulation.	Surfactant

Inert ingredients	Limits	Uses
Poly(oxy-1,2-ethanediyl), α-(3-carboxy-1- oxosulfopropyl)-ω-hydroxy-, (C <sub>10</sub> -C <sub>12</sub> )-alkyl ethers, disodium salts, polyoxylene content averages 4–5 moles (CAS Reg. No. 68815– 56–5).	Not to exceed 0.125% for seed treatment use only.	Surfactant.
Poly(oxy-1,2-ethanediyl), α-(3-carboxy-1- oxosulfopropyl)-ω-hydroxy-, (C <sub>1σ</sub> -C <sub>16)</sub> -alkyl ethers, disodium salts, polyoxyethylene con- tent averages 5 moles (CAS Reg. No. 68954– 91–6).	Not to exceed 0.125% for seed treatment use only.	Surfactant
Poly(oxyethylene) adducts of mixed phytosterols (such sterols to consist of campesterol, stig- masterol and sitosterol with minor amounts of associated plant sterols) derived from edible vegetable oils; polyoxyethylene content aver- aging 5-26 moles.		Surfactant, related adjuvants
Polyoxyethylene polyoxypropylene mono(di-sec- butylphenyl) ether (CAS Reg. No. 69029–39– 6).	Limited to herbicide formu- lations only, and to no more than 30% by weight in herbicide formulations intended for application to turf.	Surfactants, related adjuvants of surfactants
Poly(oxyethylene) (5) sorbitan monooleate		Surfactants, related adjuvants of surfactants
Polysorbate 60, conforming to 21 CFR 172.836 Potassium dihydrogen phosphate		Surfactant Buffering agent
2-Propanamine, compound with α-phosphono-ω- butoxypoly (oxy-1,2-ethanediyl) (2:1) (CAS Reg. No. 431040–31–2).	Not more than 15% in the formulated product.	Surfactant
2-Propanamine, compounds with polyethylene glycol dihydrogen phosphate C <sub>8-10</sub> - alkyl ether (2:1) (CAS Reg. No. 431062–72–5).	Not more than 15% in the formulated product.	Surfactant
1,2-Propanediol, 3-[3-[1, 3, 3, 3-tetramethyl-1- [(trimethylsilyl)oxy]-1-disiloxyanyl] propoxy]- (CAS Reg. No. 70280–68–1).	Not to exceed 5% by weight of pesticide formulation.	Antifoaming agent
Propylene glycol monomethyl ether	Maximum at 0.59/ at farms	Solvent
Pyridoxine (CAS Reg. No. 65–23–6)	Maximum of 0.5% of formu- lation.	Synergist
2-Pyrrolidinone, 1-butyl- (CAS Reg. No. 3470–98–2).	Not to exceed 30% by weight of pesticide formulation.	Solvent/cosolvent
Rosin, dark wood (as defined in 21 CFR 178.3870(a)(1)(v)).		Surfactants, related adjuvants of surfactants
Rosin, gum		Do. Đo.
Scandium chloride	10 ppm in formulation	Tagging agent
Sodium bisulfate (CAS Reg. No. 7681–38–1)		Acidifying/buffering agent
Sodium 1,4-dicyclohexyl sulfosuccinate		Surfactants, related adjuvants of surfactants Surfactants, related adjuvants of surfactants
No. 3006–15–3).		·
Sodium dihydrogen phosphate (CAS Reg. No. 7558–80–7) conforming to 21 CFR 182.6778.		Buffering agent
Sodium 1,4-diisobutyl sulfosuccinate (CAS Reg. No. 127–39–9).		Surfactants, related adjuvants of surfactants
Sodium 1,4-dipentyl sulfosuccinate (CAS Reg. No. 922–80–5).		Surfactants, related adjuvants of surfactants
Sodium metaborate		Sequestrant
Sodium molybdate		Plant nutrient
Sodium nitrate Sodium nitrite	Not more than 3% of pes-	Solid diluent Stabilizer, inhibitor.
	ticide formulation.	
Sodium o-phenylphenate	Not more than 0.1% of pes- ticide formulation.	Preservative for formulation
Sodium salt of the insoluble fraction of rosin		Surfactants, related adjuvants of surfactants
Sodium salts of N-alkyl (C8-C18)-beta-	Concentration in formulated	Surfactants, related adjuvants of surfactants
iminodipropionic acid where the C8-C18 is lin- ear and may be saturated and/or unsaturated (CAS Reg. Nos. 3655-00-3, 61791-56-8, 14960-06-6, 26256-79-1, 90170-43-7, 91696-	end-use products not to exceed 30% by weight in pesticide formulations.	
17-2, 97862-48-1). Sodium tetraborate	Not more than 2% of pes-	Buffering agent; corrosion inhibitor
	ticide formulation.	earrowing agent, corresion minutes

Inert ingredients	Limits	Uses
Sulfonic acids, C <sub>13*17</sub> -sec-alkane, sodium salts (CAS Reg. No. 85711–69–9).	weight in non-residential	Surfactant
Sulfonic acids, C <sub>14*17</sub> -sec-alkane, sodium salts (CAS Reg. No. 97489–15-1).	use pesticide formulation only.  Not to exceed 40% by weight in non-residential	Surfactant
Tallowamine, ethoxylated, mixture of dihydrogen phosphate and monohydrogen phosphate	pesticide formulation only.	Surfactants, related adjuvants of surfactants
esters and the corresponding ammonium, cal- cium, potassium, and sodium salts of the phosphate esters, where the poly(oxyethylene) content averages 2–20 moles (CAS Reg. No. 68308–48–5).		Dispersing agent
Tertiary butylhydroquinone		Antioxidant
1-Tetradecanamine, N,N-dimethyl-, N-oxide (CAS Reg. No. 3332–27–2).		Component in water-soluble film
Tetraethylene glycol (CAS Reg. No. 112–60–7) N,N,N,N,N'-Tetrakis-(2-hydroxypropyl) ethylene-	Concentration in formulated	Solvent Stabilizer for formulations
diamine (CAS Reg. No. 102-60-3).	end-use products not to exceed 20% by weight in pesticide formulations.	
2,4,7,9-Tetramethyl-5-decyne 4,7-diol	In pesticide formulations, for application to soil prior to planting or to plants before edible parts form.	Surfactants, related adjuvants of surfactants
Tetrapotassium pyrophosphate (CAS Reg. No. 7320–345).	Not to exceed 10% of for- mulation.	Sequestrant, anticaking agent, conditioning agent
Titanium dioxide (CAS Reg. No. 13463-67-7)		Pigment/coloring agent in plastic bags used to wrap growing banana (preharvest), colorant on seeds for planting
Toluenesulfonic acid and its ammonium, cal- cium, magnesium, potassium, sodium, and zinc salts.		Solvent, cosolvent
Triethanolamine		Stabilizer, inhibitor for formulations used before crop emerges from soil
Triethanolamine (CAS Reg. No. 102–71–6)		Stabilizer, inhibitor Deactivator
Triethylene glycol Triethyl phosphate		Stabilizer for formulations used before crop emerges from soil
Trimethylolpropane (CAS Reg. No. 77-99-6)	Not to exceed 15% by weight of the film.	Component in water-soluble film
α-[2,4,6-Tris[1-(phenyl)ethyl]phenyl]-ω-hydroxy poly(oxyethylene), the poly(oxyethylene) con- tent averages 4-150 moles).	Not more than 15% of the formulation.	Surfactant.
α-[2,4,6-Tris[1-(phenyl)ethyl]phenyl]-ω-hydroxy poly(oxyethylene); mixture of monohydrogen and dihydrogen phosphate esters and the corresponding ammonium, calcium, magnesium, potassium, sodium, and zinc salts, the poly(oxyethylene) content averages 4-150 moles).	Not more than 15% of the formulation.	Do.
α-[2,4,6-Tris[1-(phenyl)ethyl]phenyl]-ω-hydroxy poly(oxyethylene) sulfate, and the cor- responding ammonium, calcium, magnesium, potassium, sodium, and zinc salts, the poly(oxyethylene) content averages 4-150 moles.	Not more than 15% of the pesticide formulation.	Do.
Tryptophan (CAS Reg. No. 73-22-3)	Maximum of 0.5% of formulation.	Synergist
Valeric acid, normal	Not more than 2% in pes- ticide formulations.	Stenching agent or odorant
Xylene		Solvent, cosolvent Surfactants, related adjuvants of surfactants
Yucca extract from Yucca schidigera	40	Wetting agent
Ytterbium chloride	10 ppm in formulation	Tagging agent
Zinc orthophosphate	10 ppm in formulation	Tagging agent Plant nutrient and safener
Zinc stearate, conforming to 21 CFR 182.5994		Flow control agent
and 582.5994,		<del>-</del>

[69 FR 23124, Apr. 28, 2004]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §180.920, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at many files are

# § 180.930 Inert ingredients applied to animals; exemptions from the requirement of a tolerance.

The following materials are exempted from the requirement of a tolerance

when used in accordance with good agricultural practice as inert (or occasionally active) ingredients in pesticide formulations applied to animals:

Inert ingredients	Limits	Uses
Acetic acid (CAS Reg. No. 64-19-7)	Not more than 0.5% of pesticide formulation.	Catalyst
Acetic anhydride		Solvent, cosolvent, stabilizer
Acetone (Cas Reg. No. 67-64-1)	l	Solvent or cosolvent
Alkanoic and alkenoic acids, mono- and diesters of α-hydro-ω-hydroxypoly(oxyethylene) with molecular weight (in amu) range of 200 to 6,000.		Emulsifiers
Alkyl (C <sub>8</sub> -C <sub>24</sub> ) benzenesulfonic acid and its ammonium, calcium, magnesium, potassium, sodium, and zinc salts.		Surfactants, emulsifier, related adjuvants of surfactants
Alkyl (C <sub>12</sub> -C <sub>16</sub> ) dimethyl ammonio acetate (CAS Reg. Nos. 683-10-3, 2601-33-4 and 693-33-4.	20% by weight in pes- ticide formulation.	Surfactant
oc-alkyl(C <sub>6</sub> : C <sub>15</sub> )-o-hydroxypoly(oxyethylene)sulfate, and its ammonium, calcium, magnesium, potassium, sodium, and zinc salts, poly(oxyethylene) content averages 2–4 moles (CAS Reg. Nos.: 3088 –31–1, 3694–74–4, 9004–82–4, 9004–84–6, 9021–91–4, 9086–52–6, 13150–00–0, 15826–16–1, 25446–78–0, 26183–44–8, 27140–00–7, 27731–61 –9, 27731–61–9, 27731–62–0, 32612–48–9, 34431–25–9, 35015–74–8, 50602–06–7, 52286–18–7, 52286–19–8, 54116–08–4, 55901–67–2, 61702–79 –2, 61894–66–4, 62755–21–9, 63428–85–3, 63428–86–4, 63428–87–5, 65086–57–9, 6506–79–5, 66104–74–7, 65122–38–5, 67674–66–2, 67762–19 –0, 67762–21–4, 67845–82–3, 67845–83–4, 67923–90–4, 68037–05–8, 68037–06–9, 68171–41–5, 68424–50–0, 68511–39–7, 68585–34–2, 68610–66 –2, 68611–29–0, 68611–52–2, 68691–38–3, 69011–37–6, 73665–22–2, 75422–21–8, 78330–16–2, 78330–17–3, 78330–25–3, 78330–36–4, 78330–32–6, 78330–30–0, 96130–61–9, 106597–03–9, 110392–50–2, 119432–41–6, 125301–88–4, 125301–89–5, 125301–90, 125736–54–1, 157707–85–2, 160104–51–8, 160901–27–9, 160901–28–0, 160901–29–1, 160901–30–4, 161025–28–1, 161074–79–9, 162063–19–6, 219756–63–5).	Not to exceed 30% of formulation.	Surfactants, related adjuvants of surfactants.
co-alkyl (C <sub>12</sub> -C) (oxyethylene)copolymers (where the poly (oxypropylene) content is 3-60 moles and the poly (oxyethylene) content is 5-80 moles), the resulting ethoxylated propoxylated (C <sub>12</sub> -C a minimum molecular weight (in amu) of 1,500, CAS Reg. No. 68551-13-3-3.	Not to exceed 20% of pesticide formulations.	Surfactant

§ 180.930

(oxyethylene) polymers where the alkyl chain contains a minimum of six carbons (CAS Reg. Nos.: 9002–92–0; 9004–95–9; 9004–98–2; 9005–00–6; 9035–85–2; 9003–89–3; 9004–90–5; 9045–85–5; 9047–80–5; 9047–80–5; 9047–80–5; 9047–80–5; 9047–80–5; 9047–80–6; 26183–52–8; 26468–86–0; 26636–39–6; 27252–75–1; 27306–79–2; 31726–34–8; 34398–01–1; 34398–05–5; 37251–67–5; 37311–00–5; 37311–01–6; 37311–02–7; 37311–04–9; 39537–22–9; 50861–66–0; 52232–90–4; 52292–17–8; 52609–19–5; 57679–21–7; 59112–62 –8; 60828–78–6; 61702–78–1; 6172–599–1; 61791–13–7; 61791–20–6; 61791–28–4; 61804–34–0; 61827–42–7; 61827–84–7; 6248–50–2; 63686–67–7; 64415–24–3; 64415–25–4; 64425–86–1; 65104–72–5; 65150–81–4; 66455–14–9; 66455–14–9; 68154–97–2; 68154–93, 68154–93–6; 68154–96–1; 68154–97–2; 68154–93, 68154–93–6; 6802–96–6; 6802–97–1; 68131–39–5; 66131–40–8; 68154–96–1; 68154–97–2; 68139–30–3; 68238–81–3; 68238–82–4; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68409–58–5; 68551–12–2; 68551–13–3; 68551–14–4; 68603–20–3; 68603–25–8; 68920–66	Inert ingredients	Limits	Uses
106232–83–1; 111905–54–5; 116810–31–2; 116810–32–3; 116810–33–4; 120313–48–6;	Calkyl-w-hydroxypoly (oxypropylene) and/or poly (oxyethylene) polymers where the alkyl chain contains a minimum of six carbons (CAS Reg. Nos.: 9002–92–0; 9004–95–9; 9004–98–2; 9005–00–9; 9005–00–9; 9003–85–2; 9035–85–2; 9038–29–3; 9038–43–1; 9040–05–5; 9043–30–5; 9087–53–0; 25190–05–0; 24938–91–8; 25231–21–4; 251553–55–6; 26183–52–8; 26468–86–0; 26636–39–5; 27252–75–1; 27306–79–2; 31726–34–8; 34398–01–1; 34398–05–5; 37251–67–5; 37311–00–5; 37311–01–6; 37311–02–7; 37311–02–7; 37311–02–3; 36827–22–9; 50861–66–0; 52232–09–4; 52292–17–8; 52609–19–5; 57679–21–7; 59112–62–8; 60828–78–6; 61702–78–1; 61725–89–1; 61791–20–6; 61791–28–4; 61804–34–0; 61827–42–7; 61827–84–7; 62648–50–4; 63303–01–5; 63658–45–7; 63793–60–2; 64366–70–7; 64415–24–3; 64415–25–4; 64425–36–1; 65104–72–5; 65150–81–4; 66455–14–9; 66455–15–0; 67254–71–1; 67763–08–0; 68002–96–0; 68002–97–1; 68131–39–5; 68131–40–8; 68154–96–1; 68154–97–2; 68154–98–3; 68155–51–1, 68238–81–3; 68238–82–4; 68409–58–5; 68409–59–6; 68439–30–5; 68439–35–2; 68439–46–3; 68439–46–3; 68551–14–4; 68603–20–3; 68603–25–8; 68920–61–1; 68920–69–4; 68937–66–6; 68951–67–7; 68954–94–9; 68987–81–5; 68991–48–0; 69011–36–5; 69013–18–9; 69013–19–0; 69227–20–9; 69227–21–0; 69227–22–1; 69364–63–2; 70750–27–5; 70879–83–3; 70955–07–6; 71011–10–4; 71060–57–6; 71243–46–4; 72066–66–6; 72108–90–8; 72484–64, 72066–66–66, 72108–90–8; 72484–64, 72066–66–67, 71011–10–4; 71060–57–6; 71243–46–4; 72066–66–67, 72108–90–8; 72484–69–34–3; 70955–07–6; 71011–10–4; 71060–57–6; 71243–46–4; 72066–66–66, 72108–90–8; 72484–69–34–3; 70955–07–6; 74011–10–4; 71060–57–6; 71243–46–4; 72066–66–66, 72108–90–8; 72848–69–34–3; 70955–07–6; 74011–10–4; 71060–57–6; 71243–46–4; 72066–66–66, 72108–90–8; 72484–69–34–3; 70955–07–6; 74011–10–4; 71060–57–6; 71243–46–4; 72066–66–66, 72108–90–8; 72848–69–34–3; 70955–07–6; 74011–10–4; 71060–57–6; 71243–46–4; 72066–66–66, 72108–90–8; 72848–69–31–9; 79830–21–9; 79830–22–9; 79830–21–9; 79330–23–1; 79771–03–22–1; 70330–20–6; 78430–21–9; 78330–21–9; 79353–22–5; 102782–43–4; 103331–86–8; 103	Limits	
126950-62-7; 127036-24-2; 139626-71-4;	-22-5; 102782-43-4; 103331-86-8; 103657-84- 7; 103657-85-8; 103818-93-5; 103819-03-0; 106232-83-1; 111905-54-5; 116810-31-2; 116810-32-3; 116810-33-4; 120313-48-6; 120944-68-5; 121617-09-2; 126646-02-4;		

Inert ingredients	Limits		Uses		
α-alkyl (minimum C <sub>6</sub> linear, branched, saturated and/ or unsaturated)-ω-hydroxypolyoxyethylene polymer with or without polyoxypropylene, mixture of di- and	Not to exceed 30% of for- mulation.	Surfactants, surfactants.	related	adjuvants	of
monohydrogen phosphate esters and the cor-					
responding ammonium, calcium, magnesium,					
monoethanolamine, potassium, sodium, and zinc salts of the phosphate esters; minimum oxy-					
ethylene content is 2 moles; minimum					
oxypropylene content is 0 moles, (CAS Reg. Nos.: 9004-80-2, 9046-01-9, 26982-05-8, 31800-89-					
2, 37280-82-3, 37281-86-0, 39341-09-8, 39341-					
65–6, 39464–66–9, 39464–69–2, 42612–52–2, 50643–20–4, 50668–50–3, 51325–10–1, 51884–64					
-1, 52019-36-0, 52019-38-2, 52019-38-2, 57486					
-09-6, 58206-38-5, 58318-92-6, 58857-49-1, 59112-71-9, 60267-55-2, 61837-79-4, 62362-49					
-6, 62482-61-5, 63747-86-4, 63887-54-7, 63887					
-55-8, 66020-37-9, 66272-25-1, 66281-20-7,					
67711-84-6, 67786-06-5, 67989-06-4, 68070-99 -5, 68071-17-0, 68071-35-2, 68071-37-4, 68130					
-44-9, 68130-45-0, 68130-46-1, 68130-47-2,					
68186–29–8, 68186–34–5, 68186–36–7, 68186–37 -8, 68238–84–6, 68311–02–4, 68311–04–6, 68332					
-75-2, 68389-72-0, 68400-75-9, 68413-78-5,					
68425-73-0, 68425-75-2, 68439-39-4, 68458-48 -0, 68511-15-9, 68511-36-4, 68511-37-5, 68551					
-05-3, 68585-15-9, 68585-16-0, 68585-17-1,					
68585–36–4, 68585–39–7, 68603–24–7, 68607–14 -7, 68610–64–0, 68610–65–1, 68649–29–6, 68649					
-30-9, 68650-84-0, 68815-11-2, 68855-46-9,		-			
68856-03-1, 68890-90-4, 68890-91-5, 68891-12 -3, 68891-13-4, 68891-26-9, 68908-64-5, 68909					
-65-9, 68909-67-1, 68909-69-3, 68921-24-4,					
68921-60-8, 68954-87-0, 68954-88-1, 68954-92					
-7, 68987-35-9, 69029-43-2, 69980-69-4, 70247 -99-3, 70248-14-5, 70844-96-1, 70903-63-8,					
71965-23-6, 71965-24-7, 72480-27-4, 72623-67					
-7, 72623-68-8, 72828-56-9, 72828-57-0, 73018 -34-5, 73038-25-2, 73050-08-5, 73050-09-6,					
73361-29-2, 73378-71-9, 73378-72-0, 73559-42					
-9, 73559-43-0, 73559-44-1, 73559-45-2, 74499 -76-6, 76930-25-1, 78041-18-6, 78330-22-0,					
78330-24-2, 82465-25-6, 84843-37-8, 91254-26					
-1, 93925-54-3, 95014-34-9, 96416-89-6, 99924 -51-3, 103170-31-6, 103170-32-7, 106233-09-					
4, 106233–10–7, 108818–88–8, 110392–49–9,					
111798-26-6, 111905-50-1, 116671-23-9,					
117584–36–8, 119415–05–3, 120913–45–3, 121158–61–0, 121158–63–2, 123339–53–7,					
125139-13-1, 125301-86-2, 125301-87-3,					
126646-03-5, 129208-04-4, 129870-77-5, 129870-80-0, 130354-37-9, 136504-88-6,					
143372-50-3, 143372-51-4, 144336-75-4,					
146815–57–8, 151688–56–1, 154518–39–5, 154518–40–8, 155240–11–2, 159704–69–5,					
160498–49–7, 160611–24–5, 171543–66–1,					
17202716-6, 17227469-0, 176707429, 181963826, 188741551, 191940531,					
181963–82–6, 188741–55–1, 191940–53–1, 210493–60–0, 210993–53–6, 246159–55–7,					
251298-11-0, 261627-68-3, 290348-69-5,					
290348-70-8, 317833-96-8, 340681-28-9, 422563-19-7, 422563-26-6, 522613-09-8,					
717140-06-2, 717140-09-5, 717827-29-7,					
762245-80-7, 762245-81-8, 866538-89-8, 866538-90-1, 873662-29-4, 913068-96-9,					
936100-29-7, 936100-30-0, 1072943-56-6,					
1087209–87–7, 1174313–54–2, 1187742–89–7, 1187743–35–6, 1205632–03–6, 1233235–49–8,					
1451002-50-8, 1456802-88-2, 1456802-89-3,		•			
1456803–12–5).	l				

Inert ingredients	Limits	Uses
N-alkyl (C8-C18) primary amines and their acetate salts where the alkyl group is linear and may be saturated and/or unsaturated (CAS Reg. Nos. 61790–57–6, 61790–58–7, 61790–59–8, 61790–60–1, 61788–46–3, 61790–33–8, 68155–38–4).	Concentration in formu- lated end-use products not to exceed 10% by weight in herbicide products, 4% by weight in insecticide products, and 4% by weight in fungicide products.	Surfactants, related adjuvants of surfactants
Alkyl (C <sub>8</sub> -C magnesium, potassium, sodium, and zinc salts.		Surfactant
N,N-Bis-α-ethyl-α-hydroxypoly(oxy-1,2-ethanediyl) C8 -C18 saturated and unsaturated alkylamines; the poly(oxy-1,2-ethanediyl) content is 2-60 moles (CAS Reg. Nos. 10213-78-2, 25307-17-9, 26635-92-7, 26635-93-8, 288259-52-9, 58253-49-9, 61790-82-7, 61791-14-8, 61791-24-0, 61791-31-9, 61791-44-4, 68155-33-9, 68155-39-5, 68155-40-8,70955-14-5, 73246-96-5, 1266162-49-5).	Not to exceed 25% in herbicide formulations and 10% in insecticide and fungicide formula- tions.	Surfactants, related adjuvants of surfactants
N./N-Bis-α-ethyl-α-hydroxypoly(oxy-1,2-ethanediy// oxy(methyl-1,2-ethanediy) C <sub>8</sub> -C <sub>18</sub> saturated and unsaturated alkylamines; the poly(oxy-1,2- ethanediyl/oxy(methyl-1,2-ethanediyl) content is 2– 60 moles (CAS Reg. Nos. 68213–26–3, 68153–97– 9, 75601–76–2).	Not to exceed 25% in herbicide formulations and 10% in insecticide and fungicide formula- tions.	Surfactants, related adjuvants of surfactants
Ascorbyl palmitate		Preservative
Attapulgite-type clay		Solid diluent, carrier
Barium sulfate (CAS Reg. No. 7727–43–7)		Carrier, density control agent
Benzoic acid	0.04% or less by weight of the total pesticide formulation.	Preservative for formulations In-can preservative
Butane		Propellant
n-Butanol (CAS Reg. No. 71-36-3)		Solvent for blended emulsifiers
n-Butyl benzoate (CAS RN 136–60–7)n-Butyl-3-hydroxybutyrate (CAS Reg. No. 53605–94–0).		Solvent Solvent
Butylated hydroxyanisole		Antioxidant Do.
Calcium carbonate		Solid diluent, carrier
Calcium chloride		Stabilizer
Calcium silicate, hydrated calcium silicate		Anticaking agent, solid diluent, carrier
C <sub>9</sub> rich aromatic hydrocarbons (CAS Reg. No. 64742 –95–6).		Solvent.
C <sub>10-11</sub> rich aromatic hydrocarbons (CAS Reg. No. 64742-94-5).		Solvent.
C <sub>11-12</sub> rich aromatic hydrocarbons (CAS Reg. No. 64742–94–5).		Solvent.
Calcium stearate (CAS Reg. No. 1592–23–0)		Stabilizer, component of plastic animal tag Solid diluent, carrier
Carbon black (CAS Reg. No. 1333–86–4)		Colorant/pigment in animal tag
Carbon Dioxide (CAS Reg. No. 124-38-9)	None	Propellant
Carrageenan, conforming to 21 CFR 172.620	Minimum molecular weight (in amu): 100,000.	Thickener
Cumene sulfonic acid and its ammonium, calcium, magnesium, potassium, sodium and zinc salts (CAS Reg. Nos. 15763-76-5, 16066-35-6, 164524-02-1, 28085-69-0, 28348-53-0, 28631-63-2, 32073-22-6, 37475-88-0, 37953-05-2, and 90959-88-9).		Surfactant, related adjuvant of surfactant
Cyclohexanone		Solvent, cosolvent
D&C Green No. 6		Dye, coloring agent
D&C Red No. 17		Do.
D&C Violet No. 2	Not more than 0.00/ in	Do.
Dialkyl (C <sub>8</sub> -C <sub>18</sub> ) dimethylammonium chloride	Not more than 0.2% in silica hydrated silica.	Flocculating agent in the manufacture of silica hydrated silica for use as a solid dil- uent, carrier
Diatomite (diatomaceous earth)	l l	Solid diluent, carrier

Inert ingredients	Limits	Uses
Diethanolamine salts of alkyl (C <sub>8</sub> ·C <sub>24</sub> ) benzenesulfonic acid (CAS Reg. Nos. 26545-53-9, 67815-95-6, 67889-94-5, 67889-95-6, 68259-34-7, 68478-47-7, 68567-68-0, 68815-34-9, 68815-37-2, 68891-02-1, 68953-97-9, 84989-15-1, 85338-09-6, 90194-39-1, 90194-40-4, 90218-08-9).	Not to exceed 7% of pesticide formulation.	Surfactants, related adjuvants of surfactants.
Diethylaminoethanol, ethoxylated, propoxylated, reac- tion products with fatty acid dimers, minimum num- ber average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188–75–4).		Surfactant
Diethylaminoethanol, ethoxylated, propoxylated, reaction products with fatty acid trimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188–83–4).		Surfactant
Diethylaminoethanol, ethoxylated, reaction products with acid trimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188–81–2).		Surfactant
Diethylaminoethanol, ethoxylated, reaction product with fatty acid dimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188–72–1).		Surfactant
Diethylphthalate	For aerosol pesticide for- mulations used for in- sect control in food- and feed-handling es- tablishments and ani- mals.	Solvent, cosolvent Aerosol propellant
Dimethyl ether (CAS Reg. No. 115–10–6)		Propellant Surfactant
Dimethylaminoethanol, ethoxylated, propoxylated reaction products with fatty acid trimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188–67–4).		Surfactant
Dimethylaminoethanol, ethoxylated, reaction products with fatty acid trimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188–38-9).		Surfactant
Dimethylaminoethanol, ethoxylated, reaction products with fatty acid trimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188-49-2).		Surfactant
Dimethylaminopropylamine, isopropylamine, ethanolamine, and triethanolamine salts of alkyl (C <sub>8</sub> -C <sub>24</sub> ) benzenesulfonic acid (CAS Reg. Nos. 3088-30-0, 12068-12-1, 26264-05-1, 26836-07-7, 27323-41-7, 55470-69-4, 58089-99-9, 61886-59-7, 61931-76-8, 67924-05-4, 68110-32-7, 68259-35-8, 68411-31-4, 68442-72-8, 68567-69-1, 68584-24-7, 68584-25-8, 68816-30-5, 68815-30-6, 68910-32-7, 68953-93-5, 68953-98-0, 70528-84-6, 72391-21-0, 84961-74-0, 85480-55-3, 85480-56-4, 85995-82-0, 90194-42-6, 90194-53-9, 90194-54-0, 90194-55-1, 90218-35-2, 96687-54-6, 99224-49-9, 121617-08-1, 157966-96-6, 193562-36-6, 319926-68-6, 877677-48-0, 1093628-27-3)		Surfactants, related adjuvants of surfactants.
3,6-Dimethyl-4-octyne-3,6-diol	Not more than 2.5% of pesticide formulation.	Surfactants, related adjuvants of surfactants
Dirnethylpolysiloxane (CAS Reg. No. 9016–00–6) Di-n-butyl carbonate (CAS Reg. No. 542–52–9)		Defoaming agent Solvent
Dipropylene glycol monomethyl ether		Surfactants, related adjuvants of surfactants
Epoxidized soybean oil (CAS Reg. No. 8013–07–8) Ethanesulfonic acid, 2-hydroxy- (CAS Reg. No. 107–36–8). Ethanesulfonic acid, 2-hydroxy-, ammonium salts		Stabilizer, plasticizer, component animal tag Chelator, sequestrant, or conditioning agent. Do.
(CAS Reg. No. 57267–78–4).		50.

Inert ingredients	Limits	Uses
Ethanesulfonic acid, 2-hydroxy-, calcium salts (CAS		Do.
Reg. No. 10550–47–7). Ethanesulfonic acid, 2-hydroxy-, magnesium salts		Do.
(CAS Reg. No. 17345–56–1). Ethanesulfonic acid, 2-hydroxy-, potassium salts (CAS Reg. No. 1561–99–5).		Do.
Ethanesulfonic acid, 2-hydroxy-, sodium salts (CAS Reg. No. 1562–00–1).		Do.
Ethanesulfonic acid, 2-hydroxy-, zinc salts (CAS Reg. No. 129756–32–7).		Do.
Ethyl alcohol Ethyl maltol (CAS Reg. No.4940–11–8)	Not more than 0.2 % of the pesticide formula-	Solvent, cosolvent Odor masking agent
Ethylene oxide adducts of 2,4,7,9-tetramethyl-5-decynediol, the ethylene oxide content averages 3.5, 10 or 30 moles (CAS Reg. No. 9014–85–1).		Surfactants, related adjuvants of surfactants
2-Ethyl-1-hexanol (CAS Reg. No. 104-76-7)	Not more than 10% of pesticide.	Solvent, adjuvant of surfactants
FD&C Blue No. 1	Not more than 2% by weight of pesticide formulation.	Dye, coloring agent Pigment in animal tag and similar slow-re- lease devices
D-glucopyranose, oligomeric, C <sub>10-16</sub> -alkyl glycosides (CAS Reg. No. 110615-47-9).		Surfactant
Glycerol monooleate		Surfactants, related adjuvants of surfactants Emulsifier
Glyceryl tris-12-hydroxystearate Graphite		Flow control agent Solid diluent, carrier
n-Hexyl alcohol (CAS Reg. No. 111-27-3)		Solvent, cosolvent
Hydroxyethylmorpholine, ethoxylated, propoxylated, reaction products with fatty acid dimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173189–06–4).		Surfactant
Hydroxyethylmorpholine, ethoxylated, propoxylated, reaction products with fatty acid trimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No. 1173188–67–4).		Surfactant
Hydroxyethylmorpholine, ethoxylated, reaction prod- ucts with fatty acid dimers, minimum number aver- age molecular weight (in amu), 1,200 (CAS Reg.		Surfactant
No. 1173189–00–8). Hydroxyethylmorpholine, ethoxylated, reaction products with fatty acid trimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. 1200).		Surfactant
No. 1173189–09–7). Hydroxyethylpiperidine, ethoxylated, propoxylated, reaction products with fatty acid dimers, minimum number average molecular weight (in amu), 1,200		Surfactant
(CAS Reg. No. 1173189–22-4). Hydroxyethylpiperidine, ethoxylated, propoxylated, reaction products with fatty acid trimers, minimum number average molecular weight (in amu), 1,200		Surfactant
(CAS Reg. No. 1173189–28-0). Hydroxyethylpiperidine, ethoxylated, reaction products with fatty acid dimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No.		Surfactant
1173189–20–2). Hydroxyethylpiperidine, ethoxylated, reaction products with fatty acid trimers, minimum number average molecular weight (in amu), 1,200 (CAS Reg. No.		Surfactant
1173189-25-7). 2-(2'-Hydroxy-5'-methylphenyl)benzotriazole (CAS Reg. No. 2440-22-4).	Not more than 0.5% by weight of pesticide for- mulation.	Ultraviolet light absorber/stabilizer in animal tag and similar slow-release devices
Iron oxide (CAS Reg. No. 1309–37–1)		Colorant in pesticide formulations for animal tags
Isobutane (CAS Reg. No. 75-28-5)	None	Propellant Solvent
Isopropyl myristate, CAS Reg. No. 110-27-0 Kaolinite-type clay		Solvent Solid diluent, carrier
Kerosene, U.S.P. reagent	***************************************	Solvent, cosolvent
Lactic acid	·······	Solvent

Inert ingredients	Limits	Uses
Lactic acid, 2-ethylhexyl ester (CAS Reg. No. 6283-86-9).		Solvent
Lactic acid, 2-ethylhexyl ester, (2S)- (CAS Reg. No. 186817-80-1).		Solvent
Lactic acid, n-propyl ester, (S); (CAS Reg. No. 53651 –69–7).		Solvent
Lignin (CAS Reg. No. 9005–53–2)		Surfactant, related adjuvants of surfactants Do. Do.
Lignin alkali reaction products with disodium sulfite and formaldehyde (CAS Reg. No. 105859–97–0).		Do.
Lignin alkali reaction products with formaldehyde and sodium bisulfite (CAS Reg. No. 68512–35–6).		Do.
Lignosulfonic acid (CAS Reg. No. 8062–15–5) Lignosulfonic acid, ammonium calcium salt (CAS Reg. No. 12710–04–2).		Do. Do.
Lignosulfonic acid, ammonium magnesium salt (CAS Reg. No. 123175–37–1).		Do.
Lignosulfonic acid, ammonium salt (CAS Reg. No. 8061–53–8).		Do.
Lignosulfonic acid, ammonium sodium salt (CAS Reg. No. 166798–73–8).		Do.
Lignosulfonic acid, calcium magnesium salt (CAS Reg. No. 55598–86–2).		Do.
Lignosulfonic acid, calcium salt (CAS Reg. No. 8061–52–7).		Do.
Lignosulfonic acid, calcium sodium salt (CAS Reg. No. 37325–33–0). Lignosulfonic acid, ethoxylated, sodium salt (CAS		Do.
Reg. No. 68611–14–3). Lignosulfonic acid, magnesium salt (CAS Reg. No.		Do.
8061–54–9). Lignosulfonic acid, potassium salt (CAS Reg. No.		Do.
37314-65-1). Lignosulfonic acid, sodium salt (CAS Reg. No. 8061-		Do.
51-6). Lignosulfonic acid, sodium salt, oxidized (CAS Reg.		Do.
No. 68855-41-4). Lignosulfonic acid, sodium salt, polymer with form-		Do.
aldehyde and phenol (CAS Reg. No. 37207–89–9). Lignosulfonic acid, sodium salt, sulfomethylated (CAS Reg. No. 68512–34–5).		Do.
Lignosulfonic acid, zinc salt (CAS Reg. No. 57866–49–6).		Do.
d-Limonene (CAS Reg. No. 5989–27–5) Magnesium carbonate		Solvent, fragrance Solid diluent, carrier
Magnesium silicate, hydrated magnesium silicate Methane sulfonic acid (CAS Reg. No. 75–75–2)	Not to exceed 3.0% by weight in pesticide formulation.	Do. Acidifying agent
Methyl alcohol		Solvent, cosolvent Solvent, cosolvent Antidusting agent
CFR 573.640.  Methyl-p-hydroxybenzoate (Methyl paraben)	Meets specifications of Food Chemicals Codex; not to exceed 0.1% in formulations.	Preservative
Methyl isobutyl ketone	Without limitation	Solvent, cosolvent Growing crops and food animals Solvent, surfactant Solvent, diluent
Montmorillonite-type clay  Nonyl, decyl, and undecyl glycoside mixture with a mixture of nonyl, decyl, and undecyl oligosaccharides and related reaction products (pri- marily decanol and undecanol) produced as an aqueous-based liquid (50 to 65% solids) from the reaction of primary alcohols (containing 15 to 20% secondary alcohol isomers) in a ratio of 20% C <sub>9</sub> , 40% C <sub>10</sub> , and 40% C <sub>11</sub> with carbohydrates (aver- age glucose to alkyl chain ratio 1.3 to 1.8).		Solid diluent, carrier Surfactant

Inert ingredients -	Limits	Uses
α-(p-Nonylphenol)-ω-hydroxypoly(oxyethylene) mixture of dihydrogen phosphate and monohydrogen phosphate esters and the corresponding ammonium, calcium, magnesium, potassium, sodium, and zinc salts of the phosphate esters; the nonyl group is a propylene trimer isomer and the poly(oxyethylene) content averages 4–14 or 30 moles (CAS Reg. Nos. 51811–79–1, 59139–23–0, 67922–57–0, 68412–53–3, 68553–97–9, 68954–84–7, 99821–14–4, 152143–22–1, 51609–41–7, 37340–60–6, 106151–63–7, 68584–47–4, 52503–15–8, 68458–49–1).	Not to exceed 7% of pesticide formulation.	Surfactants, related adjuvants of surfactants
α-(p-Nonylphenol)-ω-hydroxypoly(oxyethylene) sulfate, ammonium, calclum, magnesium, potassium, sodium, and zinc salts the nonyl group is propylene trimer isomer and the poly(oxyethylene) content averages 4 moles (CAS Reg. Nos. 9014–90–8, 9051–57–4, 9081–17–8, 68649–55–8, 68891–33–8.	Not to exceed 7% of pesticide formulation.	Surfactants, related adjuvants of surfactants
α-(p-Nonylphenyl)-α-hydroxypoly(oxyethylene) produced by the condensation of 1 mole of nonylphenol (nonyl group is a propylene trimer isomer) with an average of 4-15 or 30-90 moles of ethylene oxide; if a blend of products is used, the average number of moles of ethylene oxide reacted to produce any product that is a component of the blend shall be in the range of 4-15 or 30-90 moles.		Surfactants, emulsifier, related adjuvants of surfactants.
Octadecyl 3,5-di- <i>tert</i> -butyl-4-hydroxyhydro cinnamate (CAS Reg. No. 2082–79–3).	Not more than 0.5% by weight of pesticide for- mulation.	Thermal stabilizer/antioxidant in animal tag and similar slow-release devices
1-Octanal (CAS Reg. No. 124-13-0)	Not more than 0.2% of the pesticide formulation.	Odor masking agent
Octyl and decyl glucosides mixture with a mixture of octyl and decyl oligosaccharides and related reaction products (primarily r-decanol) produced as an aqueous-based liquid (68-72% solids) from the reaction of straight chain alcohols (C <sub>8</sub> (45%), C <sub>10</sub> ) with anhydrous glucose.		Thermal stabilizer/antioxidant in animal tag and similar slow-release devices
Octyl epoxytallate (CAS Reg. No. 61788–72–5) Oleic acid, conforming to 21 CFR 172.862 (CAS Reg. No. 112–80–1).		Plasticizer, component animal tag Defoaming agent
α-Oleoyl-ω-hydroxypoly(oxyethylene), average molecular weight (in amu) of 600.		Emulsifier
α-Oleoyi-ω-(oleyloxy)poly(oxyethylene) derived from α-hydro-ω-hydroxypoly(oxyethylene), molecular weight (in amu) 600.		Emulsifier, defoaming agent
Pentaerythritol tetrakis (3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS Reg. No. 6683–19–8).	Not to exceed 3% by weight of the pesticide formulation.	Antioxidant, stabilizer.
Petroleum hydrocarbons, light, odorless, conforming to 21 CFR 172.884 or 178.3650.		Solvent, diluent
Petroleum hydrocarbons, synthetic isoparaffinic, conforming to 21 CFR 172.882 or 178.3530.		Do.
Phenolα-Pinene	Not more than 2% of for- mulation by weight.	Solvent, cosolvent Stabilizer
Polyethylene (CAS Reg. No. 9002–88–4) conforming to 21 CFR 172.615.		Component of plastic slow release tag
Polyethylene glycol [α-hydro-ω-hydroxypoly(oxyethylene)]; mean molecular weight (in amu) 194 to 9,500 conforms to 21 CFR 178.3750.		Surfactants, related adjuvants of surfactants
Potassium benzoate (Cas No. 582–25–2) Potassium hydroxide	None Meeting Food Chemicals,	Preservative Neutralizer
Propanamide, 2-hydroxy- <i>N, N</i> -dimethyl- (CAS Reg. No. 35123–06–9).	Codex specifications.  Not to exceed 20% by weight in pesticide for- mulation.	Solvent/co-solvent
Propane 1,2,3-Propanetriol, homopolymer diisooctadecanoate (CAS Reg. No. 63705–03–3). n-Propanol		Propellant Emulsifier Solvent, for blended emulsifiers

2-Propenoic acid, 2-methyl-, polymer with ethyl 2-propenoate and methyl 2-methyl-2-propenoate, ammonium salt (CAS Registration No. 55989-05-4), minimum number average molecular weight (in amu), 18,900.		Encapsulating agent, dispensers, resins, fi-
		bers and beads
		Solvent, cosolvent
_ 11		Deactivator, emmolient
Propyl p-hydroxybenzoate (Propyl paraben) N	Meets specifications of Food Chemicals Codex; not to exceed 0.1% in formulations.	Antioxidant Preservative
		Solid diluent, carrier
Silica aerogel (finely powdered microcellular silica foam having a minimum silica content of 89.5%).		Anticaking agent, solid diluent, carrier Component of antifoaming agent Solid diluent
	Limited to no more than 30% by weight in pesticide end-use products.	Surfactants, related adjuvants of surfactants
		Surfactants, related adjuvants of surfactants
127-39-9).		Surfactants, related adjuvants of surfactants
Sodium 1,4-dipentyl sulfosuccinate (CAS Reg. No 922–80–5).		Surfactants, related adjuvants of surfactants Surfactants, related adjuvants of surfactants
	Not to exceed 20% in pesticide formulations.	Neutralizer Surfactants, related adjuvants of surfactants
73–2, 65143–89–7, 70191–76–3). Sodium <i>N</i> -oleoyl- <i>N</i> -methyl taurine (CAS Reg. No		Surfactants, related adjuvants of surfactants
137–20–2). Sodium and potassium salts of N-alkyl (C <sub>8</sub> –C <sub>18</sub> )-beta- iminodipropionic acid where the C <sub>8</sub> –C <sub>18</sub> is linear and may be saturated and/or unsaturated (CAS Reg. Nos. 110676–19–2, 3655–00–3, 61791–56–8, 14960–06–6, 26256–79–1, 90170–43–7, 91696– 17–2, 97862–48–1).	Concentration in formu- lated end-use products not to exceed 30% by weight in pesticide for- mulations.	Surfactants, related adjuvants of surfactants
	Granular and tableted products only; not to exceed 8% of the formulated product.	Disintegrant
		Solid diluent, carrier Buffering agent; corrosion inhibition
	***************************************	Antidusting agent.
Stearic acid (CAS Reg. No. 57–11–4)		Lubricant, component animal tag Emulsifier
lecular weight (in amu) of 600.  α-Stearcyl-ω-hydroxypoly(oxyethylene); the poly(oxyethylene) content averages 8, 9, or 40 moles; if a blend of products is used, the average number of moles of ethylene oxide reacted to produce any product that is a component of the		Surfactants; related adjuvants of surfactants
blend shall be 8, 9, or 40.		Surfactant, related adjuvants of surfactants
(CAS Reg. No. 68514-09-0). Sulfur (CAS Reg. No. 7704-34-9)		Stabilizer
Talc		Do.
Tall oil; fatty acids not less than 58%, rosin acids not more than 44%, unsaponifiables not more than 8%.  Tartrazine		Surfactants, related adjuvants of surfactants  Dye, coloring agent

Inert ingredients	Limits	Uses
N,N,N',N",-tetrakis-(2-hydroxypropyl) ethylenediamine (CAS Reg. No. 102–60–3).	Concentration in formu- lated end-use products not to exceed 20% by weight in pesticide for- mulations.	Stabilizer for formulation.
Trans-1,3,3,3-tetrafluoroprop-1-ene (CAS Reg. No. 29118–24–9).		Propellant.
2,4,7,9-Tetramethyl-5-decyne-4.7-diol	Not more than 2.5% of pesticide formulation.	Surfactants, related adjuvants of surfactants
Titanium dioxide (CAS Reg. No. 13463-67-7)		Pigment/colorant in pesticide formulations for animal tag
Toluenesulfonic acid and its ammonium, calcium, magnesium, potassium, sodium, and zinc saits.		Do.
Triacetin (glyceryl triacetate)		Solvent, cosolvent
Trisodium phosphate		Precipitant, buffer, filler
Xylene		Solvent, cosolvent
Xylenesulfonic acid and its ammonium, calcium, mag- nesium, potassium, sodium, and zinc salts.		Surfactants, related adjuvants of surfactants
Zinc oxide	***************************************	Solid diluent, carrier
Zinc stearate, conforming to 21 CFR 182.5994 and 582.5994.		Water repellant, dessicant, and coating agent.
Zinc stearate (CAS Reg. No. 557-05-1)		Water repellant, desiccant, and coating agent; stabilizer, component of plastic animal tag
Zinc sulfate (basic and monohydrate)		Water repellant, dessicant, and coating agent

[69 FR 23130, Apr. 28, 2004]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting \$180.930, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

# § 180.940 Tolerance exemptions for active and inert ingredients for use in antimicrobial formulations (Foodcontact surface sanitizing solutions)

Residues of the following chemical substances are exempted from the requirement of a tolerance when used in accordance with good manufacturing practice as ingredients in an antimicrobial pesticide formulation, provided that the substance is applied on a

semi-permanent or permanent foodcontact surface (other than being applied on food packaging) with adequate draining before contact with food.

(a) The following chemical substances when used as ingredients in an antimicrobial pesticide formulation may be applied to: Food-contact surfaces in public eating places, dairy-processing equipment, and food-processing equipment and utensils.

Pesticide Chemical	CAS Reg. No.	Limits
Acetic acid	64–19–7	When ready for use, the end-use concentration is not to exceed 100 ppm
Allyl cylcohexylpropionate	2705–87–5	When ready for use, the end-use concentration is not

§ 180.940

Pesticide Chemical	CAS Reg. No.	Limits
alkyl-ω-hydroxypoly (oxypropylene) and/or poly (oxyethylene)	9002-92-0; 9004-95-9; 9004-	
polymers where the alkyl chain contains a minimum of six	98-2; 9005-00-9; 9035-85- 2; 9038-29-3; 9038-43-1;	
carbons (CAS Reg. No 251553-55-6).	2; 9038-29-3; 9038-43-1; 9040-05-5; 9043-30-5;	
	9087-53-0; 25190-05-0;	
	24938-91-8; 25231-21-4;	
	251553-55-6; 26183-52-8;	
	26468-86-0; 26636-39-5; 27252-75-1; 27306-79-2;	
	31726-34-8; 34398-01-1;	•
	34398-05-5; 37251-67-5;	
	37311-00-5; 37311-01-6;	
	37311-02-7; 37311-04-9;	
	39587-22-9; 50861-66-0; 52232-09-4; 52292-17-8;	
	52609-19-5; 57679-21-7;	
	59112-62-8; 60828-78-6;	
	61702-78-1; 61725-89-1;	
	61791-13-7; 61791-20-6; 61791-28-4; 61804-34-0;	
	61827-42-7; 61827-84-7;	
	62648-50-4; 63303-01-5;	
	63658-45-7; 63793-60-2;	
	64366-70-7; 64415-24-3;	
	64415-25-4; 64425-86-1; 65104-72-5; 65150-81-4;	
i	66455-14-9: 66455-15-0;	
l	67254-71-1; 67763-08-0;	1
	68002-96-0; 68002-97-1;	
	68131-39-5; 68131-40-8;	
	68154-96-1; 68154-97-2; 68154-98-3;68155-01-1;	
	68213-23-0; 68213-24-1;	
	68238-81-3; 68238-82-4;	
	68409-58-5; 68409-59-6;	
	68439-30-5; 68439-45-2;	
	68439-46-3; 68439-48-5; 68439-49-6; 68439-50-9;	
	68439-51-0; 68439-53-2;	
	68439-54-3; 68458-88-8;	
	68526-94-3; 68526-95-4;	
	68551-12-2; 68551-13-3;	
	68551-14-4; 68603-20-3; 68603-25-8; 68920-66-1;	
	68920-69-4; 68937-66-6;	
	68951-67-7; 68954-94-9;	
	68987-81-5; 68991-48-0;	
	69011-36-5; 69013-18-9;	
	69013-19-0; 69227-20-9; 69227-21-0; 69227-22-1;	
	69364-63-2; 70750-27-5;	
	70879-83-3; 70955-07-6;	
· ·	71011-10-4; 71060-57-6;	
	71243-46-4; 72066-65-0; 72108-90-8; 72484-69-6;	
	72108-90-8; 72484-69-6; 72854-13-8; 72905-87-4;	
	73018-31-2; 73049-34-0;	
	74432-13-6; 74499-34-6;	
	78330-19-5; 78330-20-8;	
	78330-21-9; 78330-23-1; 79771-03-2; 84133-50-6;	
	85422-93-1; 97043-91-9;	
	97953-22-5; 102782-43-4;	
	103331-86-8; 103657-84-7;	
	103657-85-8; 103818-93-5;	
	103819-03-0; 106232-83-1; 111905-54-5; 116810-31-2;	
	116810-32-3; 116810-33-4;	
	120313-48-6; 120944-68-5;	
	121617-09-2; 126646-02-4;	
	126950-62-7; 127036-24-2;	
	139626-71-4; 152231-44-2; 154518-36-2; 157627-86-6;	
	157627-88-8; 157707-41-0;	
	157707-43-2; 159653-49-3;	
	160875-66-1; 160901-20-2;	
	160901-09-7; 160901-19-9;	
	161025-21-4; 161025-22-5;	
	166736-08-9; 169107-21-5; 172588-43-1; 176022-76-7;	
	196823-11-7: 287935-46-0: 1	
	196823-11-7; 287935-46-0; 288260-45-7; 303176-75-2;	
minum sulfate	196823-11-7; 287935-46-0; 288260-45-7; 303176-75-2; 954108-36-2. 10043-01-3	When ready for use, the end-use concentration is no

Pesticide Chemical	CAS Reg. No.	Limits
2-propen-1-aminium, N,N-dimethyl-	26062-79-3	When ready for use, the end-use concentration is not
homopolymer Ammonium chloride	12125-02-9	to exceed 0.6%  When ready for use, the end-use concentration is not to exceed 48 ppm
Amylopectin, acid-hydrolyzed, 1-oxtenylbutanedioate	113894-85-2	None
Amylopectin, hydrogen 1-octadecenylbutanedioate Butryic acid	125109811 107926	None
		When ready for use, the end-use concentration is not to exceed 100 ppm
Butyl alcohol	71–36–3	When ready for use, the end-use concentration is not to exceed 100 ppm
n-Butyl benzoate	136–60–7	When ready for use, the end-use concentration is not to exceed 15,000 ppm
n-Butyl-3-hydroxybutyrate	53605-94-0	Solvent
Citral	5392-40-5	When ready for use, the end-use concentration is not to exceed 100 ppm
Citronellol	106-22-9	When ready for use, the end-use concentration is not
Citronellyl acetate	150–84–5	to exceed 100 ppm When ready for use, the end-use concentration is not
Copper sulfate pentahydrate	7758-99-8	to exceed 100 ppm When ready for use, the end-use concentration is not
β-Damascone, (Z)	23726-92-3	to exceed 80 ppm When ready for use, the end-use concentration is not
Decanal	112-31-2	to exceed 100 ppm When ready for use, the end-use concentration is not
		to exceed 100 ppm
Decanoic acid	334-48-5	When ready for use, the end-use concentration is not to exceed 100 ppm
1-Decanol	112-30-1	When ready for use, the end-use concentration is not
(E)-4-Decenal	65405-70-1	to exceed 100 ppm When ready for use, the end-use concentration is not
D-Glucopyranose, oligomeric, decyl octyl glycosides	68515-73-1	to exceed 100 ppm
2,6-Dimethyl-5-heptanal	106-72-9	When ready for use, the end-use concentration is not
Di-n-butyl carbonate	542-52-9	to exceed 100 ppm When ready for use, the end-use concentration is not
2-Dodecanol, (2E)	20407-84-5	to exceed 15,000 ppm When ready for use, the end-use concentration is not
		to exceed 100 ppm
Ethanol Ethyl 2-methylbutyrate	64–17–5 452–79–1	None When ready for use, the end-use concentration is not
Ethylenediaminetetraacetic acid (EDTA), tetrasodium salt	64-02-8	to exceed 100 ppm
FD&C Green No. 3	CAS Reg. No. 2353-45-9	None
FD&C Red No. 40	25956-17-6	When ready for use, the end-use concentration is not to exceed 20 ppm.
FD&C Yellow No. 5	1934–21–0	When ready for use, the end-use concentration is not to exceed 1000 ppm
(E)-Geraniol	106–24–1	When ready for use, the end-use concentration is not
(E)-Geraniol acetate	105-87-3	to exceed 100 ppm When ready for use, the end-use concentration is not
D-glucurono-6-deoxy-L-manno-D-glucan, acetate, calcium mag-	(CAS No. 59558-15-2)	to exceed 100 ppm
nesium potassium sodium salt (diutan gum). Heptanal	111-71-7	NATIONAL AND
		When ready for use, the end-use concentration is not to exceed 100 ppm
Heptanoic acid	111–14–8	When ready for use, the end-use concentration is not to exceed 100 ppm
Heptyl alcohol	111–70–6	When ready for use, the end-use concentration is not
Hexanal	66-25-1	to exceed 100 ppm When ready for use, the end-use concentration is not
Hexanoic acid	142-62-1	to exceed 100 ppm When ready for use, the end-use concentration is not
- Have-el		to exceed 100 ppm
n-Hexanol	111–27–3	When ready for use, the end-use concentration is not to exceed 100 ppm
Z)-3-Hexenol	928-96-1	When ready for use, the end-use concentration is not to exceed 100 ppm
(Z)-3-Hexenol acetate	3681-71-8	When ready for use, the end-use concentration is not to exceed 100 ppm
Hexyl acetate	142–92–7	When ready for use, the end-use concentration is not
Hydrogen peroxide	7722-84-1	to exceed 100 ppm When ready for use, the end-use concentration is not
Hypochlorous acid, sodium salt	7681-52-9	to exceed 91 ppm When ready for use, the end-use concentration of all
		hypochlorous acid chemicals in the solution is not to exceed 200 ppm determined as total available
odine	7553-56-2	when ready for use, the total end-use concentration of all iodide-producing chemicals in the solution is
sopropyl-3-hydroxybutyrate	54074-94-1	not to exceed 25 ppm of titratable iodine Solvent
-auric acid	143-07-7	When ready for use, the end-use concentration is not
auric aldehyde	112–54–9	to exceed 100 ppm When ready for use, the end-use concentration is not
auryl alcohol	112–53–8	to exceed 100 ppm When ready for use, the end-use concentration is not
		to exceed 100 ppm

Pesticide Chemical	CAS Reg. No.	Limits
d-Limonene	5989–27–5	When ready for use, the end-use concentration is not
Lipase, triacylglycerol	9001–62–1	to exceed 100 ppm When ready for use, the end-use concentration is not
Magnesium oxide Methane sulfonic acid	1309-48-4 75-75-2	to exceed 500 ppm None When ready for use, the end use concentration is not
Methylene blue	61-73-4	to exceed 5,000 ppm When ready for use, the end-use concentration is not
		to exceed 0.4 ppm
Methyl-a-ionone	127-42-4	When ready for use, the end-use concentration is not to exceed 100 ppm
3-Methyl-2-butenyl acetate	1191–16–8	When ready for use, the end-use concentration is not to exceed 100 ppm
2-Methylundecanal	110-41-8	When ready for use, the end-use concentration is not to exceed 100 ppm
2-Methyl-1,3-propanediol Myristaldehyde	2163-42-0 124-25-4	None When ready for use, the end-use concentration is not to exceed 100 ppm
Myristic acid	544-63-8	When ready for use, the end-use concentration is not to exceed 100 ppm
Neryl acetate	141–12–8	When ready for use, the end-use concentration is not
Nitric acid	7697-37-2	to exceed 100 ppm  When ready for use, the end-use concentration is not
Nonanal	124–19–6	to exceed 1,000 ppm  When ready for use, the end-use concentration is not
Nonanoic acid	112-05-0	to exceed 100 ppm When ready for use, the end-use concentration is not
Nonyi alcohol	143-08-8	to exceed 100 ppm When ready for use, the end-use concentration is not
α-(p-Nonylphenyl)-ω-hydroxypoly (oxyethylene) average poly(oxyethylene) content 11 moles)	None	to exceed 100 ppm None
Octadecanoic acid, calcium salt	1592-23-0	None
9-Octadecenoic acid (9Z)-, sulfonated, oxidized	1315321-93-7	When ready for use, the end-use concentration is not to exceed 250 ppm.
9-Octadecenoic acid (9 $Z$ )-, sulfonated, oxidized, potassium salts	1315321-94-8	When ready for use, the end-use concentration is not to exceed 250 ppm.
9-Octadecenoic acid (9 $Z$ )-, sulfonated, oxidized, sodium salts	1315321-95-9	When ready for use, the end-use concentration is not to exceed 250 ppm.
Octanal	124–13–0	When ready for use, the end-use concentration is not to exceed 100 ppm
1-Octanesulfonic acid, sodium salt	5324-84-5	When ready for use, the end-use concentration is not to exceed 46 ppm
Octanoic acid	124-07-2	When ready for use, the end-use concentration is not to exceed 52 ppm
Octanoic acid	124-07-2	When ready for use, the end-use concentration is not to exceed 100 ppm
1-Octanol	111–87–5	When ready for use, the end-use concentration is not to exceed 100 ppm
Oxirane, methyl-, polymer with oxirane, minimum molecular weight (in amu), 1900	9003116	None
Palmitic acid	57–10–3	When ready for use, the end-use concentration is not to exceed 100 ppm
Peroxyacetic acid	79–21–0	When ready for use, the end-use concentration is not to exceed 58 ppm
Peroxyoctanoic acid	33734–57–5	When ready for use, the end-use concentration is not to exceed 52 ppm
Phosphonic acid, (1-hydroxyethylidene)bis-	2809-21-4	When ready for use, the end-use concentration is not to exceed 14 ppm
Phosphoric acid, trisodium salt	7601–54–9	When ready for use, the end-use concentration is not to exceed 5916 ppm
Potassium bromide	7758-02-3	When ready for use, the end-use concentration is not to exceed 46 ppm total available halogen
Potassium iodide	7681–11–0	When ready for use, the total end-use concentration of all iodide-producing chemicals in the solution is not to exceed 25 ppm of titratable iodine
1,3-Propanediol	504-63-2	None
Propionic acid	79-09-4	When ready for use, the end-use concentration is not to exceed 100 ppm
Propylene glycol	57-55-6	None
Quaternary ammonium compounds, alkyl (C <sub>12</sub> -C <sub>18</sub> ) benzyldimethyl, chlorides	8001-54-5	When ready for use, the end-use concentration of all quaternary chemicals in the solution is not to ex- ceed 200 ppm of active quaternary compound
Quaternary ammonium compounds: n-alkyl ( $C_{12\text{-}18}$ ) dimethyl benzyl ammonium chloride	68424–85–1	When ready for use, the end-use concentration of all quaternary chemicals in solution is not to exceed 400 ppm of active quaternary compound
Quaternary Ammonium Compounds: n-alkyl (C <sub>12-14</sub> ) dimethyl ethylbenzyl ammonium chloride, average molecular weight (in amu), 377 to 384	85409-23-0	When ready for use, the end-use concentration of all quaternary chemicals in solution is not to exceed 400 ppm of active quaternary compound.
dulaternary ammonium compounds n-alkyl (C <sub>12</sub> -C <sub>18</sub> ) dimethyl ethylbenzyl ammonium chloride average molecular weight (in amu) 384	None	When ready for use, the end-use concentration of all quaternary chemicals in the solution is not to ex- ceed 200 ppm of active quaternary compound

### 40 CFR Ch. I (7-1-17 Edition)

Pesticide Chemical	CAS Reg. No.	Limits
Quaternary ammonium compounds, Di-n-Alkyl (C <sub>3</sub> -10) dimethyl ammonium chloride, average molecular weight (in amu) 332 to 361	None	When ready for use, the end-use concentration of these specific in quaternary ammonium compounds is not to exceed 240 ppm of active quaternary am- monium compound; the end-use concentration of all quaternary chemicals in the solution is not to ex- ceed 400 ppm of active quaternary compound
Quaternary ammonium compounds, didecyl dimethyl ammonium carbonate/didecyl dimethyl ammonium bicarbonate	148788-55-0/148812-654-1	When ready for use, the end-use concentration of these specific ammonium compounds is not to ex- ceed 400 ppm of active quaternary ammonium compound
Silver ions resulting from the use of electrolytically-generated silver ions stabilized in citric acid as silver dihydrogen citrate (does not include metallic silver)	14701–21–4	When ready for use, the end-use concentration of silver ions is not to exceed 50 ppm of active silver
Sodium bisulfate	7681–38–1	When ready for use, the end-use concentration is not to exceed 2,000 ppm.
Sorbitan, mono-9-octadecenoate, poly(oxy-1,2-ethanediyl) derivs., (Z)-	9005-65-6	None
Stearic acid.	57-11-4	When ready for use, the end-use concentration is not to exceed 100 ppm
Sulfuric acid	7664–93–9	Food-contact surfaces in public eating places, dairy- processing equipment, and food-processing equip- ment and utensils in antimicrobial formulations. Not to exceed 600 ppm.
Sulfuric acid monododecyl ester, sodium salt (sodium lauryl sul- fate)	151–21–3	When ready for use, the end-use concentration is not to exceed 350 ppm
Trans-1,3,3,3-tetrafluoroprop-1-ene	29118-24-9	None
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-dichloro-, sodium salt	2893-78-9	When ready for use, the end-use concentration of all di- or trichloroisocyanuric acid chemicals in the so- lution is not to exceed 100 ppm determined as total available chlorine
2-Tridecanal	7774–82–5	When ready for use, the end-use concentration is not to exceed 100 ppm
3,5,5-Trimethylhexanal	5435-64-3	When ready for use, the end-use concentration is not to exceed 100 ppm
Undecanal	112–44–7	When ready for use, the end-use concentration is not to exceed 100 ppm
Undecyl alcohol	112-42-5	When ready for use, the end-use concentration is not to exceed 100 ppm
Valeraldehyde	110-62-3	When ready for use, the end-use concentration is not to exceed 100 ppm
Valeric acid	109–52–4	When ready for use, the end-use concentration is not to exceed 100 ppm
Xylenesulfonic acid, sodium salt	1300-72-7	When ready for use, the end-use concentration is not to exceed 500 ppm

(b) The following chemical substances when used as ingredients in an antimicrobial pesticide formulation ment and utensils.

Pesticide Chemical	CAS Reg. No.	Limits
Acetic acid	64–19–7	When ready for use, the end-use concentra- tion is not to exceed 1200 ppm
Acetic acid, chloro-, sodium salt, reaction products with 4,5-dihydro-2-undecyl-1H-imidazole-1-eth-anol and sodium hydroxide	68608-66-2	When ready for use, the end-use concentra- tion is not to exceed 42 ppm chloroacetic acid
Benzenesulfonic acid, dodecyl-	27176–87–0	When ready for use, the end-use concentra- tion is not to exceed 5.5 ppm
Butanedioic acid, octenyl-	28805–58–5	When ready for use, the end-use concentra- tion is not to exceed 156 ppm
Butoxy monoether of mixed (ethylene-propylene) polyalkylene glycol, minimum average molecular weight (in amu), 2400	None	None
Calcium chloride	10043-52-4	When ready for use, the end-use concentra- tion is not to exceed 17 ppm
n-Carboxylic acids ( $C_6$ - $C_{12}$ ), consisting of a mixture of not less than 56% octanoic acid and not less than 40% decanoic acid	None	When ready for use, the end-use concentra- tion is not to exceed 39 ppm
Decanoic acid	334–48–5	When ready for use, the end-use concentra- tion is not to exceed 90 ppm
Ethanesulfonic acid, 2-[cyclohexyl (1-oxohexadecyl) amino]-, sodium salt	132-43-4	When ready for use, the end-use concentra- tion is not to exceed 237 ppm
Ethylenediaminetetraacetic acid (EDTA), disodium salt	139–33–3	When ready for use, the end-use concentra- tion is not to exceed 1400 ppm
FD&C Yellow No. 5 (Tartrazine) (conforming to 21 CFR 74.705)	1934–21–0	None

Pesticide Chemical	CAS Reg. No.	Limits
D-Gluconic acid, monosodium salt	527-07-1	When ready for use, the end-use concentra- tion is not to exceed 760 ppm
Hydriodic acid	10034-85-2	When ready for use, the total end-use con- centration of all iodide-producing chemicals is not to exceed 25 ppm of titratable iodine
Hydrogen peroxide	7722–84–1	When ready for use, the end-use concentra- tion is not to exceed 465 ppm
Hypochlorous acid	7790–92–3	When ready for use, the end-use concentra- tion of all hypochlorous acid chemicals in the solution is not to exceed 200 ppm de- termined as total available chlorine
lodine	7553–56–2	When ready for use, the total end-use con- centration of all iodide-producing chemicals in the solution is not to exceed 25 ppm of titratable iodine
Lactic acid	50-21-5	When ready for use, the end-use concentra- tion is not to exceed 138 ppm
Nonanoic acid	112-05-0	When ready for use, the end-use concentra- tion is not to exceed 90 ppm
1-Octanamine, N,N-dimethyl-	7378-99-6	When ready for use, the end-use concentra- tion is not to exceed 113 ppm
1,2-Octanedisulfonic acid	113669–58–2	When ready for use, the end-use concentra- tion is not to exceed 102 ppm
1-Octanesulfonic acid	3944–72–7	When ready for use, the end-use concentra- tion is not to exceed 172 ppm
1-Octanesulfonic acid, sodium salt	5324-84-5	When ready for use, the end-use concentra- tion is not to exceed 297 ppm
1-Octanesulfonic acid, 2-sulfino-	113652–56–5	When ready for use, the end-use concentra- tion is not to exceed 102 ppm
Octanoic acid	124-07-2	When ready for use, the end-use concentra- tion is not to exceed 176 ppm
Oxychloro species (including chlorine dioxide) generated by acidification of an aqueous solution of sodium chlorite	None	When ready for use, the end-use concentra- tion is not to exceed 200 ppm of chlorine dioxide as determined by the method titled, lodometric Method for the Determination of Available Chlorine Dioxide (50-250 ppm available chlorine dioxide)
Peroxyacetic acid	79–21–0	When ready for use, the end-use concentra- tion is not to exceed 315 ppm
Peroxyoctanoic acid	33734-57-5	When ready for use, the end-use concentra- tion is not to exceed 122 ppm
Phosphonic acid, (1-hydroxyethylidene)bis-	2809-21-4	When ready for use, the end-use concentra- tion is not to exceed 34 ppm
Phosphoric acid	7664-38-2	None
Phosphoric acid, monosodium salt	7558–80–7	When ready for use, the end-use concentra- tion is not to exceed 350 ppm
Potassium iodide	7681–11–0	When ready for use, the total end-use con- centration of all iodide-producing chemicals in the solution is not to exceed 25 ppm of titratable iodine
Propanoic acid	79-09-4	When ready for use, the end-use concentra- tion is not to exceed 297 ppm
2,6-Pyridinedicarboxylic acid	499–83–2	When ready for use, the end-use concentra- tion is not to exceed 1.2 ppm
Sulfuric acid monododecyl ester, sodium salt (so- dium lauryl sulfate)	151–21–3	When ready for use, the end-use concentra- tion is not to exceed 350 ppm

(c) The following chemical substances when used as ingredients in an antimicrobial pesticide formulation may be applied to: Food-processing equipment and utensils.

Pesticide Chemical	CAS Reg. No.	Limits
Acetic acid	64–19–7	When ready for use, the end-use concentra- tion is not to exceed 1,200 ppm
Acetic acid, chloro-, sodium salt, reaction products with 4,5-dihydro-2-undecyl-1H-imidazole-1-eth-anol and sodium hydroxide		When ready for use, the end-use concentra- tion is not to exceed 42 ppm chloroacetic acid
Ammonium chloride	12125-02-9	When ready for use, the end-use concentra- tion is not to exceed 48 ppm

### 40 CFR Ch. I (7-1-17 Edition)

Pesticide Chemical	CAS Reg. No.	Limits
Benzenesulfonic acid, dodecyl-	27176–87–0	When ready for use, the end-use concentra- tion is not to exceed 400 ppm
Benzenesulfonic acid, dodecyl-, sodium salt	25155–30–0	When ready for use, the end-use concentra- tion is not to exceed 430 ppm
[1,1'-Biphenyl]-2-ol	90–43–7	When ready for use, the end-use concentra- tion is not to exceed 400 ppm
Boric acid, sodium salt	7775–19–1	None
Butanedioic acid, octenyl-	28805-58-5	When ready for use, the end-use concentra- tion is not to exceed 156 ppm
Butanedioic acid, sulfo-, 1,4-dioctyl ester, sodium salt	1639–66–3	None
Butoxy monoether of mixed (ethylene-propylene) polyalkylene glycol, cloudpoint of 90 - 100°C in 0.5 aqueous solution, average molecular weight (in amu), 3300	None	None
Butoxy monoether of mixed (ethylene-propylene) polyalkylene glycol, minimum average molecular weight (in amu), 2400	None	None
Calcium chloride	10043-52-4	When ready for use, the end-use concentra- tion is not to exceed 17 ppm
n-Carboxylic acids (C <sub>6</sub> -C <sub>12</sub> ), consisting of a mixture of not less than 56% octanoic acid and not less than 40% decanoic acid	None	When ready for use, the end-use concentra- tion is not to exceed 39 ppm
3-Cyclohexene-1-methanol,α,α,4-trimethyl- 1-Decanaminium, N-decyl-N, N-dimethyl-, chloride	98-55-5 7173-51-5	None When ready for use, the end-use concentra-
12-Decarraminium, redecyren, redimentyr, chionee	7173-51-5	tion is not to exceed 200 ppm of active quaternary compound
Decanoic acid	3347-48-5	When ready for use, the end-use concentra- tion is not to exceed 234 ppm
Ethanesulfonic acid, 2-[cyclohexyl (1-oxohexadecyl) amino]-, sodium salt	132-43-4	When ready for use, the end-use concentra- tion is not to exceed 237 ppm
Ethanol Chutana	64-17-5	None
Ethanol, 2 butoxy- Ethanol, 2-(2-ethoxyethoxy)-	111–76–2 111–90–0	None None
Ethylenediaminetetraacetic acid (EDTA), disodium salt	139–33–3	When ready for use, the end-use concentra- tion is not to exceed 1400 ppm
Ethylenediaminetetraacetic acid (EDTA), tetrasodium salt	64-02-8	None
Fatty acids, coco, potassium salts Fatty acids, tall-oil, sulfonated, sodium salts	61789–30–8 68309–27–3	None When ready for use, the end-use concentra-
FD&C Yellow No. 5 (Tartrazine) (conforming to 21 CFR 74.705)	1934–21–0	tion is not to exceed 66 ppm None
D-Gluconic acid, monosodium salt	527-07-1	When ready for use, the end-use concentra- tion is not to exceed 760 ppm
Hydriodic acid	10034–85–2	When ready for use, the total end-use con- centration of all iodide-producing chemicals in the solution is not to exceed 25 ppm of titratable iodine
Hydrogen peroxide	7722-84-1	When ready for use, the end-use concentra- tion is not to exceed 1100 ppm
Hypochlorous acid	7790–92–3	When ready for use, the end-use concentra- tion of all hypochlorous acid chemicals in the solution is not to exceed 200 ppm de- termined as total available chlorine
Hypochlorous acid, calcium salt	7778–54–3	When ready for use, the end-use concentra- tion of all hypochlorous acid chemicals in the solution is not to exceed 200 ppm de- termined as total available chlorine
Hypochlorous acid, lithium salt	13840–33–0	When ready for use, the end-use concentra- tion of all hypochlorous acid chemicals in the solution is not to exceed 200 ppm de- termined as total available chlorine and 30 ppm lithium
Hypochlorous acid, potassium salt	7778–66–7	When ready for use, the end-use concentra- tion of all hypochlorous acid chemicals in the solution is not to exceed 200 ppm de- termined as total available chlorine
Hypochlorous acid, sodium salt	7681–52–9 !	When ready for use, the end-use concentra- tion of all hypochlorous acid chemicals in the solution is not to exceed 200 ppm de- termined as total available chlorine

Pesticide Chemical	CAS Reg. No.	Limits
lodine	7553–56–2	When ready for use, the total end-use con- centration of all iodide-producing chemicals in the solution is not to exceed 25 ppm of titratable iodine
Lactic acid Magnesium oxide Methylene blue	50-21-5 1309-48-4 61-73-4	None None When ready for use, the end-use concentra-
Neodecanoic acid	26896–20–8	tion is not to exceed 0.4 ppm When ready for use, the end-use concentra- tion is not to exceed 174 ppm
Nonanoic acid	112-05-0	When ready for use, the end-use concentra- tion is not to exceed 90 ppm
α-(p-Nonylphenyl)-ω-hydroxypoly (oxyethylene) maximum average molecular weight (in amu), 748	None	None
α-(p-Nonylphenol)-ω-hydroxypoly (oxyethylene) average poly(oxyethylene) content 11 moles	None	None
α-(p-Nonylphenyl)-ω-hydroxypoly (oxyethylene) produced by the condensation of 1 mole p-nonylphenol with 9 to 12 moles ethylene oxide	None	None
α-(p-Nonylphenyl)-ω-hydroxypoly (oxyethylene), 9 to 13 moles ethylene oxide	None	None
Octadecanoic acid, calcium salt 9-Octadecenoic acid (9Z)-, sulfonated	1592–23–0 68988–76–1	None When ready for use, the end-use concentra-
9-Octadecenoic acid (9Z)-sulfonated, sodium salts	68443-05-0	tion is not to exceed 312 ppm When ready for use, the end-use concentra-
1-Octanamine, N,N-dimethyl-	7378–99–6	tion is not to exceed 200 ppm When ready for use, the end-use concentra-
1,2-Octanedisulfonic acid	113669-58-2	tion is not to exceed 113 ppm When ready for use, the end-use concentra-
1-Octanesulfonic acid	3944–72–7	tion is not to exceed 102 ppm When ready for use, the end-use concentration is not to exceed 172 ppm
1-Octanesulfonic acid, sodium salt	5324-84-5	When ready for use, the end-use concentra- tion is not to exceed 312 ppm
1-Octanesulfonic acid, 2-sulfino-	113652–56–5	When ready for use, the end-use concentra- tion is not to exceed 102 ppm
Octanoic acid	124-07-2	When ready for use, the end-use concentra- tion is not to exceed 234 ppm
Oxirane, methyl-, polymer with oxirane, minimum molecular weight (in amu), 1900	9003–11–6	None
Oxirane, methyl-, polymer with oxirane, block, average molecular weight (in amu), 1900	106392–12–5	None
Oxirane, methyl-, polymer with oxirane, block, minimum average molecular weight (in amu), 2000	None	None
Oxirane, methyl-, polymer with oxirane, block, 27 to 31 moles of polyoxypropylene, average molecular weight (in amu) 2000	None	None
Oxychloro species (predominantly chlorite, chlorate and chlorine dioxide in an equilibrium mixture) generated either (i) by directly metering a concentrated chlorine dioxide solution prepared just prior to use, into potable water, or (ii) by acidification of an aqueous alkaline solution of oxychloro species (predominately chlorite and chlorate) followed by dillution with potable water	None	When ready for use, the end-use concentra- tion is not to exceed 200 ppm of chlorine dioxide as determined by the method titled, "lodometric Method for the Determination of Available Chlorine Dioxide (50-250 ppm available chlorine dioxide)"
Oxychloro species (including chlorine dioxide) generated by acidification of an aqueous solution of sodium chlorite	None	When ready for use, the end-use concentra- tion is not to exceed 200 ppm of chlorine dioxide as determined by the method titled, "lodometric Method for the Determination of Available Chlorine Dioxide (50-250 ppm available chlorine dioxide)"
2,4-Pentanediol, 2-methyl- Peroxyacetic acid	107–41–5 79–21–0	None When ready for use, the end-use concentra-
Peroxyoctanoic acid	33734-57-5	tion is not to exceed 315 ppm When ready for use, the end-use concentra-
Phenol, 4-chloro-2-(phenylmethyl)-	120–32–1	tion is not to exceed 122 ppm When ready for use, the end-use concentra-
Phenol, 4-(1,1-dimethylpropyl)-	80-46-6	tion is not to exceed 320 ppm  When ready for use, the end-use concentration is not to exceed 80 ppm
Phosphonic acid, (1-hydroxyethylidene)bis-	2809-21-4	When ready for use, the end-use concentra- tion is not to exceed 34 ppm
Phosphoric acid	7664-38-2	None

### 40 CFR Ch. I (7-1-17 Edition)

### § 180.940

Pesticide Chemical	CAS Reg. No.	Limits
Phosphoric acid, monosodium salt	7558–80–7	When ready for use, the end-use concentra- tion is not to exceed 350 ppm
Phosphoric acid, trisodium salt	7601–54–9	When ready for use, the end-use concentra- tion is not to exceed 5916 ppm
Poly(oxy-1,2-ethanediyl),	None	None
Potassium bromide	7758-02-3	When ready for use, the end-use concentra- tion of all bromide-producing chemicals in the solution is not to exceed 200 ppm total available halogen
Potassium iodide	7681–11–0	When ready for use, the total end-use con- centration of all iodide-producing chemicals in the solution is not to exceed 25 ppm of titratable iodine
Propanoic acid	79094	When ready for use, the end-use concentra- tion is not to exceed 297 ppm
2,6-Pyridinedicarboxylic acid	499–83–2	When ready for use, the end-use concentra- tion is not to exceed 1.2 ppm
Quaternary ammonium compounds, alkyl ( $C_{12}$ - $C_{18}$ ) benzyldimethyl, chlorides	8001–54–5	When ready for use, the end-use concentra- tion of this specific quaternary compound is not to exceed 200 ppm within the end-use total concentration that is not to exceed
Quaternary ammonium compounds, n-alkyl ( $C_{12}$ - $C_{14}$ ) dimethyl ethylbenzyl ammonium chloride, average molecular weight (in amu), 377 to 384	None	400 ppm active quaternary compound When ready for use, the end-use concentra- tion of this specific quaternary compound is not to exceed 200 ppm within the end-use total concentration that is not to exceed 400 ppm active quaternary compound
Quaternary ammonium compounds, n-alkyl (C <sub>12</sub> -C <sub>18</sub> ) dimethyl ethylbenzyl ammonium chloride average molecular weight (in amu) 384	None	When ready for use, the end-use concentra- tion of this specific quaternary compound is not to exceed 200 ppm within the end-use total concentration that is not to exceed 400 ppm active quaternary compound
Quaternary ammonium compounds, di-n-Alkyl ( $C_{a}$ - $C_{10}$ ) dimethyl ammonium chloride, average molecular weight (in amu), 332 to 361	None	When ready for use, the end-use concentra- tion of this specific quaternary compound is not to exceed 240 ppm within the end-use total concentration that is not to exceed 400 ppm active quaternary compound
Sodium- $\alpha$ -alkyl( $C_{12}$ - $C_{13}$ )- $\omega$ -hydroxypoly (oxyethylene) sulfate with the poly(oxyethylene) content averaging one mole	None	None
Sodium bromide	7647–15–6	When ready for use, the end-use concentra- tion of all bromide-producing chemicals in the solution is not to exceed 200 ppm total available halogen
Sodium iodide	7681825	When ready for use, the total end-use con- centration of all iodide-producing chemicals in the solution is not to exceed 25 ppm of titratable iodine
Sulfuric acid monododecyl ester, sodium salt (so- dium lauryl sulfate)	151–21–3	None
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-dichloro-	2782–57–2	When ready for use, the end-use concentra- tion of all di- or trichloroisocyanuric acid chemicals in the solution is not to exceed 100 ppm determined as total available chlorine
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-dichloro-, potassium salt	2244-21-5	When ready for use, the end-use concentra- tion of all di- or trichloroisocyanuric acid chemicals in the solution is not to exceed 100 ppm determined as total available chlorine
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3-dichloro-, sodium salt	2893–78–9	When ready for use, the end-use concentra- tion of all di- or trichloroisocyanuric acid chemicals in the solution is not to exceed 100 ppm determined as total available chlorine
1,3,5-Triazine-2,4,6(1H,3H,5H)-trione, 1,3,5- trichloro-	87–90–1	When ready for use, the end-use concentra- tion of all di- or trichloroisocyanuric acid chemicals in the solution is not to exceed 100 ppm determined as total available chlorine

Pesticide Chemical	CAS Reg. No.	Limits
1,3,5-Triazine, N,N',N"-trichloro-2,4,6-triamino-	7673-09-8	When ready for use, the end-use concentra- tion of all di- or trichloroisocyanuric acid chemicals in the solution is not to exceed 200 ppm determined as total available chlorine

[69 FR 23136, Apr. 28, 2004]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §180.940, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsus.gov.

## § 180.950 Tolerance exemptions for minimal risk active and inert ingredients.

Unless specifically excluded, residues resulting from the use of the following substances as either an inert or an active ingredient in a pesticide chemical formulation, including antimicrobial pesticide chemicals, are exempted from the requirement of a tolerance under FFDCA section 408, if such use is in accordance with good agricultural or manufacturing practices.

- (a) Commonly consumed food commodities. Commonly consumed food commodities means foods that are commonly consumed for their nutrient properties. The term commonly consumed food commodities shall only apply to food commodities (whether a raw agricultural commodity or a processed commodity) in the form the commodity is sold or distributed to the public for consumption.
- (1) Included within the term commonly consumed food commodities are:
- (i) Sugars such as sucrose, lactose, dextrose and fructose, and invert sugar and syrup.
- (ii) Spices such as cinnamon, cloves, and red pepper.
- (iii) Herbs such as basil, anise, or fenugreek.
- (2) Excluded from the term commonly consumed food commodities are:
- (i) Any food commodity that is adulterated under 21 U.S.C. 342.
- (ii) Both the raw and processed forms of peanuts, tree nuts, milk, soybeans, eggs, fish, crustacea, and wheat.
  - (iii) Alcoholic beverages.
- (iv) Dietary supplements.
- (b) Animal feed items. Animal feed items means meat meal and all items derived from field crops that are fed to livestock excluding both the raw and

processed forms of peanuts, tree nuts, milk, soybeans, eggs, fish, crustacea, and wheat. Meat meal is an animal feed composed of dried animal fat and protein that has been sterilized. Other than meat meal, the term animal feed item does not extend to any item designed to be fed to animals that contains, to any extent, components of animals. Included within the term animal feed items are:

- (1) The hulls and shells of the commodities specified in paragraph (a)(2)(ii) of this section, and cocoa bean.
  - (2) Bird feed such as canary seed.
- (3) Any feed component of a medicated feed meeting the definition of an animal feed item.
- (c) Edible fats and oils. Edible fats and oils means all edible (food or feed) fats and oils, derived from either plants or animals, whether or not commonly consumed, including products derived from hydrogenating (food or feed) oils, or liquefying (food or feed) fats.
- (1) Included within the term edible fats and oils are oils (such as soybean oil) that are derived from the commodities specified in paragraph (a)(2)(ii) of this section when such oils are highly refined via a solvent extraction procedure.
- (2) Excluded from the term edible fats and oils are plant oils used in the pesticide chemical formulation specifically to impart their characteristic fragrance and/or flavoring.
  - (d) [Reserved]
- (e) Specific chemical substances. Residues resulting from the use of the following substances as either an inert or an active ingredient in a pesticide

chemical formulation, including antimicrobial pesticide chemicals, are exempted from the requirement of a tolerance under FFDCA section 408, if such use is in accordance with good agricultural or manufacturing practices.

Acetic acid, sodium salt	
octenylbutanedioate         113894–           Amylopectin, octadecenylbutanedioate         1-           Animal glue         N           Ascorbic acid (vitamin C)         50–8           Beeswax         8012–8:           Benzoic acid, sodium salt         7585–3:           Beta-cyclodextrin         7585–3:           Carbonic acid, monopotassium salt         298–1:           Carbonic acid, monosodium salt (sodium bicarbonate)         144–5:           Carmauba wax         8015–8:           Carob gum (locust bean gum)         9000–4:           Castor oil         8001–7:	
octadecenylbutanedioate         125109–           Animal glue         N.           Ascorbic acid (vitamin C)         50–8           Beeswax         8012–8:           Benzoic acid, sodium salt         532–3:           Beta-cyclodextrin         7585–3:           Carbonic acid, monopotassium salt         298–1:           Carbonic acid, monosodium salt (sodium bicarbonate)         144–5:           Carmauba wax         8015–8:           Carob gum (locust bean gum)         9000–4:           Castor oil         8001–7:	85 2
Animal glue	_
Besswax         8012-8:           Benzoic acid, sodium salt         532-3:           Beta-cyclodextrin         7585-3:           Carbonic acid, monopotassium salt         298-1:           Carbonic acid, monosodium salt (sodium bicarbonate)         144-5:           Camauba wax         8015-8:           Carbo gum (locust bean gum)         9000-4:           Castor oil         8001-7:	-81 1
Besswax         8012-8:           Benzoic acid, sodium salt         532-3:           Beta-cyclodextrin         7585-3:           Carbonic acid, monopotassium salt         298-1:           Carbonic acid, monosodium salt (sodium bicarbonate)         144-5:           Carmauba wax         8015-8:           Caro gum (locust bean gum)         9000-4:           Castor oil         8001-7:	one
Besswax         8012-8:           Benzoic acid, sodium salt         532-3:           Beta-cyclodextrin         7585-3:           Carbonic acid, monopotassium salt         298-1:           Carbonic acid, monosodium salt (sodium bicarbonate)         144-5:           Carmauba wax         8015-8:           Caro gum (locust bean gum)         9000-4:           Castor oil         8001-7:	1–7
Beta-cyclodextrin         7585–3           Carbonic acid, monopotassium salt         298–1           Carbonic acid, monosodium salt (sodium bicarbonate)         144–5           Carmauba wax         8015–8           Carob gum (locust bean gum)         9000–4           Castor oil         8001–7	93
Carbonic acid, monopotassium salt         298-1           Carbonic acid, monosodium salt (sodium bicarbonate)         1144-5           Carmauba wax         8015-8           Carob gum (locust bean gum)         9000-4           Castor oil         8001-7	
Carbonic acid, monosodium salt (sodium bicarbonate)         144–5:           Carnauba wax         8015–8:           Carob gum (locust bean gum)         9000–4:           Castor oil         8001–7:	
bonate)         144–5:           Carmauba wax         8015–8:           Carob gum (locust bean gum)         9000–4:           Castor oil         8001–7:	46
Carnauba wax         8015-8i           Carob gum (locust bean gum)         9000-4i           Castor oil         8001-7i	
Carob gum (locust bean gum)	
Castor oil	
Castor oil hydrogenated 8001–7	
Castor oil, hydrogenated	
Cellulose	
Cellulose acetate 9004–3	
Cellulose, carboxy methyl ether, sodium salt 9004–3	
Cellulose, 2-hydroxyethyl ether 9004–62	
Cellulose, 2-hydroxypropyl ether 9004-6	
Cellulose, 2-hydroxypropyl methyl ether 9004–6	
Cellulose, methyl ether	/-5
Cellulose, mixture with cellulose carboxymethyl	
ether, sodium salt	
Cellulose, pulp	
Cellulose, regenerated	
Citric acid	
Citric acid, 2-(acetyloxy)-, tributyl ester	
Citric acid, calcium salt	
Citric acid, calcium salt (2:3)	
Citric acid, dipotassium salt	
Citric acid, disodium salt	
Citric acid, monohydrate 5949–29	
Citric acid, monopotassium salt	
Citric acid, monosodium salt	
Citric acid, potassium salt	
Citric acid, triethyl ester	
Citric acid, tripotassium salt	
Citric acid, tripotassium salt, monohydrate 6100-05 Citric acid, sodium salt 994-36	
Gino acid, Sodium Sait 994–30	5–6

Chemical	CAS No.
Citric acid, trisodium salt	68-04-2
Citric acid, trisodium salt, dihydrate	6132-04-3
Citric acid, trisodium salt, pentahydrate	6858-44-2
Coffee grounds	68916-18-7
Dextrins	9004-53-9
1,3-Dioxolan-2-one, 4-methyl-(propylene car- bonate)	108–32–7
Fumaric acid	110-17-8
Gamma-cyclodextrin	17465-86-0
Gellan gum	71010-52-1
D-Glucitol (sorbitol)	50-70-4
Glycerol (glycerin) (1,2,3-propanetriol)	56-81-5
Giyceror (giycerin) (1,2,3-propanethor)	
Guar gum	9000-30-0
Humic acid	1413-93-6
Humic acid, potassium salt	68514-28-3
Humic acid, sodium salt	68131-04-4
Lactic acid, n-butyl ester	138-22-7
Lactic acid, n-butyl ester, (S)	34451-19-9
Lactic acid, ethyl ester	97–64–3
Lactic acid, ethyl ester,(S)	687-47-8
Lanolin	8006-54-0
Lecithins	8002-43-5
Lecithins, soya	8030-76-0
Licorice Extract	68916-91-6
Maltodextrin	9050-36-6
Paper	None
Potassium chloride	7447-40-7
2-Propanol (isopropyl alcohol)	67–63–0
Red cabbage color, expressed from edible red	
cabbage heads via a pressing process using	
only acidified water	None
Silica, amorphous, fumed (crystalline free)	112945-52-
	5
Silica, amorphous, precipitated and gel	7699-41-4
Silica gel	6323167-4
Silica gel, precipitated, crystalline-free	112926-00-
	8
Silica, hydrate	10279-57-9
Silica, vitreous	60676-86-0
Soap (The water soluble sodium or potassium	
salts of fatty acids produced by either the	
saponification of fats and oils, or the neutral-	
ization of fatty acid)	None
Sorbic acid, potassium salt	24634-61-5
Soanbark (Quillaia sanonin)	1393-03-9
	9005-38-3
Sodium alginate	
Sodium alginate Sodium chloride	7647-14-5
Sodium alginateSodium chlorideSoyium chlorideSyrups, hydrolyzed starch, hydrogenated	
Sodium alginate Sodium chloride Syrups, hydrolyzed starch, hydrogenated Ultramarine blue (C.I. Pigment Blue 29)	7647–14–5 68425–17–2 57455–37–5
Sodium alginate Sodium chloride Syrups, hydrolyzed starch, hydrogenated Ultramarine blue (C.I. Pigment Blue 29)	68425-17-2
Sodium alginateSodium chlorideSoyium chlorideSyrups, hydrolyzed starch, hydrogenated	68425-17-2 57455-37-5

### [67 FR 36537, May 24, 2002]

EDITORIAL NOTE: For Federal Register citations affecting \$180.950, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

## $\$\,180.960$ Polymers; exemptions from the requirement of a tolerance.

Residues resulting from the use of the following substances, that meet the definition of a polymer and the criteria specified for defining a low-risk polymer in 40 CFR 723.250, as an inert ingredient in a pesticide chemical formulation, including antimicrobial pesticide chemical formulations, are exempted from the requirement of a tolerance under FFDCA section 408, if such use is in accordance with good agricultural or manufacturing practices.

Polymer	CAS No.
Acetic acid ethenyl ester, polymer with ethane, ethenyltriethoxysilane and so- dium ethenesulfonate (1:1); minimum number average molecular weight (in amu), 16,200	913187–38–9
Acetic acid ethenyl ester, polymer with ethenol and $(\alpha)$ -2-propenyl- $(\omega)$ -hydroxypoly (oxy-1,2-ethanediyl) minimum number average molecular weight (in amu), 15,000	137091–12–4
Acetic acid ethenyl ester, polymer with 1-ethenyl-2-pyrrolidinone	25086-89-9
Acetic acid ethenyl ester, polymer with oxirane, minimum number average molecular weight (in amu), 17,000	25820–49–9
Acetic acid ethenyl ester, polymer with sodium 2-methyl-2-[(1-oxo-2-propen-1-yl)amino]-1-propanesulfonate (1:1), hydrolyzed, minimum number average molecular weight (in amu), 61,000	924892-37-5
Acrylic acid-benzyl methacrylate-1-propanesulfonic acid, 2-methyl-2-[(1-oxo-2-propenyl)amino]-, monosodium salt, minimum number average molecular weight (in amu), 1500	1152297-42-1
Acrylic acid-butyl acrylate-styrene copolymer, minimum number average molecular weight (in amu), 5,200	25586–20–3
Acrylic acid, polymerized, and its ethyl and methyl esters	None
Acrylic acid-sodium acrylate-sodium-2-methylpropanesulfonate copolymer, minimum average molecular weight (in amu), 4,500	97953-25-8
Acrylic acid-stearyl methacrylate copolymer, minimum number average molecular weight (in amu), 2,500	27756–15–6
Acrylic acid, styrene, $\alpha$ -methyl styrene copolymer, ammonium salt, minimum number average molecular weight (in amu), 1,250	89678-90-0
Acrylic acid terpolymer, partial sodium salt, minimum number average molecular weight (in amu), 2,400	151006–66–5
Acrylic polymers composed of one or more of the following monomers: Acrylic acid, butyl acrylate, butyl methacrylate, carboxyethyl acrylate, ethyl methacrylate, hydroxybutyl acrylate, hydroxybutyl acrylate, hydroxybutyl acrylate, hydroxyptyl acrylate, hydroxyptyl acrylate, hydroxypropyl methacrylate, isobutyl methacrylate, lauryl methacrylate, methacrylic acid, methyl acrylate, lauryl acrylate, methyl methacrylate; with none and/or one or more of the following monomers: Acrylamide, diethyl maleate, dioctyl maleate, maleic acid, maleic anhydride, monoethyl maleate, monooctyl maleate, N-methyl acrylamide, N-octylacrylamide, and acrylamidopropyl methyl sulfonic acid; and their corresponding ammonium, isopropylamine, monoethanolamine, potassium, sodium triethylamine, and/or triethanolamine salts; the resulting polymer having a minimum number average molecular weight (in amu), 1,200.	None
Acrylonitrile-butadiene copolymer conforming to 21 CFR 180.22, minimum average molecular weight (in amu), 1,000	9003–18–3
Acrylonitrile-styrene-hydroxypropyl methacrylate copolymer, minimum number average molecular weight (in amu), 447,000	None
$\alpha\text{-alkyl}~(C_{12}\text{-}C_{15})$ - $\omega\text{-}~hydroxypoly(oxypropylene)poly(oxyethylene)copolymers (where the poly(oxypropylene) content is 3–60 moles and the poly(oxyethylene) content is 5–80 moles), the resulting ethoxylated propoxylated (C_{12}\text{-}C_{15}) alcohols having a minimum molecular weight (in amu), 1,500$	68551–13–3

Polymer	CAS No.
Polymer  a: alkyl-a: hydroxypoly (oxyproylene) and/or poly (oxyethylene) polymers where the alkyl chain contains a minimum of six carbons and a minimum number average molecular weight (in amu) 1,100  2H-Azepin-2-one, 1-ethenylhexahydro-, homopolymer  1,3 Benzene dicarboxylic acid, 5-sulfo-, 1,3-dimethyl ester, sodium salt, polymer with 1,3-benzene dicarboxylic acid, 1,4-benzene dicarboxylic acid, methyl 1,4-b	CAS No.  9002-92-0; 9004-95-9; 9004-98-2; 9005-0 -9; 9035-85-2; 9038-29-3; 9038-43-1 9040-05-6; 9043-30-5; 9087-53-0; 2519 -05-0; 24938-91-8; 25231-21-4; 251553 55-6; 26183-52-8; 26468-86-0; 26636-3 -5; 27252-75-1; 27306-79-2; 31726-34-6; 37311-00-5; 37311-01-6; 37311-02-7 37311-04-9; 39587-22-9; 50861-66-6 52232-09-4; 52292-17-8; 52609-19-6; 57679-21-7; 59112-62-8; 60828-78-6 61702-78-1; 61725-89-1; 61791-13-7 61791-20-6; 61791-28-4; 61804-34-(61827-42-7; 61827-84-7; 63793-60-2 64366-70-7; 64415-24-3; 64415-25-4 64425-86-1; 6510-72-5; 65150-81-66-6 6455-14-9; 66455-15-0; 67254-71-1 68713-39-5; 68131-40-8; 66156-81-6 68154-97-2; 68154-98-3; 68155-01-1 68238-82-4; 68409-58-5; 68439-43-6 68439-30-5; 68439-49-6; 68439-46-6 68459-30-6; 68002-96-0 68032-97-1 68238-82-4; 6849-58-5; 68499-59-6 68439-30-5; 68439-49-6; 68439-46-6 6855-11-22; 68551-13-3; 68556-95-4 68551-12-2; 68551-13-3; 68551-14-4 68603-20-3; 68603-25-8; 68991-48-0 69011-36-5; 69013-18-9; 69013-19-0 690227-20-9; 69227-21-0; 69227-22-1 69364-63-2; 70750-27-5; 70879-83-3 70955-07-6; 71011-10-4; 71060-57-6 71243-46-4; 72066-65-0; 72108-90-8 78330-21-9; 78330-23-1; 79771-03-2 84133-50-6; 85429-34-1; 18820-80-8 103657-84-7; 103667-85-8; 103818-93-5 103819-03-0; 106232-83-1; 111905-54-5 116810-31-2; 116810-32-3; 116810-32-4; 126710-9-1 7707-43-2; 156653-49-3; 116810-33-4 169010-2-2; 160910-9-7; 160901-9-7; 160901-9-7; 160901-9-7; 160901-9-7; 160901-9-7; 160901-9-7; 161670-9-1 16702-21-5; 112988-33-1; 17702-7-7 169622-1-4; 162934-68-5; 121617-09-2 126646-02-4; 126950-62-7; 127036-24-2 139626-71-4; 152231-44-2; 154618-36-2 169010-2-2; 150901-99-7; 160901-91-9 161025-21-4; 161025-22-5; 166736-08-9 16107-21-5; 172588-43-1; 176022-76-7 196823-11-7; 287935-46-0; 288260-45-7 303176-75-2; 954108-36-2.
age molecular weight (in amu), 2,580	
3,5-Bis(6-isocyanatohexyl)-2H-1,3,5-oxadiazine-2,4,6-(3H,5H)-trione, polymer with diethylenetriamine, minimum number average molecular weight (in amu), 1,000,000	87823-33-4

Polymer	CAS No.
Polymer of one or more diglycidyl ethers of bisphenol A, resorcinol, glycerol, cyclohexanedimethanol, neopentyl glycol, and polyethylene glycol with one or more of the following: Polyoxypropylene diamine, polyoxypropylene triamine, N-aminoethyl-piperazine, trimethyl-1,6-hexanediamine isophorone diamine, N,N-dimethyl-1,3-diaminopropane, nadic methyl anhydride, 1,2-cyclohexanedicarboxylic anhydride and 1,2,3,6-tetrahydrophthalic anhydride, minimum number average molecular weight (in amu), 400,000	None
Butadiene-styrene copolymer	None
Butanedioic acid, 2-methylene-, homopolymer, sodium salt, minimum number average molecular weight (in amu), 3936	26099–89–8
Butanedioic acid, 2-methylene-, polymer with 1,3-butadiene, ethenylbenzene and 2-hydroxyethyl 2-propenoate, minimum number average molecular weight (in amu), 10,000	36089-06-2
Butanedioic acid, 2-methylene-, polymer with 2,5-furandione, sodium and ammonium salts, hydrogen peroxide-initiated, minimum number average molecular weight (in amu), 2,500–3,000	556055-76-6 701908-99-8
Butanedioic acid, 2-methylene-, telomer with sodium phosphinate (1:1), acidified, potassium salt minimum number average molecular weight (in amu), 3800	1663489-14-2
1,4-Butanediol-methylenebis(4-phenylisocyanate)-poly(tetramethylene glycol) copolymer, minimum molecular weight (in amu) 158,000	9018–04–6
Butene, homopolymer	9003-29-6
2-butenedioic acid (2Z)-, monobutyl ester, polymer with methoxyethene, sodium salt, minimum number average molecular weight (in amu), 18,200	205193–99–3
2-Butenedioic acid (Z)-, polymer with ethenol and ethenyl acetate, sodium salt, minimum number average molecular weight (in amu), 75,000	139871–83–3
Butyl acrylate-vinyl acetate-acrylic acid copolymer, minimum number average molecular weight (in amu), 18,000	65405–40–5
Carbonic acid, diethyl ester, polymer with α-hydro-ω-hydroxypoly[oxy(methyl-1,2-ethanediyl)] ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1), ester with α-[[[[5-(carboxyamino)-1,3,3-trimethylcyclohexyl]methyl] armino]carbonyl]-ω-methoxypoly(oxy-1,2-ethanediyl), minimum number average molecular weight (in amu), 1,900	1147260-65-8
Castor oil, ethoxylated, dioleate, minimum number average molecular weight (in amu), 1260.	110531–96–9
Castor oil, ethoxylated, oleate, minimum number average molecular weight (in amu), 1,600	220037–02–5
Castor oil, polymer with adipic acid, linoleic acid, oleic acid and ricinoleic acid, minimum number average molecular weight (in amu), 3,500	1357486–09–9
Castor oil, polyoxyethylated; the poly(oxyethylene) content averages 5-54 moles	None
Cellulose carboxymethyl ether, potassium salt, minimum number average molecular weight 9587 Daltons	54848-04-3
Chlorinated polyethylene	64754–90–1
Cross-linked nylon-type polymer formed by the reaction of a mixture of sebacoyl chloride and polymethylene polyphenylisocycanate with a mixture of ethylenediamine and diethylenetriamine	None
Cross-linked polyurea-type encapsulating polymer	None
D-Glucitol, polymer with decanedioic acid, docosanoate, minimum number average molecular weight (in amu) 1,100	943440–33–3
D-Glucitol, polymer with decanedioic acid, docosanoate, minimum number average molecular weight (in amu) 1,100	1681043–28–6

Polymer	CAS No.
D-Glucitol, polymer with decanedioic acid, octadecanoate, minimum number average molecular weight (in amu) 1,100	68562-93-6
D-Glucitol, polymer with decanedioic acid and 1,3-propanediol, minimum number average molecular weight (in amu) 1,100	1681043–31–1
D-Glucitol, polymer with decanedioic acid and 1,3-propanediol, octadecanoate, minimum number average molecular weight (in amu) 1,100	1681043–33–3
Dimethylpolysiloxane minimum number average molecular weight (in amu), $6,800$	63148-62-9
Dimethyl silicone polymer with silica, minimum number average molecular weight (in amu), 1,100,000	67762–90–7
$\alpha\text{-}(o,p\text{-Dinonylphenyl})\text{-}\omega\text{-hydroxypoly}(oxyethylene)$ produced by condensation of 1 mole of dinonylphenol (nonyl group is a propylene trimer isomer) with an average of 140-160 moles of ethylene oxide	9014–93–1
Docosyl methacrylate-acrylic acid copolymer, or docosyl methacrylate-octadecyl methacrylate-acrylic acid copolymer, minimum number average molecular weight (in amu), 3,000	None
1,12-Dodecanediol dimethacrylate polymer, minimum molecular weight (in amu), 100,000	None
$\alpha\text{-(p-Dodecylphenyl)-}\omega\text{-hydroxypoly(oxyethylene)}$ produced by the condensation of 1 mole of dodecylphenol (dodecyl group is a propylene tetramer isomer) with an average of 30-70 moles of ethylene oxide	9014–92–0 26401–47–8
1,2-Ethanediamine, N1-(2-aminoethyl)-, polymer with 2,4-diisocyanato-1-methylbenzene, minimum number average molecular weight (in amu), one million	35297-61-1
1, 2-Ethanediamine, polymer with methyl oxirane and oxirane, minimum number average molecular weight (in amu), 1,100	26316–40–5
Ethylene glycol dimethyacrylate-lauryl methacrylate copolymer, minimum molecular weight (in amu), 100,000	None
Ethylene glycol dimethacrylate polymer, minimum molecular weight (in amu), 100,000	None
Fatty acids, montan-wax, ethoxylated, minimum number average molecular weight (in amu), 1800	68476-04-0
Fatty acids, C <sub>18</sub> -unsatd., dimers, polymers with docosanoic acid and sorbitol, minimum number average molecular weight (in amu) 1,100	1685270–83–0
Fatty acids, C <sub>18</sub> -unsatd., dimers, polymers with docosenoic acid and sorbitol, minimum number average molecular weight (in amu) 1,100	1685271–02–6
Fatty acids, $C_{18}$ -unsatd, dimers, polymers with docosenoic acid, 1,3-propanediol and sorbitol, minimum number average molecular weight (in amu) 1,100	1685271048
Fatty acids, $C_{18}$ -unsatd., dimers, polymers with docosanoic acid, 1,3-propanediol and stearic acid, minimum number average molecular weight (in amu) 1,100	1685270–84–1
Fatty acids, $C_{18}$ -unsatd., dimers, polymers with 1,3-propanediol, sorbitol and stearic acid	1685271015
Fatty acids, $C_{18}$ -unsatd., dimers, polymers with sorbitol and stearic acid, minimum number average molecular weight (in amu) 1,100	1685270–99–8
Fatty acids, C <sub>18</sub> -unsatd., dimers, polymers with ethylenediamine and stearyl al- cohol, minimum number average molecular weight (in amu) 1,400	363162-42-9
Fatty acids, C <sub>18</sub> -unsatd., dimers, hydrogenated, polymers with ethylenediamine, neopentyl glycol and stearyl alcohol, minimum number average molecular weight (in amu) 1,400	678991 <del>-29-2</del>

Polymer	CAS No.
Fatty acids, C <sub>1s</sub> -unsatd., dimers, hydrogenated, polymers with ethylenediamine and stearyl alcohol, minimum number average molecular weight (in amu) 1,400	951153–32–5
Fatty acids, $C_{18}$ -unsatd., dimers, polymers with 1-docosanol and ethylene-diamine, minimum number average molecular weight (in amu) 1,400	1699751–19–3
Fatty acids, C <sub>18</sub> -unsatd., dimers, polymers with cetyl alcohol, neopentyl glycol and trimethylenediamine, minimum number average molecular weight (in amu) 1,400	1699751–23–9
Fatty acids, C <sub>18</sub> -unsatd., dimers, polymers with hexamethylenediamine and stearyl alcohol, minimum number average molecular weight (in amu) 1,400	1699751–24–0
Fatty acids, C <sub>18</sub> -unsatd., dimers, hydrogenated, polymers with cetyl alcohol and ethylenediamine, minimum number average molecular weight (in amu) 1,400	1699751–25–1
Fatty acids, C <sub>1s</sub> -unsatd., dimers, hydrogenated, polymers with neopentyl glycol, stearyl alcohol and trimethylenediamine, minimum number average molecular weight (in amu) 1,400	1699751–28–4
Fatty acids, C <sub>18</sub> -unsatd., dimers, polymers with 1-docosanol and trimethylenediamine, minimum number average molecular weight (in amu) 1,400	1699751–29–5
Fatty acids, $C_{18}$ -unsatd., dimers, polymers with 1-docosanol, hexamethylenediamine and neopentyl glycol, minimum number average molecular weight (in amu) 1,400	1699751–31–9
Fatty acids, $C_{18}$ -unsatd., dimers, polymers with docosanoic acid, 1,3-propanediol and sorbitol, minimum number average molecular weight (in amu) 1,400	1685271-04-8
Fatty acids, tall-oil, ethoxylated propoxylated, minimum number average molecular weight (in amu), 2,009	67784–86–5
Formaldehyde, polymer with $\alpha$ -[bis(1-phenylethyl)phenyl]- $\omega$ -hydroxypoly(oxy-1,2-ethanediyl), number average molecular weight (in amu), 1,803	157291–93–5
Formaldehyde, polymer with 2-methyloxirane and 4-nonylphenol, minimum number average molecular weight (in amu), 4,000	37523–33–4
Fumaric acid-isophthalic acid-styrene-ethylene/propylene glycol copolymer, minimum average molecular weight (in amu), $1\times10^{18}$	None
2,5-Furandione, polymer with ethenylbenzene, hydrolyzed, 3- (dimethylamino)propyl imide, imide with polyethylene-polypropylene glycol 2- aminopropyl me ether, 2,2'-(1,2-diazenediyl)bis[2-methylbutanenitrile]-initi- ated, minimum number average molecular weight (in amu), 5,816	1062609–13–5
2,5-Furandione, polymer with ethenylbenzene, reaction products with poly- ethylene-polypropylene glycol 2-aminopropyl Me ether; minimum number av- erage molecular weight (in amu), 14,000	162568-32-3
2,5-Furandione, polymer with methoxyethene, butyl ethyl ester, sodium salt, minimum number average molecular weight (in amu), 18,200	1471342-08-1
Hexadecyl acrylate-acrylic acid copolymer, hexadecyl acrylate-butyl acrylate- acrylic acid copolymer, or hexadecyl acrylate-dodecyl acrylate-acrylic acid co- polymer, minimum number average molecular weight (in amu), 3,000	None
Hexamethyl disilizane, reaction product with silica, minimum number average molecular weight (in amu), 645,000	68909-20-6
1,6-Hexanediol dimethyacrylate polymer, minimum molecular weight (in amu), 100,000	None
α-Hydro-ω-hydroxy-poly(oxyethylene) C8 alkyl ether citrates, poly(oxyethylene) content is 4–12 moles, minimum number average molecular weight (in amu) 1,300	330977-00-9
α-Hydro-ω-hydroxy-poly(oxyethylene) C10–C16-alkyl ether citrates, poly(oxyethylene) content is 4–12 moles, minimum number average molecular weight (in amu) 1,100	330985-58-5
poly(oxyethylene) content is 4-12 moles, minimum number average molec-	

### 40 CFR Ch. I (7-1-17 Edition)

CAS No.
330985-61-0
25322-68-3
None
None
70142–34–6
None
None
None
25119-68-0
25087–06–3
31307–95–6
37199–81–8
60092–15–1
None
100934-04-1
111740–36–4
63150-03-8
119724–54–8
None
25153-40-6
62386–95–2
None

α-(p-Nonyiphenyl)-ω-hydroxypoly(oxyethylene) mixture of dinydrogen phoephate and monohydrogen phoephate setaers and the corresponding emmonium, calling the phoephate setaers; the norty group is a propylene timer isomer and the poly(oxyethylene) content averages 30 moles of entire phoephate setaers; the norty group is a propylene timer isomer and the poly(oxyethylene) content averages 30 moles of ethylene oxide         None           α-(p-Nonythenyl)-ω-hydroxypoly(oxypoly(oxyethylene) sulfate, and its ammonium, calloum, magnesium, monoethanolamine, potassium, sodium, and zinc satis; the norty group is a propylene timer isomer and the poly(oxyethylene) content averages 30 moles of ethylene oxide         None           α-(p-Nonythenyl-ω-hydroxypoly(oxypropylene) block polymer with poly(oxyethylene); polyoxyethylene oxide         None           α-(p-Nonythenyl-o-hydroxypoly(oxypropylene) block polymer with poly(oxyethylene); polyoxyethylene); polyoxyethylene); polyoxyethylene; polyoxyethylene; polyoxyethylene oxide at a propylene content of 10-80 moles; minimum number average midecular weight (in amu), 1,389         37251-69-7           α-(p-Nonythenyl)poly(oxypropylene) block polymer with Davidova, homopolymer, ester with α, α, α*-1,2,3-1         1939051-18-9           α-(p-Nonythylenyl)poly(oxypropylene) block polymer, ester with α, α, α*-1,2,3-1         1939051-18-9           α-(p-Nonythylenyl)poly(oxypropylene) block polymer, ester with α, α, α*-1,2,3-1         1939051-18-9           α-(p-Nonythylenyl)poly(oxypropylene) block polymer, ester with α, α, α*-1,2,3-1         1939051-18-9           α-(p-Nonythylenyl)polymer, and a propylene with α, α, α*-1,2,3-1         1939051-18-9	Polymor	CAS No
and monothydrogen phosphate esters and the corresponding ammonium, calcium, magnetum, monotehandmine, potassium, sodium, and zinc salts of the phosphate esters; the nonly group is a propylene trimer isomer and the poly(coxyethylene) content averages 30 moles of enthylene) content averages 30 moles of enthylene polytoxyethylene) sulfate, and its ammonium, calcium, magnetum, monotehandmine, potassium, sodium, and zinc salts; the nonly group is a propylene trimer isomer and the poly(oxyethylene) content averages 30 moles of enthylene oxide  α-(p-Nonlythenyl-α-hydroxypoly(oxypropylene) block polymer with poly(oxyethylene); polyoxypropylene oxide  α-(p-Nonlythenyl-α-hydroxypoly(oxypropylene) block polymer with poly(oxyethylene); polyoxypropylene content of 10-60 moles; polyoxypropylene; pol	Polymer	CAS No.
cium, magnesium, monoethanolamine, potassium, sodium, and zine salts; the nonyl group is a propylene trimer isomer and the poly(oxyethylene) content averages 30-90 moles of ethylene oxide polycypethylene; polycyxyproylene content of 10-80 moles; polycyxethylene; polycyxyproylene content of 10-80 moles; polycyxethylene; polycyxyproylene block polymer with poly(oxyethylene); polycyxyproylene block polymer with oxyethylene; content of 10-80 moles; molecular weight (in amu), 1,200–7,100.  α-(α-Nonlyphenylpoly(oxyproylene) block polymer with poly(oxyethylene); poly oxyethylene content of 10-80 moles; minimum number average molecular weight (in amu), 1,889  Octadecanoic acid, 12-hydroxy, homopolymer, ester with α, α', α'-1,2-3 propanetyltrigle-hydroxypoly(oxy-1,2-ethanedyl), minimum number average molecular weight (in amu), 5,000  Octadecanoic acid, 12-hydroxy, homopolymer Ester with 2-Methylloxirane Polymer with Oxirane monobutyl Ether, minimum number average molecular weight (in amu), 4,500  Octadecanoic acid, 12-hydroxy, homopolymer, octadecanote minimum number average molecular weight (in amu), 4,500  Octadecanoic acid, 12-hydroxyp-homopolymer, octadecanote minimum number average molecular weight (in amu), 4,500  Octadecanoic acid, 12-hydroxyp-homopolymer, octadecanyl group is defined from oleyl alcohol and the poly(oxyethylene), the octadecenyl group is defined from oleyl alcohol and the poly(oxyethylene), acid copolymer, octadecyl methacylate-boxyl te-acylic acid copolymer, octadecyl methacylate-boxylate-acylic acid copolymer, octadecy	and monohydrogen phosphate esters and the corresponding ammonium, cal- cium, magnesium, monoethanolamine, potassium, sodium, and zinc salts of the phosphate esters; the nonyl group is a propylene trimer isomer and the	None
polytoxyethylene); polyoxypropylene content of 10-60 moles; polyoxyethylene content of 10-80 moles; molecular weight (in amu), 1,200-7,100. α-(p-Nonylphenyl)poly(oxypropylene) block polymer with poly(oxyethylene); poly oxyethylene content 30 to 90 moles; minimum number average molecular weight (in amu), 1,889  Octadecanoic acid, 12-hydroxy-, homopolymer, ester with α, α', α'-1,2,3-propanetriyltris(a-hydroxypoly(oxy-1,2-ethanediyl)), minimum number average molecular weight (in amu), 5,000  Octadecanoic acid, 12-hydroxy-, homopolymer Ester with 2-Methylloxirane Polymer with Oxirane monobutyl Ether, minimum number average molecular weight (in amu), 4,500  Octadecanoic acid, 12-hydroxy-, homopolymer, octadecanoate minimum number average molecular weight (in amu), 4,500  Octadecanoic acid, 12-hydroxy-, homopolymer, octadecanoate minimum number average molecular weight (in amu), 1,370  Occis-9-Octadecenyl-o-hydroxypoly(oxyethylene); the octadecanoate minimum number average molecular weight (in amu), 1,370  Occis-9-Octadecenyl-o-hydroxypoly(oxyethylene); the octadecanoate minimum number average molecular weight (in amu), 3,000  Octadeoyl acid opolymer, octadecyl averylate-acid opolymer, octadecyl averylate-acid opolymer, octadecyl averylate-acid acid opolymer, octadecyl average molecular weight (in amu), 2,300  Olicia acid diester of α-hydro-a-hydroxypoly(oxyethylene); the polyvoythylene), average molecular weight (in amu), 2,800  Oxirane, hexadecyl-, reaction products with toxirane, dimethyl ether, minimum number average molecular weight (in amu	cium, magnesium, monoethanolamine, potassium, sodium, and zinc salts; the nonyl group is a propylene trimer isomer and the poly(oxyethylene) content	None
oxyethylene content 30 to 90 moles; minimum number average molecular weight (in amu), 1,889  Octadecanoic acid, 12-hydroxy, homopolymer, ester with α, α', α'-1,2,3-propanethyltris(a-hydroxypoly(oxy-1,2-ethanediyl)), minimum number average molecular weight (in amu), 5,000  Octadecanoic acid, 12-hydroxy-, Homopolymer Ester with 2-Methylloxirane Polymer with Oxirane monobutyl Ether, minimum number average molecular weight (in amu), 4,500  Octadecanoic acid, 12-hydroxy-, homopolymer, octadecanoate minimum number average molecular weight (in amu), 1,370  α-cis-9-Octadecenyl-α-hydroxypoly(oxyethylene); the octadecenyl group is denived from oleyl alcohol and the poly(oxyethylene) content averages 20 moles  Octadecyl acrylate-acrylic acid copolymer, octadecyl acrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-dodecyl acrylate-acrylic acid copolymer, octadecyl methacrylate-dodecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-dodecyl acrylate-acrylic acid copolymer, octadecyl methacrylate-dodecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-dodecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer,	poly(oxyethylene); polyoxypropylene content of 10-60 moles; polyoxyethylene content of 10-80 moles; molecular weight (in amu), 1,200-	None
propanetryltris(a-hydroxypoly(oxy-1,2-ethanediyli), minimum number average molecular weight (in amu), 5,000  Octadecanolic acid, 12-hydroxy-, Homopolymer Ester with 2-Methylloxirane Polymer with Oxirane monobutyl Ether, minimum number average molecular weight (in amu), 4,500  Octadecanolic acid, 12-hydroxy-, homopolymer, octadecanoate minimum number average molecular weight (in amu), 1,370  oc.cis-9-Octadecenyl-o-hydroxypoly(oxyethylene); the octadecenyl group is derived from oleyl alcohol and the poly(oxyethylene) content averages 20 moles  Octadecyl acrylate-acrylic acid copolymer, octadecyl acrylate-dodecyl acrylate-acrylic acid copolymer, octadecyl methacrylate-butyl acrylate-acrylic acid copolymer, octadecyl methacrylate-dodecyl methacrylate-odoely and proteon acrylic acid copolymer, octadecyl methacrylate-dodecyl acrylate-acrylic acid copolymer, octadecyl methacrylate-dodecyl acrylate-acrylic acid copolymer, or octadecyl methacrylate-acrylic acid copolymer, or octadecyl methacrylate-acryli	oxyethylene content 30 to 90 moles; minimum number average molecular	37251–69–7
Polymer with Oxirane monobulyl Ether, minimum number average molecular weight (in amu), 4,500  Octadecanoic acid, 12-hydroxy-, homopolymer, octadecanoate minimum number average molecular weight (in amu), 1,370  α-cis-9-Octadecenyl-α-hydroxypoly(oxyethylene); the octadecenyl group is derived from oleyl alcohol and the poly(oxyethylene) content averages 20 moles  Octadecyl acrylate-acrylic acid copolymer, octadecyl acrylate-dodecyl acrylate-acrylic acid copolymer, octadecyl methacrylate-butgyl acrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-dodecyl methacrylate-acrylic acid copolymer, octadecyl methacrylaterylic acid copolymer, octadecyl methacrylaterylic acid copolymer, octadecyl methacrylateryli	propanetriyltris[ω-hydroxypoly(oxy-1,2-ethanediyl)], minimum number average	1939051–18–9
ber average molecular weight (in amu), 1,370  α-ci-9-Octadecenyl-α-hydroxypoly(αxyethylene); the octadecenyl group is derived from oleyl alcohol and the poly(oxyethylene) content averages 20 moles  Octadecyl acrylate-acrylic acid copolymer, octadecyl methacrylate-butyl acrylate-acrylic acid copolymer, octadecyl methacrylate-hexyl acrylate-acrylic acid copolymer, octadecyl methacrylate-hexyl acrylate-acrylic acid copolymer, octadecyl methacrylate-butyl acrylate-acrylic acid copolymer, octadecyl methacrylate-backedyl acrylate-acrylic acid copolymer, octadecyl methacrylate-backeyl acrylate-acrylic acid copolymer, octadecyl methacrylate-backeyl acrylate-acrylic acid copolymer, octadecyl methacrylate-dodecyl acrylate-acrylic acid copolymer, octadecyl methacrylate-dodecyl acrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-dodecyl acrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolym	Polymer with Oxirane monobutyl Ether, minimum number average molecular	1373125–59–7
rived from oleyl alcohol and the poly(oxyethylene) content averages 20 moles  Octadecyl acrylate-acrylic acid copolymer, octadecyl acrylate-dodecyl acrylate-acrylic acid copolymer, octadecyl methacrylate-butyl acrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer, or octadecyl methacrylate-acrylic acid copolymer, or octadecyl methacrylate-dodecyl acrylate-acrylic acid copolymer, or octadecyl methacrylate-dodecyl acrylate-acrylic acid copolymer, or octadecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer, or octadecyl methacrylate-acrylic acid copolymer, octadecyl methacrylate-acrylic acid copolymer, or octadecyl methacrylate-acry		58128-22-6)
acrylic acid copolymer, octadecyl methacrylate-butyl acrylate-acrylic acid copolymer, octadecyl methacrylate-hexyl acrylate-acrylic acid copolymer, or octadecyl methacrylate-dodecyl acylate-acrylic acid copolymer, or octadecyl methacrylate-dodecyl methacrylate-acrylic acid copolymer, minimum number average molecular weight (in amu) 3,000  Oleic acid diester of α-hydro-α-hydroxypoly(oxyethylene); the poly(oxyethylene), average molecular weight (in amu), 2,300  2-oxepanone, homopolymer, minimum number average molecular weight (in amu) 52,000  Oxirane, decyl-, reaction products with polyethylene-polypropylene glycol ether with trimethylolpropane (3:1)  Oxirane, hexadecyl-, reaction products with polyethylene-polypropylene glycol ether with trimethylolpropane (3:1)  Oxirane, 2-methyl-, polymer with oxirane, dimethyl ether, minimum number average molecular weight (in amu), 2,800  Oxirane, methyl-, polymer with oxirane, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1), reaction products with tetradecyloxirane  Oxirane, methyl-, polymer with oxirane, mono[2-(2-butoxyethoxy) ethyl] ether, minimum number average molecular weight (in amu), 2,500  Oxirane, 2-methyl-, polymer with Oxirane, Monobutyl Ether  Oxirane, 2-methyl-, polymer with Oxirane, minimum number average molecular weight (in amu), 1,100  Oxirane, 2-methyl-, polymer with oxirane, minimum number average molecular weight (in amu), 1,100  Oxirane, 2-methyl-, polymer with oxirane, minimum number average molecular weight (in amu), 1,300  Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average mo-  Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average mo-		None
poly(oxyethylene), average molecular weight (in amu), 2,300  2-oxepanone, homopolymer, minimum number average molecular weight (in amu) 52,000  Oxirane, decyl-, reaction products with polyethylene-polypropylene glycol ether with trimethylolpropane (3:1)  Oxirane, hexadecyl-, reaction products with polyethylene-polypropylene glycol ether with trimethylolpropane (3:1)  Oxirane, 2-methyl-, polymer with oxirane, dimethyl ether, minimum number average molecular weight (in amu), 2,800  Oxirane, methyl-, polymer with oxirane, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1), reaction products with tetradecyloxirane  Oxirane, methyl-, polymer with oxirane, mono[2-(2-butoxyethoxy) ethyl] ether, minimum number average molecular weight (in amu), 2,500  Oxirane, methyl-, polymer with Oxirane, Monobutyl Ether  Oxirane, 2-methyl-, polymer with oxirane, minimum number average molecular weight (in amu), 3,000  Oxirane, phenyl, polymer with oxirane, monocyl ether, minimum number average molecular weight (in amu), 3,000  Oxirane, phenyl, polymer with oxirane, monocyl ether, minimum average molecular 83653—00—3	acrylic acid copolymer, octadecyl methacrylate-butyl acrylate-acrylic acid co- polymer, octadecyl methacrylate-hexyl acrylate-acrylic acid copolymer, octa- decyl methacrylate-dodecyl acrylate-acrylic acid copolymer, or octadecyl methacrylate-dodecyl methacrylate-acrylic acid copolymer, minimum number	None
amu) 52,000  Oxirane, decyl-, reaction products with polyethylene-polypropylene glycol ether with trimethylolpropane (3:1)  Oxirane, hexadecyl-, reaction products with polyethylene-polypropylene glycol ether with trimethylolpropane (3:1)  Oxirane, 2-methyl-, polymer with oxirane, dimethyl ether, minimum number average molecular weight (in amu), 2,800  Oxirane, methyl-, polymer with oxirane, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1), reaction products with tetradecyloxirane  Oxirane, methyl-, polymer with oxirane, mono[2-(2-butoxyethoxy) ethyl] ether, minimum number average molecular weight (in amu), 2,500  Oxirane, methyl-, polymer with oxirane, Monobutyl Ether  Oxirane, 2-methyl-, polymer with oxirane, minimum number average molecular weight (in amu), 1,100  Oxirane, 2-methyl-, polymer with oxirane, mono [2-[2-(2-butoxymethylethoxy)methylethoxy]methylethyl] ether, minimum number average molecular weight (in amu), 3,000  Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average molecular 83653-00-3		None
with trimethylolpropane (3:1)  Oxirane, hexadecyl-, reaction products with polyethylene-polypropylene glycol ether with trimethylolpropane (3:1)  Oxirane, 2-methyl-, polymer with oxirane, dimethyl ether, minimum number average molecular weight (in amu), 2,800  Oxirane, methyl-, polymer with oxirane, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1), reaction products with tetradecyloxirane  Oxirane, methyl-, polymer with oxirane, mono[2-(2-butoxyethoxy) ethyl] ether, minimum number average molecular weight (in amu), 2,500  Oxirane, methyl-, polymer with Oxirane, Monobutyl Ether  Oxirane, 2-methyl-, polymer with oxirane, minimum number average molecular weight (in amu), 1,100  Oxirane, 2-methyl-, polymer with oxirane, mono [2-(2-(2-butoxymethylethoxy)methylethoxy)methylethoxylmethylethyl] ether, minimum number average molecular weight (in amu), 3,000  Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average molecular 83653-00-3	2-oxepanone, homopolymer, minimum number average molecular weight (in amu) 52,000	24980-41-4
ether with trimethylolpropane (3:1)  Oxirane, 2-methyl-, polymer with oxirane, dimethyl ether, minimum number average molecular weight (in amu), 2,800  Oxirane, methyl-, polymer with oxirane, ether with 2-ethyl-2-(hydroxymethyl)-1,3-propanediol (3:1), reaction products with tetradecyloxirane  Oxirane, methyl-, polymer with oxirane, mono[2-(2-butoxyethoxy) ethyl] ether, minimum number average molecular weight (in amu), 2,500  Oxirane, methyl-, polymer with Oxirane, Monobutyl Ether  Oxirane, 2-methyl-, polymer with oxirane, minimum number average molecular weight (in amu), 1,100  Oxirane, 2-methyl-, polymer with oxirane, mono [2-[2-(2-butoxymethylethoxy)methylethoxy)methylethoxyjmethylethyl] ether, minimum number average molecular weight (in amu), 3,000  Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average molecular 83653-00-3		903890-89-1
erage molecular weight (in amu), 2,800  Oxirane, methyl-, polymer with oxirane, ether with 2-ethyl-2-(hydroxymethyl)- 1,3-propanediol (3:1), reaction products with tetradecyloxirane  Oxirane, methyl-, polymer with oxirane, mono[2-(2-butoxyethoxy) ethyl] ether, minimum number average molecular weight (in amu), 2,500  Oxirane, methyl-, polymer with Oxirane, Monobutyl Ether  Oxirane, 2-methyl-, polymer with oxirane, minimum number average molecular weight (in amu), 1,100  Oxirane, 2-methyl-, polymer with oxirane, mono [2-[2-(2-butoxyethoxy)methylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethyl] ether, minimum number average molecular weight (in amu), 3,000  Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average molecular weight (in amu), 3,000		893427-80-0
1,3-propanediol (3:1), reaction products with tetradecyloxirane  Oxirane, methyl-, polymer with oxirane, mono[2-(2-butoxyethoxy) ethyl] ether, minimum number average molecular weight (in amu), 2,500  Oxirane, methyl-, polymer with Oxirane, Monobutyl Ether  Oxirane, 2-methyl-, polymer with oxirane, minimum number average molecular weight (in amu), 1,100  Oxirane, 2-methyl-, polymer with oxirane, mono [2-[2-(2-butoxymethylethoxy]methylethoxy]methylethyl] ether, minimum number average molecular weight (in amu), 3,000  Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average molecular mol		61419–46–3
minimum number average molecular weight (in amu), 2,500  Oxirane, methyl-, polymer with Oxirane, Monobutyl Ether  9038–95–3  Oxirane, 2-methyl-, polymer with oxirane, minimum number average molecular weight (in amu), 1,100  Oxirane, 2-methyl-, polymer with oxirane, mono [2-[2-(2-butoxymethylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethyl] ether, minimum number average molecular weight (in amu), 3,000  Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average molecular weight (in amu), 3,000		903890-90-4
Oxirane, 2-methyl-, polymer with oxirane, minimum number average molecular weight (in amu), 1,100  Oxirane, 2-methyl-, polymer with oxirane, mono [2-[2-(2-butoxymethylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethoxy]methylethyl] ether, minimum number average molecular weight (in amu), 3,000  Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average molecular weight (in amu), 3,000		85637-75-8
weight (in amu), 1,100  Oxirane, 2-methyl-, polymer with oxirane, mono [2-[2-(2-0.2-0.2-0.2-0.2-0.2-0.2-0.2-0.2-0.2-0.	Oxirane, methyl-, polymer with Oxirane, Monobutyl Ether	9038–95–3
butoxymethylethoxy)methylethoxylmethylethyl] ether, minimum number average molecular weight (in amu), 3,000  Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average mo-	Oxirane, 2-methyl-, polymer with oxirane, minimum number average molecular weight (in amu), 1,100	9003–11–6
Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average molecular weight (in amu) 1,200	butoxymethylethoxy)methylethoxy]methylethyl] ether, minimum number aver-	926031–36–9
	Oxirane, phenyl, polymer with oxirane, monooctyl ether, minimum average molecular weight (in amu) 1,200	83653-00-3

### 40 CFR Ch. I (7-1-17 Edition)

Polymer	CAS No.
Polyamide polymer derived from sebacic acid, vegetable oil acids with or without dimerization, terephthalic acid and/or ethylenediamine	None
Polyethylene glycol-polyisobutenyl anhydride-tall oil fatty acid copolymer, min- imum number average molecular weight (in amu), 2,960	68650-28-2
Polyethylene, oxidized, minimum number average molecular weight (in amu), 1,200	None
Polyglycerol polyricinoleate; minimum number average molecular weight (in amu), 2,500	29894–35–7
Polymers produced by the reaction of either 1,6-hexanediisocyanate; 2,4,4-trimethyl-1,6-hexanediisocyanate; 5-isocyanato-1-(isocyanatomethyl)-1,3,3-trimethylcyclohexane (isophoronediisocyanate); 4,4'-methylene-bis-1,1' cyclohexanediisocyanate; 4,4'-methylene-bis-1,1' benzyldiisocyanate; or 1,3-bis-(2-isocyanatopropan-2-yl)benzene with polyethylene glycol and end-capped with one or a mixture of more than one of octanol, decanol, dodecanol, tetradecanol, hexadecanol, octadecanol, and octadec-9-enol or polyethyleneglycol ethers of octanol, decanol, dodecanol, tetradecanol, hexadecanol, octadecanol, and octadec-9-enol, minimum number average molecular weight (in amu), 20,000	1161844-26-3, 1161844-30-9, 1161844-43- 4, 1161844-51-4, 1161844-53-6, 693252- 31-2, 162993-60-4, 630102-86-2
Polymethylene polyphenylisocyanate, polymer with ethylene diamine, diethylene triamine and sebacoyl chloride, cross-linked; minimum number average molecular weight (in amu), 100,000	None
Polyoxyalkylated glycerol fatty acid esters; the mono-, di-, or triglyceride mixtures of $C_8$ through $C_{22}$ , primarily $C_8$ through $C_{18}$ saturated and unsaturated, fatty acids containing up to 15% water by weight reacted with a minimum of three moles of either ethylene oxide or propylene oxide; the resulting polyoxy alkylated glycerol ester polymer minimum number average molecular weight (in amu), 1,500	61791-23-9, 68201-46-7, 68440-49-3, 68458-88-8, 68606-12-2, 68648-38-4, 70377-91-2, 70914-02-2, 72245-12-6, 72698-41-3, 180254-52-8, 248273-72-5, 308063-50-5, 952722-33-7
Polyoxyalkylated sorbitan fatty acid esters with C6 through C22 aliphatic alkanoic and/or alkenoic fatty acids, branched or linear, the resulting polyoxyalkylene sorbitan esters minimum number average molecular weight (in amu), 1,300	81776-11-6, 87090-31-1, 88895-72-1, 103171-31-9, 161026-53-5, 1472644-80-6, 1472644-81-7, 1472644-84-0, 1472644-88-4, 1472654-83-3, 1472655-32-5, 1472661-05-4, 1472661-17-8, 1472663-59-4, 1472663-64-1, 1472663-66-3, 1472668-92-5, 1472668-03-3
Polyoxyalkylated trimethylopropanes with 20 to 80 moles of ethylene and/or propylene oxide, fatty acid esters with C8 through C22 aliphatic alkanoic and/or alkenoic fatty acids, branched or linear; minimum number average molecular weight (in amu), 3,000	25765-36-0; 29860-47-7; 37339-03-0; 52624-57-4; 58090-24-7; 63964-38-5; 72939-62-9; 74521-14-5; 75300-70-8; 75300-90-2; 84271-03-4; 84271-04-5; 86850-92-2; 107120-02-5; 133331-01-8; 137687-80-1; 149797-40-0; 149797-41-1; 150695-97-9; 152130-24-0; 163349-94-8; 163349-98-2; 165467-70-9; 183619-46-7; 183619-50-3; 185260-01-9; 202606-04-0; 210420-84-1; 233660-70-3; 263011-96-7; 283602-94-8; 701980-40-7; 872038-58-9; 875709-44-7; 875709-45-8; 875709-46-9; 575709-47-0; 879898-63-2; 910038-01-6; 1190748-04-9; 1225384-02-0; 1428944-41-5; 1446498-15-2.
Poly(oxy-1,2-ethanediyl), α-hydro-α-hydroxy-, polymer with 1, 1'-methylene-bis- [4-isocyanatocyclohexane], minimum number average molecular weight (in amu), 1800	39444-87-6
Polyoxyethylated primary amine ( $C_{14}$ – $C_{18}$ ); the fatty amine is derived from an animal source and contains 3% water; the poly(oxyethylene) content averages 20 moles	None
Polyoxyethylated sorbitol fatty acid esters; the polyoxyethylated sorbitol solution containing 15% water is reacted with fatty acids limited to C <sub>12</sub> , C <sub>14</sub> , C <sub>16</sub> , and C <sub>18</sub> , containing minor amounts of associated fatty acids; the poly(oxyethylene) content averages 30 moles.	None

Polymer	CAS No.
Polyoxyethylated sorbitol fatty acid esters; the sorbitol solution containing up to 15% water is reacted with 20–50 moles of ethylene oxide and aliphatic alkanoic and/or alkenoic fatty acids $C_8$ through $C_{22}$ with minor amounts of associated fatty acids; the resulting polyoxyethylene sorbitol ester having a minimum molecular weight (in amu), 1,300	None
Poly(oxyethylene/oxypropylene) monoalkyl $(C_6$ – $C_{10})$ ether sodium furnarate adduct, minimum number average molecular weight (in amu), 1,900	102900-02-7
Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -[(9Z)-1-oxo-9-octadecen-1-yl]- $\omega$ -[[(9Z)-1-oxo-9-octadecen-1yl]oxy]-, minimum number average molecular weight (in amu) 2,300	26571–49–3
Polyoxymethylene copolymer, minimum number average molecular weight (in amu), 15,000	None
Poly(oxypropylene) block polymer with poly(oxyethylene), molecular weight (in amu), 1,800-16,000	None
Poly(phenylhexylurea), cross-linked, minimum average molecular weight (in amu), 36,000	None
Polypropylene	9003-07-0
Polystyrene, minimum number average molecular weight (in amu), 50,000	9003-53-6
Polytetrafluoroethylene	9002-84-0
Polyvinyl acetate, copolymer with maleic anhydride, partially hydrolyzed, so- dium salt, minimum number average molecular weight (in amu), 53,000	None
Polyvinylpyrrolidone butylated polymer, minimum number average molecular weight (in amu), 9,500	26160-96-3
Polyvinyl acetate, minimum molecular weight (in amu), 2,000	None
Polyvinyl acetate—polyvinyl alcohol copolymer, minimum number average molecular weight (in amu), 50,000	25213-24-5
Polyvinyl alcohol	9002–89–5
Polyvinyl chloride	None
Polyvinyl chloride, minimum number average molecular weight (in amu), 29,000	9002–86–2
Poly(vinylpyrrolidone), minimum number average molecular weight (in amu), $4,000$	9003-39-8
Poly(vinylpyrrolidone-1-eicosene), minimum average molecular weight (in amu), $3,000$	28211–18–9
Poly(vinylpyrrolidone-1-hexadecene), minimum average molecular weight (in amu), 4,700	63231-81-2
1-propanesulfonic acid, 2-methyl-2-[(1-oxo-2-propenyl)amino]-, monosodium salt, polymer with ethenol and ethenyl acetate, minimum number average molecular weight (in amu) 50,000	107568–12–7
2-Propene-1-sulfonic acid sodium salt, polymer with ethenol and ethenyl acetate, number average molecular weight (in amu) 6,000–12,000	None
2-Propenoic acid, butyl ester, polymer with 1,6-diisocyanatohexane, N-(hydroxymethyl)-2-methyl-2-propenamide and 2-propenenitrile, minimum number average molecular weight (in amu), 100,000	1469998-09-1
2-Propenoic acid, butyl ester, polymer with ethenyl acetate and sodium ethenesulfonate, minimum number average molecular weight (in amu), 20,500	66573-43-1
2-propenoic acid, butyl ester, polymer with ethenylbenzene, methyl 2-methyl-2- propenoate and 2-propenoic acid (in amu), 1900.	27306–39–4

### 40 CFR Ch. I (7-1-17 Edition)

Polymer	CAS No.
2-Propenoic acid, butyl ester, polymer with ethyl 2-propenoate and N- (hydroxymethyl)-2-propenamide, minimum number average molecular weight (in amu), 30,000	33438–19–6
2-Propenoic acid, 2-ethylhexyl ester, polymer with ethenylbenzene 14,000 daltons	25153-46-2
2-Propenoic acid, 2-ethylhexyl ester, polymer with ethenylbenzene and 2-methylpropyl 2-methyl-2-propenoate, minimum number average molecular weight (in amu), 18,000	68240-06-2
2-propenoic acid, homopolymer, ester with α-[2,4,6-tris(1-phenylethyl)phenyl]-ω-hydroxypoly(oxy-1,2-ethanediyl), compd. with 2,2',2'-nitrilotris[ethanol]), minimum number average molecular weight (in amu), 10,000. 2-Propenoic acid, 2-hydroxyethyl ester, polymer with α-[4-(ethenyloxy)butyl]-ω-hydroxypoly (oxy-1,2-ethanediyl), minimum number average molecular weight (in amu), 17,000	1477613–46–9 1007234–89–0
[2-propenoic acid, 2-methyl-, C12-16-alkyl esters, telomers with 1-dodecanethiol, polyethylene-polypropylene glycol ether with propylene glycol monomethacrylate (1:1), and styrene 2,2'-(1,2-diazenediyl)bis[2-methylbutanenitrile]-initiated, minimum number average molecular weight (in amu), 4,000	950207–35–9
2-Propenoic acid, methyl ester, polymer with ethenyl acetate, hydrolyzed, so-dium salts	886993-11-9
2-Propenoic acid, 2-methyl-, 2-ethylhexyl ester, telomer with 1-dodecanethiol, ethenylbenzene and 2-methyloxirane polymer with oxirane monoether with 1,2-propanediol mono(2-methyl-2-propenoate), hydrogen 2-sulfobutanedioate, sodium salt, 2, 2-(1,2-diazenedlyl)bis(2-methylpropane-isrile)-initiated, minimum number average molecular weight (in amu), 1,200	1283712-50-4
2-Propenoic acid, 2-methyl-, 2-methylpropyl ester, homopolymer, minimum number average molecular weight (in amu), 55,000	9011–15–8
2-propenoic acid, 2-methyl-, 2-oxiranylmethyl ester, polymer with ethene, eth- enyl acetate, ethenyltrimethoxysilane and sodium ethenesulfonate (1:1), min- imum number average molecular weight (in amu), 20,000.	518057–54–0
2-Propenoic acid, 2-methyl-, phenylmethyl ester, polymer with 2-propenoic acid, peroxydisulfuric acid (((HO)S(O)2)2O2) sodium salt (1:2)-initiated, compounds with diethanolamine, minimum number average molecular weight (in amu), 2,000	1574486–33–1
2-Propenoic acid, 2-methyl-, phenylmethyl ester, polymer with 2-propenoic acid and sodium 2-methyl-2-{(1-oxo-2-propen-1-yl)amino]-1-propanesulfonate (1:1), peroxydisulfuric acid (IHO)S(O)2[202) sodium salt (1:2)-iniliated minimum number average molecular weight >1,000 Daltons; maximum number average molecular weight 10,000 Daltons	CASRN 1246766-57-3
2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate and ethenylbenzene, minimum number average molecular weight (in amu), 17,000	25036–16–2
2-Propenoic acid, 2-Methyl-, Polymer with Butyl 2-Propenoate, Methyl 2-Methyl-2-Propenoate, Methyl 2-Propenoate and 2-Propenoic Acid, graft, Compound with 2-Amino-2-Methyl-1-Propanol	153163–36–1
2-Propenoic Acid, 2-Methyl-, Polymer with Ethenylbenzene, 2-Ethylhexyl 2-Propenoate, 2-Hydroxyethyl 2-Propenoate, N-(Hydroxymethyl) -2-Methyl-2-Propenoate, Ammonium Salt	146753–99–3
2-Propenoic acid, 2-methyl-, polymers with Bu acrylate, Et acrylate, Me meth-acrylate and polyethylene glycol methacrylate C <sub>16-18</sub> -alkyl ethers, minimum number average molecular weight (in amu), 13,000	890051-63-5
2-propenoic acid, 2-methyl-, polymers with tert-Bu acrylate, Me methacrylate, polyethylene glycol methacrylate C <sub>16</sub> -C <sub>18</sub> -alkyl ethers and vinylpyrrolidone, tert-Bu 2-ethylhexaneperoxoate-initiated, compounds with 2-amino-2-methyl-1-propanol, minimum number average molecular weight (in amu), 2,600.	1515872-09-9

Polymer	CAS No.
2-Propenoic acid, 2-methyl-, telomer with 2-ethylhexyl 2-propenoate, 2-propanol and sodium 2-methyl-2-[(1-oxo-2-propen-1-yl) amino]-1-propanesulfonate (1:1), sodium salt, minimum number average molecular weight (in amu): 2,900	1260001-65-7
2-Propenoic acid, monoester with 1,2-propanediol, polymer with $\alpha$ -[4-(ethenyloxy) butyl]- $\omega$ -hydroxypoly (oxy-1,2-ethanediyl) and 2,5-furandione, minimum number average molecular weight (in amu), 25,000	955015-23-3
2-propenoic acid polymer, with 1,3-butadiene and ethenylbenzene, minimum number average molecular weight (in amu), 9400	25085-39-6
2-Propenoic acid, polymer with ethenyl acetate, ethenylbenzene, 2-ethylhexyl 2-propenoate and ethyl 2-propenoate, minimum number average molecular weight (50,149 Daltons)	85075–52–1
2-Propenoic acid, polymer with ethenylbenzene and (1-methylethenyl)benzene, minimum number average molecular weight (in amu), 2,000	52831-04-6
<ol> <li>Propenoic acid, polymer with ethenylbenzene and (1-methylethenyl) benzene, sodium salt, minimum number average molecular weight (in amu), 2,800</li> </ol>	129811–24–1
2-Propenoic acid, polymer with $\alpha$ -[4-(ethenyloxy) butyl]- $\omega$ -hydroxypoly (oxy-1,2-ethanediyl) and 2,5-furandione, sodium salt, minimum number average molecular weight (in amu), 25,000	251479–97–7
2-Propenoic acid, polymer with $\alpha$ -[4-(ethenyloxy) butyl]- $\omega$ -hydroxypoly (oxy-1,2-ethanediyl) and 1,2-propanediol mono-2-propenoate, potassium sodium salt, minimum number average molecular weight (in amu), 16,000	518026-64-7
2-Propenoic acid, polymer with $\alpha$ -[4-(ethenyloxy) butyl]- $\omega$ -hydroxypoly (oxy-1, 2-ethanediyl), sodium salt, minimum number average molecular weight (in amu), 24,000	250591–84–5
2-Propenoic acid, polymer with 2-propenamide, sodium salt, minimum number average molecular weight (in amu), 18,000	25085–02–3
2-Propenoic acid, sodium salt, polymer with 2-propenamide, minimum number average molecular weight (in amu), 18,000	25987–30–8
2-Propenoic, 2-methyl-, polymers with ethyl acrylate and polyethylene glycol methylacrylate $C_{18-22}$ alkyl ethers	888969—14—0
2-Pyrrolidone, 1-ethenyl-, polymer with ethenol, minimum number average molecular weight (in amu), 23,000	26008–54–8
Silane, dichloromethyl- reaction product with silica minimum number average molecular weight (in amu), 3,340,000	68611-44-9
Silane, trimethoxy[3-(oxiranylmethoxy)propyl]-, hydrolysis products with silica, minimum number average molecular weight (in amu), 640,000	68584–82–7
Silicic acid, sodium salt, reaction products with chlorotrimethylsilane and iso- propyl alcohol, reaction with poly(oxypropylene)-poly(oxyethylene) glycol, minimum number average molecular weight (in amu), 75,000	None
Sodium polyflavinoidsulfonate, consisting chiefly of the copolymer of catechin and leucocyanidin	None
Soybean oil, ethoxylated; the poly(oxyethylene) content averages 10 moles or greater	61791–23–9
Starch, oxidized, polymers with Bu acrylate, tert-Bu acrylate and styrene, minimum number average molecular weight (in amu), 10,000	204142–80–3
Stearyl methacrylate-1,6-hexanediol dimethacrylate copolymer, minimum molecular weight (in amu), 100,000	None

### 40 CFR Ch. I (7-1-17 Edition)

### § 180.960

Polymer	CAS No.
Styrene, copolymers with acrylic acid and/or methacrylic acid, with none and/or one or more of the following monomers: Acrylamidopropyl methyl sulfonic acid, methallyl sulfonic acid, 3-sulfopropyl acrylate, 3-sulfopropyl methacrylate, hydroxypropyl methacrylate, hydroxypthyl methacrylate, hydroxyethyl acrylate, and/or lauryl methacrylate; and its sodium, potassium, ammonium, monoethanolamine, and triethanolamine salts; the resulting polymer having a minimum number average molecular weight (in amu), 1200	
Styrene-ethylene-propylene block copolymer, minimum number average molecular weight (in amu), 125,000	108388-87-0
Styrene, 2-ethylhexyl acrylate, butyl acrylate copolymer, minimum number average molecular weight (in amu), 4,200	30795–23–4
Styrene-2-ethylhexyl acrylate-glycidyl methacrylate-2-acrylamido-2-methylpro panesulfonic acid graft copolymer, minimum number average molecular weight (in amu), 12,500	None
Styrene-maleic anhydride copolymer	None
Styrene-maleic anhydride copolymer, ester derivative	None
Tall oil, polymer with polyethylene glycol and succinic anhydride monopolyisobutylene derivs., minimum number average molecular weight (in amu), 1,200	1398573-80-2
Tamarind seed gum, 2-hydroxypropyl ether polymer, minimum number average molecular weight (in amu), 10,000	68551-04-2
Tetradecyl acrylate-acrylic acid copolymer, minimum number average molecular weight (in amu), 3,000	None
Tetraethoxysilane, polymer with hexamethyldisiloxane, minimum number average molecular weight (in amu), 2,500	104133-09-7
Tetraethoxysilane, polymer with hexamethyldisiloxane, minimum number average molecular weight (in amu), 6,500	104133-09-7
$\alpha\text{-}[p\text{-}(1,1,3,3\text{-}Tetramethylbutyl)phenyl]-}\omega\text{-}hydroxypoly(oxyethylene) produced by the condensation of 1 mole of p-(1,1,3,3-tetramethylbutyl)phenol with a range of 30-70 moles of ethylene oxide$	9036–19–5 9002–93–1
$\alpha\text{-}[p\text{-}(1,1,3,3\text{-Tetramethylbutyl})phenyl] poly(oxypropylene) block polymer with poly(oxyethylene); the poly(oxypropylene) content averages 25 moles, the poly(oxyethylene) content averages 40 moles, the molecular weight (in amu) averages 3,400$	None
$\alpha\text{-}[2,4,6\text{-}Tris[1\text{-}(phenyi)ethyl]phenyl]-}\omega\text{-}hydroxy poly(oxyethylene) poly(oxypropylene) copolymer, the poly(oxypropylene) content averages 2–8 moles, the poly(oxyethylene) content averages 16–30moles, average molecular weight (in amu), 1,500$	None
Alpha-[2,4,6-Tris[1-(phenyl)ethyl]phenyl]-Omega-hydroxy poly(oxyethylene) poly (oxypropylene) copolymer, the poly(oxypropylene) content averages 2–8 moles, the poly(oxyethylene) content averages 16–60 moles. Minimum number-average molecular weight (in amu) of 1,500	70880–56–7
Urea-formaldehyde copolymer, minimum average molecular weight (in amu), 30,000	9011-05-6
Vinyl acetate-allyl acetate-monomethyl maleate copolymer, minimum average molecular weight (in amu), 20,000	None
Vinyl acetate-ethylene copolymer, minimum number average molecular weight (in amu), 69,000	24937–78–8

Polymer	CAS No.
Vinyl acetate polymer with none and/or one or more of the following monomers: Ethylene, propylene, N-methyl acrylamide, acrylamide, monoethyl maleate, diethyl maleate, monooctyl maleate, dioctyl maleate, maleic anhydride, maleic acid, octyl acrylate, butyl acrylate, ethyl acrylate, methyl acrylate, acrylic acid, octyl methacrylate, butyl methacrylate, ethyl methacrylate, methyl methacrylate, methacrylate, acid, carboxyethyl acrylate, and diallyl phthalate; and their corresponding sodium, potassium, ammonium, isopropylamine, triethylamine, monoethanolamine and/or triethanolamine salts; the resulting polymer having a minimum number average molecular weight (in amu), 1,200	None
Vinyl acetate-vinyl alcohol-alkyl lactone copolymer, minimum number average molecular weight (in amu), 40,000; minimum viscosity of 18 centipoise	None
Vinyl alcohol-disodium itaconate copolymer, minimum average molecular weight (in amu), 50,290	None
Vinyl alcohol-vinyl acetate copolymer, benzaldehyde-o-sodium sulfonate con- densate, minimum number average molecular weight (in amu), 20,000	None
Vinyl alcohol-vinyl acetate-monomethyl maleate, sodium salt-maleic acid, diso- dium salt-y-butyrolactone acetic acid, sodium salt copolymer, minimum num- ber average molecular weight (in amu), 20,000	None
Vinyl chloride-vinyl acetate copolymers	None
Vinyl pyrrolidone-acrylic acid copolymer, minimum number average molecular weight (in amu), 6,000	28062-44-4
Vinyl pyrrolidone-dimethylaminoethylmethacrylate copolymer, minimum number average molecular weight (in amu), 20,000	30581590
Vinyl pyrrolidone-styrene copolymer	25086-29-7

[67 FR 36528, May 24, 2002]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting §180.960, see the List of CFR Sections Affected, which appears in the Finding Aids section of the printed volume and at www.fdsys.gov.

#### § 180.1011 Viable spores of the microorganism Bacillus thuringiensis Berliner; exemption from the requirement of a tolerance.

- (a) For the purposes of this section the microbial insecticide for which exemption from the requirement of a tolerance is being established shall have the following specifications:
- (1) The microorganism shall be an authentic strain of *Bacillus thuringiensis* Berliner conforming to the morphological and biochemical characteristics of *Bacillus thuringiensis* as described in Bergey's Manual of Determinative Bacteriology, Eighth Edition.
- (2) Spore preparations of Bacillus thuringiensis Berliner shall be produced by pure culture fermentation procedures with adequate control measures during production to detect any changes from the characteristics of the parent strain or contamination by other microorganisms.
- (3) Each lot of spore preparation, prior to the addition of other materials, shall be tested by subcutaneous injection of at least 1 million spores into each of five laboratory test mice weighing 17 grams to 23 grams. Such test shall show no evidence of infection or injury in the test animals when observed for 7 days following injection.
- (4) Spore preparations shall be free of the Bacillus thuringiensis  $\beta$ -exotoxin when tested with the fly larvae toxicity test ("Microbial Control of Insects and Mites," R.P.M. Bond et al., p. 280 ff., 1971). This specification can be satisfied either by determining that each master seed lot brought into production is a Bacillus thuringiensis strain which does not produce  $\beta$ -exotoxin under standard manufacturing conditions or by periodically determining that  $\beta$ -exotoxin synthesized during spore production is eliminated by the subsequent spore-harvesting procedure.

(b) Exemption from the requirement of a tolerance is established for residues of the microbial insecticide Bacillus thuringiensis Berliner, as specified in paragraph (a) of this section, in or on honey and honeycomb and all other raw agricultural commodities when it is applied either to growing crops, or when it is applied after harvest in accordance with good agricultural practices

[36 FR 22540, Nov. 25, 1971, as amended at 38 FR 19045, July 17, 1973; 42 FR 28540, June 3, 1977; 45 FR 43721, June 30, 1980; 45 FR 56347, Aug. 25, 1980; 74 FR 26533, June 3, 2009]

### § 180.1016 Ethylene; exemption from the requirement of a tolerance.

Ethylene is exempted from the requirement of a tolerance for residues when:

- (a) For all food commodities, it is used as a plant regulator on plants, seeds, or cuttings and on all food commodities after harvest and when applied in accordance with good agricultural practices.
- (b) Injected into the soil to cause premature germination of witchweed in bean (lima and string), cabbage, cantaloupe, collard, corn, cotton, cucumber, eggplant, okra, onion, pasture grass, pea (field and sweet), peanut, pepper, potato, sweet potato, sorghum, soybean, squash, tomato, turnip, and watermelon fields as part of the U.S. Department of Agriculture witchweed control program.

[39 FR 33315, Sept. 17, 1974, as amended at 40 FR 19477, May 5, 1975; 64 FR 31505, June 11, 1999]

## § 180.1017 Diatomaceous earth; exemption from the requirement of a tolerance.

- (a) Diatomaceous earth is exempted from the requirement of a tolerance for residues when used in accordance with good agricultural practice in pesticide formulations applied to growing crops, to food commodities after harvest, and to animals.
- (b) Diatomaceous earth may be safely used in accordance with the following conditions. Application shall be limited solely to spot and/or crack and crevice treatments in food or feed processing and food or feed storage areas in

accordane with the precribed conditions:

- (1) It is used or intended for use for control of insects in food or feed processing and food or feed storage areas: *Provided*, That the food or feed is removed or covered prior to such use.
- (2) To assure safe use of the insecticide, its label and labeling shall conform to that registered by the U.S. Environmental Protection Agency, and it shall be used in accordance with such label and labeling.

[65 FR 33716, May 24, 2000]

## § 180.1019 Sulfuric acid; exemption from the requirement of a toler-

- (a) Residues of sulfuric acid are exempted from the requirement of a tolerance when used in accordance with good agricultural practice when used as a herbicide in the production of garlic and onions, and as a potato vine dessicant in the production of potatoes.
- (b) Residues of sulfuric acid are exempted from the requirement of a tolerance in cattle, meat; goat, meat; hog, meat; horse, meat; sheep, meat; poultry, fat; poultry, meat; poultry, meat; byproducts; egg; milk; fish, shellfish, and irrigated crops when it results from the use of sulfuric acid as an inert ingredient in a pesticide product used in irrigation conveyance systems and lakes, ponds, reservoirs, or bodies of water in which fish or shellfish are cultivated. The sulfuric acid is not to exceed 10% of the pesticide formulation (non-aerosol formulations only).

[69 FR 40787, July 7, 2004, as amended at 74 FR 26533, June 3, 2009]

## § 180.1020 Sodium chlorate; exemption from the requirement of a toler-

Sodium chlorate is exempted from the requirement of a tolerance for residues when used as a defoliant or desiccant in accordance with good agricultural practice on the following crops:

Bean, dry, seed Corn, field, forage Corn, field, grain Corn, field, stover Corn, pop, grain Corn, pop, stover Corn, sweet, forage Corn, sweet, stover

Cotton, undelinted seed Flax, seed Grain, aspirated fractions Guar, seed Pea, southern Pepper, nonbell Potato Rice, grain Rice, straw Safflower, seed Sorghum, forage, forage Sorghum, grain, forage Sorghum, grain, grain Sorghum, grain, stover Soybean, forage Soybean, hay Sovbean, seed Sunflower, seed Wheat, grain

[74 FR 47457, Sept. 16, 2009]

### § 180.1021 Copper; exemption from the requirement of a tolerance.

- (a) Copper is exempted from the requirement of a tolerance in cattle, meat; goat, meat; hog, meat; horse, meat; sheep, meat; milk, poultry, fat; poultry, meat; poultry, meat byproducts; egg, fish, shellfish, and irrigated crops when it results from the use of:
- (1) Copper sulfate as an algicide or herbicide in irrigation conveyance systems and lakes, ponds, reservoirs, or bodies of water in which fish or shellfish are cultivated.
- (2) Basic copper carbonate (malachite) as an algicide or herbicide in impounded and stagnant bodies of water
- (3) Copper triethanolamine and copper monoethanolamine as an algicide or herbicide in fish hatcheries, lakes, ponds, and reservoirs
- (4) Cuprous oxide bearing antifouling coatings for control of algae or other coatings for control of algae or other organisms on submerged concrete or other (irrigation) structures.
- (5) Copper oxide embedded in polymer emitter heads used in irrigation systems for root incursion prevention.
- (b) The following copper compounds are exempt from the requirement of a tolerance when applied (primarily) as a fungicide to growing crops using good agricultural practices:

Copper compounds	CAS Reg. No.
Basic copper carbonate (malachite)	1184–64–1 16828–95–8 13426–91–0 20427–59–2

Copper compounds	CAS Reg. No.
Copper octanoate	20543-04-8
Copper oxychloride	1332-65-6
Copper oxychloride sulfate	8012-69-9
Copper salts of fatty and rosin	
acids	9007-39-0
Copper sulfate basic	1344-73-6
Copper sulfate pentahydrate	7758-99-8
Cuprous oxide	1317191

- (c) Copper sulfate pentahydrate (CAS Reg. No. 7758-99-8) is exempt from the requirement of a tolerance when applied as a fungicide to growing crops or to raw agricultural commodities after harvest, and as a bactericide/fungicide in or on meat, fat and meat by-products of cattle, sheep, hogs, goats, horses and poultry, milk and eggs when applied as a bactericide/fungicide to animal premises and bedding.
- (d) Copper (II) hydroxide (CAS Reg. No. 20427-59-2) is exempt from the requirement of a tolerance when applied to growing crops or to raw agricultural commodities as an inert ingredient (for pH control) in pesticide products.

[65 FR 68912, Nov. 15, 2000, as amended at 69 FR 4069, Jan. 28, 2004; 71 FR 46110, Aug. 11, 2006; 74 FR 26534, June 3, 2009; 74 FR 47457, Sept. 16, 2009; 80 FR 37551, July 1, 2015]

## § 180.1022 Iodine-detergent complex; exemption from the requirement of a tolerance.

The aqueous solution of hydriodic acid and elemental iodine, including one or both of the surfactants (a) polyoxypropylene-polyoxyethylene glycol nomionic block polymers (minimum average molecular weight 1,900) and (b)  $\alpha$ -(p- nonylphenyl)-omegahydroxypoly (oxyethylene) having a maximum average molecular weight of 748 and in which the nonyl group is a propylene trimer isomer, is exempted from the requirement of a tolerance for residues in egg, and poultry, fat; poultry, meat; poultry, meat byproducts when used as a sanitizer in poultry drinking water.

[74 FR 26534, June 3, 2009]

## §180.1023 Propanoic acid; exemptions from the requirement of a tolerance.

(a) Postharvest application of propanoic acid or a mixture of methylene bispropionate and oxy(bismethylene)

bisproprionate when used as a fungicide is exempted from the requirement of a tolerance for residues in or on the following raw agricultural commodities: Alfalfa, forage; alfalfa, hay; grain: alfalfa. seed: barley, Bermudagrass, forage; Bermudagrass, hay; bluegrass, forage; bluegrass, hay; bromegrass, forage; bromegrass, hay; clover, forage; clover, hay; corn, field, grain; corn, pop, grain; cowpea, hay; fescue, forage; fescue, hay; lespedeza, forage; lespedeza, hay; lupin; oat, orchardgrass, forage; orchardgrass, hay; peanut, hay; pea, field, hay; ryegrass, Italian, hay; sorghum, grain, grain; soybean, hay; sudangrass, forage; sudangrass, hay; timothy, forage; timothy, hay; vetch, forage; vetch, hay; and wheat, grain.

- (b) Propanoic acid is exempt from the requirement of a tolerance for residues in or on cattle, meat; cattle, meat byproducts; goat, meat; goat, meat byproducts; horse, meat; horse, meat byproducts; sheep, meat; horse, meat byproducts; and, poultry, fat; poultry meat; poultry meat; poultry meat byproducts; and, poultry, fat; poultry meat; poultry meat byproducts; milk, and egg when applied as a bactericide/fungicide to livestock drinking water, poultry litter, and storage areas for silage and grain.
- (c) Preharvest and postharvest application of propanoic acid (CAS Reg. No. 79–09-4), propanioc acid, calcium salt (CAS Reg. No. 4075-81-4), and propanioc sodium salt (CAS Reg. No. 137-40-6) are exempted from the requirement of a tolerance on all crops when used as either an active or inert ingredient in accordance with good agricultural practice in pesticide formulations applied to growing crops, to raw agricultural commodities before and after harvest and to animals.

[69 FR 47025, Aug. 4, 2004, as amended at 74 FR 26534, June 3, 2009]

### § 180.1025 Xylene; exemption from the requirement of a tolerance.

Xylene is exempted from the requirement of a tolerance when used as an aquatic herbicide applied to irrigation conveyance systems in accordance with the following conditions:

(a) It is to be used only in programs of the Bureau of Reclamation, U.S. De-

partment of Interior, and cooperating water user organizations.

- (b) It is to be applied as an emulsion at an initial concentration not to exceed 750 parts per million.
- (c) It is not to be applied when there is any likelihood that the irrigation water will be used as a source of raw water for a potable water system or where return flows of such treated irrigation water into receiving rivers and streams would contain residues of xylene in excess of 10 parts per million.
- (d) Xylene to be used as an aquatic herbicide shall meet the requirement limiting the presence of a polynuclear aromatic hydrocarbons as listed in 21 CFR 172.250.

[38 FR 16352, June 22, 1973, as amended at 50 FR 2980, Jan. 3, 1985]

## § 180.1027 Nuclear polyhedrosis virus of Heliothis zea; exemption from the requirement of a tolerance.

- (a) For the purposes of this section, the viral insecticide must be produced with an unaltered and unadulterated inoculum of the single-embedded Heliothis zea nuclear polyhedrosis virus (HzSNPV). The identity of the seed virus must be assured by periodic checks.
- (b) Each lot of active ingredient of the viral insecticide shall have the following specifications:
- (1) The level of extraneous bacterial contamination of the final unformulated viral insecticide should not exceed 10<sup>7</sup> colonies per gram as determined by an aerobic plate on trypticase soy agar.
- (2) Human pathogens, e.g., Salmonella, Shigella, or Vibrio, must be absent.
- (3) Safety to mice as determined by an intraperitoneal injection study must be demonstrated.
- (4) Identity of the viral product, as determined by the most sensitive and standardized analytical technique, e.g., restriction endonuclease and/or SDS-PAGE analysis, must be demonstrated.
- (c) Exemptions from the requirement of a tolerance are established for the residues of the microbial insecticide

Heliothis zea NPV, as specified in paragraphs (a) and (b) of this section, in or on all agricultural commodities.

[60 FR 42460, Aug. 16, 1995, as amended at 74 FR 26534, June 3, 2009]

## § 180.1033 Methoprene; exemption from the requirement of a tolerance.

Methoprene is exempt from the requirement of a tolerance in or on all food commodities when used to control insect larvae.

[68 FR 34829, June 11, 2003]

## § 180.1037 Polybutenes; exemption from the requirement of a tolerance.

- (a) Polybutenes are exempt from the requirement of a tolerance for residues in or on the raw agricultural commodity cotton, undelinted seed when used as a sticker agent for formulations of the attractant gossyplure (1:1 mixture of (Z,Z)- and (Z,E)-7,11-hexadecadien-1-ol acetate) to disrupt the mating of the pink bollworm.
- (b) Polybutenes are exempt from the requirement of a tolerance for residues in or on the raw agricultural commodity artichoke when used as a sticker agent in multi-layered laminted controlled-release dispensers of (Z)-11-hexaadecenal to disrupt the mating of the artichoke plume moth.

[74 FR 26534, June 3, 2009]

## § 180.1040 Ethylene glycol; exemption from the requirement of a tolerance.

Ethylene glycol as a component of pesticide formulations is exempt from the requirement of a tolerance when used in foliar applications to peanut plants.

[43 FR 41393, Sept. 18, 1978]

## § 180.1041 Nosema locustae; exemption from the requirement of a tolerance.

The insecticide *Nosema locustae* is exempted from the requirement of a tolerance for residues in or on all raw agricultural commodities.

[47 FR 21537, May 19, 1982]

### § 180.1043 Gossyplure; exemption from the requirement of a tolerance.

The pheromone gossyplure, a 1:1 mixture of (Z,Z)- and (Z,E)-7,11-hexadecadien-1-ol acetate) is exempt from the requirement of a tolerance in or on the raw agricultural commodity cotton, undelinted seed when applied to cotton from capillary fibers.

[74 FR 26534, June 3, 2009]

## § 180.1049 Carbon dioxide; exemption from the requirement of a tolerance.

The insecticide carbon dioxide is exempted from the requirement of a tolerance when used after harvest in modified atmospheres for stored insect control on food commodities.

[65 FR 33716, May 24, 2000]

### § 180.1050 Nitrogen; exemption from the requirements of a tolerance.

The insecticide nitrogen is exempted from the requirements of a tolerance when used after harvest in modified atmospheres for stored product insect control on all food commodities.

[65 FR 33716, May 24, 2000]

#### § 180.1052 2,2,5-trimethyl-3-dichloroacetyl-1,3-oxazolidine; exemption from the requirement of a tolerance.

2,2,5-trimethyl-3-dichloroacetyl-1,3oxazolidine is exempted from the requirement of a tolerance when used as an inert ingredient in formulations of herbicides the S-ethvl dipropylthiocarbamate. S-propyl dipropylthiocarbamate, and S-ethyl diisobutylthiocarbamate applied to corn fields before the corn plants emerge from the soil with a maximum of 0.5 pound of the inert ingredient per

[45 FR 51201, Aug. 1, 1980]

## § 180.1054 Calcium hypochlorite; exemptions from the requirement of a tolerance.

- (a) Calcium hypochlorite is exempted from the requirement of a tolerance when used preharvest or postharvest in solution on all raw agricultural commodities.
- (b) Calcium hypochlorite is exempted from the requirement of a tolerance in

or on grape when used as a fumigant postharvest by means of a chlorine generator pad.

[59 FR 59165, Nov. 16, 1994, as amended at 74 FR 26534, June 3, 2009]

### § 180.1056 Boiled linseed oil; exemption from requirement of tolerance.

Boiled linseed oil (containing no more than 0.33 percent manganese naphthenate and no more than 0.33 percent cobalt naphthenate) is exempt from the requirement of a tolerance when used as a coating agent for Sethyl hexahydro-1H-azepine-1-carbothicate. No more than 15 percent of the pesticide formulation may consist of "boiled linseed oil." This exemption is limited to use on rice before edible parts form.

[46 FR 33270, June 29, 1981]

## § 180.1057 Phytophthora palmivora; exemption from requirement of tolerance.

Phytophthora palmivora is exempted from the requirement of a tolerance in or on the raw agricultural commodity fruit, citrus.

[74 FR 26534, June 3, 2009]

## § 180.1058 Sodium diacetate; exemption from the requirement of a tolerance.

Sodium diacetate, when used postharvest as a fungicide, is exempt from the requirement of a tolerance for residues in or on alfalfa, hay; Bermudagrass, hay; bluegrass, hay; bromegrass, hay; clover,hay; corm, field, grain; corn, pop, grain; oat, grain; orchardgrass, hay; sorghum, grain, grain; sudangrass, hay; ryegrass, Italian, hay; timothy, hay.

[74 FR 26534, June 3, 2009]

## § 180.1064 Tomato pinworm insect pheromone; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for combined residues of both components of the tomato pinworm insect pheromone (E)-4-tridecen-1-yl acetate and (Z)-4-tridecen-1-yl acetate in or on all raw agricultural commodities (preharvest) in accordance with the following prescribed conditions:

- (a) Application shall be limited solely to point source dispensers or point source chopped fibers containing the tomato pinworm insect pheromone.
- (b) Cumulative yearly application cannot exceed 200 grams of tomato pinworm pheromone per acre.

[58 FR 34376, June 25, 1993]

### § 180.1065 2-Amino-4,5-dihydro-6-methyl-4-propyl-s-triazolo(1,5-alpha) pyrimidin-5-one; exemption from the requirement of a tolerance.

The inert ingredient, 2-amino-4,5-dihydro-6-methyl-4-propyl-s-triazolo(1,5-alpha)pyrimidin-5-one is exempted from the requirement of a tolerance when used as an emetic at not more than 0.3 percent in formulations of paraquat dichloride. Further restrictions on this exemption are that this ingredient may not be advertised as an emetic and the paraquat product may not be promoted in any way because of the inclusion of this inert ingredient.

[70 FR 46431, Aug. 10, 2005]

## § 180.1067 Methyl eugenol and malathion combination; exemption from the requirement of a tolerance.

The insect attractant methyl eugenol and the insecticide malathion are exempt from the requirement of tolerances on all raw agricultural commodities when used in combination in Oriental fruit fly eradication programs under the authority of the U.S. Department of Agriculture, in accordance with the following directions and specifications:

- (a) The combination shall be at the ratio of three parts methyl eugenol to one part technical malathion (3:1).
- (b) This combination is to be impregnated on a carrier (cigarette filter tips (cellulose acetate); cotton strings; fiberboard squares) or mixed with a jel cleared under 40 CFR 180.920 or 180.950.
- (c) The maximum actual dosage per application per acre shall be 28.35 grams (one ounce avoirdupois) methyl eugenol and 9.45 grams (one-third (0.33) ounce avoirdupois) technical malathion.

[47 FR 9002, Mar. 3, 1982, as amended at 69 FR 23142, Apr. 28, 2004]

#### § 180.1068 C<sub>12</sub>-C<sub>18</sub> fatty acid potassium salts; exemption from the requirement of a tolerance.

C<sub>12</sub>-C<sub>18</sub> fatty acids (saturated and unsaturated) potassium salts are exempted from the requirement of a tolerance for residues in or on all raw agricultural commodities when used in accordance with good agricultural practice.

[60 FR 34871, July 5, 1995]

## § 180.1069 (Z)-11-Hexadecenal; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the biological insecticide (pheromone) (Z)-11-hexadecenal when used as a sex attractant on artichoke plants to control the artichoke plume moth.

[47 FR 14906, Apr. 7, 1982]

## § 180.1070 Sodium chlorite; exemption from the requirement of a tolerance.

Sodium chlorite is exempted from the requirement of a tolerance for residues when used in accordance with good agricultural practice as a seedsoak treatment in the growing of the raw agricultural commodities vegetable, brassica, leafy, group 5 and radish, roots and radish, tops.

[74 FR 26534, June 3, 2009]

#### § 180.1071 Peanuts, Tree Nuts, Milk, Soybeans, Eggs, Fish, Crustacea, and Wheat; exemption from the requirement of a tolerance.

- (a) General. Residues resulting from the following uses of the food commodity forms of peanuts, tree nuts, milk, soybeans, eggs (including putrescent eggs), fish, crustacea, and wheat are exempted from the requirement of a tolerance in or on all food commodities under FFDCA section 408 (when used as either an inert or an active ingredient in a pesticide formulation), if such use is in accordance with good agricultural practices:
- (1) Use in pesticide products intended to treat seeds.
- (2) Use in nursery and greenhouse operations, as defined in 40 CFR 170.3,

- which includes seeding, potting and transplanting activities.
- (3) Pre-plant and at-transplant applications.
- (4) Incorporation into seedling and planting beds.
- (5) Applications to cuttings and bare roots.
- (6) Applications to the field that occur after the harvested crop has been removed.
- (7) Soil-directed applications around and adjacent to all plants.
- (8) Applications to rangelands, which is land, mostly grasslands, whose plants can provide food (*i.e.*, forage) for grazing or browsing animals.
- (9) Use in chemigation and irrigation systems (via flood, drip, or furrow application with no overhead spray applications).
- (10) Application as part of a dry fertilizer on which an active ingredient is impregnated.
- (11) Aerial and ground applications that occur when no above-ground harvestable food commodities are present (usually pre-bloom).
- (12) Application as part of an animal feed-through product.
- (13) Applications as gel and solid (non-liquid/non-spray) crack and crevice treatments that place the gel or bait directly into or on top of the cracks and crevices via a mechanism such as a syringe.
- (14) Applications to the same crop from which the food commodity is derived, whether the plant fraction(s) intended for harvest are present or not, e.g., applications of peanut meal when applied to peanut plants.
- (b) Specific chemical substances. Residues resulting from the use of the following substances as either an inert or an active ingredient in a pesticide formulation are exempted from the requirement of a tolerance under FFDCA section 408, if such use is in accordance with good agricultural practices and such use is included in paragraph (a):

Chemical Substance	CAS No.
Caseins	9000-71-9 9005-42-9 65072-00-6 68131-54-4 9005-46-3

[70 FR 1360, Jan. 7, 2005]

## § 180.1072 Poly-D-glucosamine (chitosan); exemption from the requirement of a tolerance.

- (a) An exemption from the requirement of a tolerance is established for residues of the biological plant growth regulator poly-D-glucosamine when used as a seed treatment in or on barley, beans, oats, peas, rice, and wheat.
- (b) An exemption from the requirement of a tolerance is established for residues of the biological plant growth regulator poly-D-glucosamine when used as a pesticide in the production any raw agricultural commodity.

[60 FR 19524, Apr. 19, 1995]

## $\S\,180.1073$ Isomate-M; exemption from the requirement of a tolerance.

The oriental fruit moth pheromone (Isomate-M) (Z-8-dodecen-l-yl acetate, E-8-dodecen-l-yl acetate, Z-8-dodecen-l-ol) is exempt from the requirement of a tolerance in or on all the raw agricultural commodities (food and feed) including, peach; quince; nectarine; and nut, macadamia when used in orchards with encapsulated polyethylene tubing to control oriental fruit moth.

[74 FR 26534, June 3, 2009]

## § 180.1074 F.D.&C. Blue No. 1; exemption from the requirement of a tolerance.

F.D.&C. Blue No. 1 is exempted from the requirement of a tolerance when used as an aquatic plant control agent.

[47 FR 25963, June 16, 1982]

#### § 180.1075 Colletotrichum gloeosporioides f. sp. aeschynomene; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the mycoherbicide Colletotrichum gloeosporioides f. sp. aeschynomene in or on the following raw agricultural commodities:

### COMMODITY

Aspirated grain fractions Rice, grain Soybean, forage Soybean, hay Soybean, seed

[47 FR 25742, June 15, 1982, as amended at 74 FR 26534, June 3, 2009]

#### § 180.1076 Viable spores of the microorganism *Bacillus popilliae*; exemption from the requirement of a tolerance.

- (a) For the purposes of this section the microbial insecticide for which exemption from the requirement of a tolerance is being established shall have the following specifications:
- (1) The microorganism shall be an authentic strain of *Bacillus popilliae* conforming to the morphological and biochemical characteristics of *Bacillus popilliae* as described in Bergey's Manual of Determinative Bacteriology, Eighth Edition.
- (2) Spore preparations of Bacillus popilliae shall be produced by an extraction process from diseased Japanese beetles, and may contain a small percentage of the naturally occurring milky disease bacterium Bacillus lentimorbus.
- (3) Each lot of spore preparation, prior to the addition of other materials, shall be tested by subcutaneous injection of at least 1 million spores into each of five laboratory test mice weighing 17 grams to 23 grams. Such test shall show no evidence of infection of injury in the test animals when observed for 7 days following injection.
- (b) Exemption from the requirement of a tolerance is established for residues of the microbial insecticide *Bacillus popilliae*, as specified in paragraph (a) of this section in or on grass, pasture, forage and grass, rangeland, forage when it is applied to growing crops in accordance with good agricultural practices.

[47 FR 38535, Sept. 1, 1982, as amended at 74 FR 26535, June 3, 2009]

### § 180.1080 Plant volatiles and pheromone; exemptions from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the plant volatiles cyclic decadiene, cyclic decene, cyclic pentadecatriene, and decatriene and the pheromone Z-2-isopropenyl-1-methylcyclobutaneethanol; Z-3,3-dimethyl- $\Delta$ 1, $\alpha$ -cyclohexaneethanol; Z-3,3-dimethyl- $\Delta$ 1, $\alpha$ -cyclohexaneethanal; E-3,3-dimethyl- $\Delta$ 1, $\alpha$ -cyclohexaneethanal

combination when applied to cotton in hollow synthetic fibers.

[48 FR 28442, June 22, 1983]

## § 180.1083 Dimethyl sulfoxide; exemption from the requirement of a tolerance.

Dimethyl sulfoxide (DMSO) [CAS Registry Number 67-68-5] is exempted from the requirement of a tolerance when used as an inert solvent or cosolvent in formulations with the following pesticides when used in accordance with good agricultural practices in or on the following raw agricultural commodities:

(a) Carbaryl (1-naphthyl methyl-carbamate)

Pea, dry, seed Pea, succulent

(b) O-O-Diethyl O-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate

Pea, dry, seed Pea, succulent

[48 FR 54819, Dec. 7, 1983, as amended at 74 FR 26535, June 3, 2009]

### § 180.1084 Monocarbamide dihydrogen sulfate; exemption from the requirement of a tolerance.

Monocarbamide dihydrogen sulfate is exempted from the requirement of a tolerance when used as a herbicide or desiccant in or on all raw agricultural commodities.

[53 FR 12152, Apr. 13, 1988]

# § 180.1086 3,7,11-Trimethyl-1,6,10-dodecatriene-1-ol and 3,7,11-trimethyl-2,6,10-dodecatriene-3-ol; exemption from the requirement of a tolerance.

The insect pheromone containing the active ingredients 3,7,11-trimethyl-1,6,10-dodecatriene-1-ol and 3,7,11-trimethyl-2,6,10-dodecatriene-3-ol is exempted from the requirement of a tolerance in or on all raw agricultural commodities.

[52 FR 12165, Apr. 15, 1987; 52 FR 29014, Aug. 5, 1987]

## § 180.1087 Sesame stalks; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the biorational nematicide sesame stalk in or on the following raw agricultural commodities: Almond; almond, hulls; cotton, undelinted seed; cotton, gin byproducts; soybean, seed; soybean, forage; soybean, hay; aspirated grain fractions; potato; beet, sugar, roots; beet, sugar, tops; tomato; pepper, bell; squash; strawberry; eggplant; cucumber; carrot, roots; radish, roots; radish, top; turnip, roots; turnip, tops; onion; pea, dry; pea, succulent; melon; grape; walnut; orange; grapefruit; mulberry; peach; apple; apricot; blackberry; loganberry; pecan; cherry; plum, and cranberry.

[74 FR 26535, June 3, 2009]

### § 180.1089 Poly-N-acetyl-D-glucosamine; exemption from the requirement of tolerance.

An exemption from the requirement of a tolerance is established for residues of the biochemical nematicide poly-*N*-acetyl-*D*-glucosamine on a variety of agricultural crops.

[53 FR 10249, Mar. 30, 1988]

### § 180.1090 Lactic acid; exemption from the requirement of a tolerance.

Lactic acid (2-hydroxypropanoic acid) is exempted from the requirement of a tolerance when used as a plant growth regulator in or on all raw agricultural commodities.

[53 FR 15286, May 4, 1988]

# § 180.1091 Aluminum isopropoxide and aluminum secondary butoxide; exemption from the requirement of a tolerance.

Aluminum isopropoxide (CAS Reg. No. 555-31-7) and aluminum secondary butoxide (CAS Reg. No. 2269-22-9) are exempted from the requirement of a tolerance when used in accordance with good agricultural practices as stabilizers in formulations of the insecticide amitraz [N-(2,4-dimethylphenyl)-N-[[(2,4-dimethylphenyl))mino]-N-

methylmethanimidamide] applied to growing crops or animals.

[53 FR 34509, Sept. 7, 1988; 53 FR 36696, Sept. 21, 1988]

### § 180.1092 Menthol; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the pesticidal chemical menthol in or on honey and honeycomb when used in accordance with good agricultural practice in over-wintering bee hives.

[74 FR 26535, June 3, 2009]

## § 180.1095 Chlorine gas; exemptions from the requirement of a tolerance.

Chlorine gas is exempted from the requirement of a tolerance when used preharvest or postharvest in solution on all raw agricultural commodities.

[56 FR 21309, May 8, 1991]

### § 180.1097 GBM-ROPE; exemption from the requirement of a tolerance.

The grape berry moth pheromone (GBM-ROPE) containing the active ingredients (Z)-9-dedecenyl acetate and (Z)-11-tetradecenyl acetate is exempt from the requirement of a tolerance in or on the raw agricultural commodity grape when used in orchards with encapsulated polyethylene tubing to control grape berry moth.

[74 FR 26535, June 3, 2009]

### § 180.1098 Gibberellins [Gibberellic Acids (GA3 and GA4 + GA7), and Sodium or Potassium Gibberellatel; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of gibberellins [gibberellic acids (GA3 and GA4 + GA7), and sodium or potassium gibberellate] in or on all food commodities when used as plant regulators on plants, seeds, or cuttings and on all food commodities after harvest in accordance with good agricultural practices.

[64 FR 31505, June 11, 1999]

## § 180.1100 Gliocladium virens isolate GL-21; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the biofungicide *Gliocladium virens* GL-21 in or on all raw agricultural commodities when used either as a fungicide for inoculation of plant growth media in greenhouses or on terrestrial food crops grown outdoors in accordance with good agricultural practices.

[60 FR 48659, Sept. 20, 1995; 60 FR 52248, Oct. 5, 1995]

## § 180.1101 Parasitic (parasitoid) and predatory insects; exemption from the requirement of a tolerance.

Parasitic (parasitoid) and predatory insects are exempted from the requirement of a tolerance for residues when they are used in accordance with good agricultural and pest control practices to control insect pests of stored raw whole grains such as corn, small grains, rice, soybeans, peanuts, and legumes either other bulk orwarehoused in bags. For the purposes of this rule, the parasites (parasitoids) and predators are considered to be species of Hymenoptera in the genera Trichogramma, Trichogrammatidae; Bracon, Braconidae: Venturia. Mesostenus. Ichneumonidae; Anisopteromalus, Choetospila, Lariophagus, Dibrachys, Habrocytus, Pteromalidae; Pteromalus. Laelius, Cephalonomia, Holepyris, Bethylidae; and of Hemiptera in the Xylocoris. genera Luctocoris, and Dufouriellus, Anthocoridae. Whole insects, fragments, parts, and other residues of these parasites and predators remain subject to 21 U.S.C. 342(a)(3).

[57 FR 14646, Apr. 22, 1992]

### § 180.1102 Trichoderma harzianum KRL-AG2 (ATCC #20847) strain T-22; exemption from requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the biofungicide *Trichoderma harzianum* KRL-AG2 (ATCC #20847); also known as strain T-22 when applied in/or on all food commodities.

[64 FR 16860, Apr. 7, 1999]

### § 180,1103 Isomate-C; exemption from the requirement of a tolerance.

The codling moth pheromone (Isomate-C) E,E-8,10-dodecenyl alcohol, dodecanol, tetradecanol is exempt from the requirements of a tolerance in or on all raw agricultural commodities when formulated in polyethylene pheromone dispensers for use in orchards with encapsulated polyethylene tubing to control codling moth.

[74 FR 26535, June 3, 2009]

### § 180.1110 3-Carbamyl-2,4,5-trichlorobenzoic acid; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the residues of 3-carbamyl-2,4,5trichlorobenzoic acid in or on all raw agricultural commodities which occur from the direct application chlorothalonil to crops in §180.275 (a) and (b) and/or as an inadvertent residue resulting from the soil metabolism of chlorothalonil when applied to crops in §180.275 (a) and (b), and subsequent uptake by rotated crops when used according to approved agricultural prac-

[57 FR 24552, June 10, 1992]

## § 180.1111 Bacillus subtilis GB03; exemption from the requirement of a tolerance.

The biofungicide *Bacillus subtilis* GB03 is exempted from the requirement of a tolerance in or on all raw agricultural commodities when used in accordance with good agricultural practices.

[73 FR 50556, Aug. 27, 2008]

#### § 180.1114 Pseudomonas fluorescens A506, Pseudomonas fluorescens 1629RS, and Pseudomonas syringae 742RS; exemptions from the requirement of a tolerance.

The biological pesticides Pseudomonas fluorescens A506, Pseudomonas fluorescens 1629RS, and Pseudomonas syringae 742RS are exempted from the requirement of a tolerance in or on all raw agricultural commodities when applied as a frost protection agent or biological control agent to growing agricultural crops in

accordance with good agricultural practices.

[57 FR 42700, Sept. 16, 1992]

## § 180.1118 Spodoptera exigua nuclear polyhedrosis virus; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the microbial pest control agent *Spodoptera exigua* nuclear polyhedrosis virus when used as a pesticide control agent on all raw agricultural commodities.

[58 FR 25784, Apr. 28, 1993]

## § 180.1119 Azadirachtin; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the biochemical azadirachtin, which is isolated from the berries of the Neem tree (Azadirachta indica), when used as a pesticide at 20 grams or less per acre on all raw agricultural commodities.

[58 FR 8696, Feb. 17, 1993]

#### § 180.1120 Streptomyces sp. strain K61; exemption from the requirement of a tolerance.

The biological pesticide Streptomyces sp. strain K61 is exempted from the requirement of a tolerance in or on all raw agricultural commodities when used as a fungicide for the treatment of seeds, cuttings, transplants, and plants of agricultural crops in accordance with good agricultural practices.

[58 FR 21403, Apr. 21, 1993]

### § 180.1121 Boric acid and its salts, borax (sodium borate decahydrate), disodium octaborate tetrahydrate, boric oxide (boric anhydride), sodium borate and sodium metaborate; exemptions from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the pesticidal chemical boric acid and its salts, borax (sodium borate

decahydrate), disodium octaborate tetrahydrate, boric oxide (boric anhydride), sodium borate and sodium metaborate, in or on raw agricultural commodities when used as an active ingredient in insecticides, herbicides, or fungicides preharvest or postharvest in accordance with good agricultural practices.

[58 FR 44283, Aug. 20, 1993]

# § 180.1122 Inert ingredients of semiochemical dispensers; exemptions from the requirement of a tolerance.

- (a) A11 inert ingredients of semiochemical dispenser products formulated with, and/or contained in, dispensers made of polymeric matrix materials (including the monomers, plasdispersing agents. ticizers. antioxidants, UV protectants, stabilizers, and other inert ingredients) are exempted from the requirement of a tolerance when used as carriers in pesticide formulations for application to growing crops only. These dispensers shall conform to the following specifications:
- (1) Exposure must be limited to inadvertent physical contact only. The design of the dispenser must be such as to preclude any contamination by its components of the raw agricultural commodity (RAC) or processed foods/feeds derived from the commodity by virtue of its proximity to the RAC or as a result of its physical size.
- (2) The dispensers must be applied discretely. This exemption does not apply to components of semiochemical formulations applied in a broadcast manner either to a crop field plot or to individual plants.
- (b) A semiochemical dispenser is a single enclosed or semi-enclosed unit that releases semiochemical(s) into the surrounding atmosphere via volatilization and is applied in a manner to provide discrete application of the semiochemical(s) into the environment.
- (c) Semiochemicals are chemicals that are emitted by plants or animals and modify the behavior of receiving organisms. These chemicals must be naturally occurring or substantially

identical to naturally occurring semiochemicals.

[58 FR 64494, Dec. 8, 1993]

## § 180.1124 Arthropod pheromones; exemption from the requirement of a tolerance.

Arthropod pheromones, as described in §152.25(b) of this chapter, when used in retrievably sized polymeric matrix dispensers are exempt from the requirement of a tolerance in or on all raw agricultural commodities when applied to growing crops only at a rate not to exceed 150 grams active ingredient/acre/year in accordance with good agricultural practices.

[59 FR 14759, Mar. 30, 1994]

### § 180.1126 Codlure, (E,E)-8,10-Dodecadien-1-ol; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the insect pheromone codlure, (E,E)-8,10-dodecadien-1-ol, on all raw agricultural commodities in accordance with the following prescribed conditions:

- (a) Application shall be limited solely to codlure dispensers that conform to the following specifications:
- (1) Commodity exposure must be limited to inadvertent physical contact. The design of the dispenser must be such as to preclude any exposure of its components to the raw agricultural commodity (RAC) or processed foods/feeds derived from the commodity due to its proximity to the RAC or as a result of its physical size. Dispensers must be of such size and construction that they are readily recognized postapplication.
- (2) The dispensers must be applied discretely, *i.e.*, placed in the field in easily perceived distinct locations in a manner that does not prevent later retrieval. This exemption does not apply to codlure applied in a broadcast manner either to a crop field plot or to individual plants.
- (b) A codlure dispenser is a single enclosed or semi-enclosed unit that releases codlure into the surrounding atmosphere via volatilization and is applied in a manner to provide discrete application (i.e., in easily perceived distinct locations in a manner that does

not prevent later retrieval) of the codlure into the environment.

[59 FR 9931, Mar. 2, 1994]

§180.1127 Biochemical pesticide plant floral volatile attractant compounds: cinnamaldehyde, cinnamyl alcohol, 4-methoxy cinnamaldehyde, 3-phenyl propanol, 4-methoxy phenethyl alcohol, indole, and 1,2,4trimethoxybenzene; exemptions from the requirement of a tolerance.

Residues of the biochemical pesticide plant floral volatile attractant compounds: cinnamaldehyde, cinnamyl alcohol, 4-methoxy cinnamaldehyde, 3phenyl propanol, 4-methoxy phenethyl alcohol, indole, and 1,2,4trimethoxybenzene are exempt from the requirement of a tolerance in or on the following raw agricultural commodities: the following field crops-alfalfa, clover, cotton, dandelion, peanuts (including hay), rice, sorghum (milo), soybeans, sunflower, sweet potatoes, and wheat; the following vegetable crops—asparagus, beans (including forage hay), beets, carrots, celery, cole crops (cabbage, broccoli, brussels sprouts, cauliflower), collards (kale, mustard greens, turnip greens, kohlrabi), corn, fresh (field, sweet, pop, seed), corn fodder and forage, chinese cabbage, cowpeas, cucurbitis (cucumbers, squash, pumpkin), egg plant, endive (escarole), horseradish (radish, rutabagas, turnip roots), leafy greens (spinach, swiss chard), lettuce (head leaf), okra, parsley, parsnip, peas, peas with pods, peppers, potatoes, sugar beets, tomatoes; the following tree fruit, berry and nut crops-almonds, apples, apricots, berries (blackberry, boysenberry, dewberry, loganberry, raspberry), blueberry, cherry, citrus (grapefruit, kumquat, lemon, lime, orange, tangelo, and tangerine) cranberry, grapes, melons, (watermelon, honeydew, crenshaw, cantaloupe, casaba, persian), nectarines, pears, pecans, peaches, and strawberry as dispersed from the end-use product Corn Rootworm Bait®, a pesticidal bait, in accordance with the prescribed conditions in paragraph (a) of this section.

(a) Cumulative yearly application cannot exceed 20 grams of each floral attractant/acre/application.

(b) [Reserved]

[59 FR 15857, Apr. 5, 1994]

#### § 180.1128 Bacillus amyloliquefaciens MBI600; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the biofungicide *Bacillus amyloliquefaciens* MBI600 (antecedent *Bacillus subtilis* MBI600) in or on all food commodities, including residues resulting from post-harvest uses, when applied or used in accordance wi

[80 FR 78143, Dec. 16, 2015]

### § 180.1130 N-(n-octyl)-2-pyrrolidone and N-(n-dodecyl)-2-pyrrolidone; exemptions from the requirement of a tolerance.

- (a) N-(n-octyl)-2-pyrrolidone and N-(n-dodecyl)-2-pyrrolidone are exempt from the requirement of a tolerance when used as solvents in cotton defoliant formulations containing thidiazuron and diuron as active ingredients.
- (b) N-(n-octyl)-2-pyrrolidone is exempt from the requirement of a tolerance when used as a solvent in formulations containing pyraflufen-ethyl as an active ingredient at a concentration not to exceed 20% by weight.

[79 FR 10682, Feb. 26, 2014]

## § 180.1135 Pasteuria penetrans; exemption from the requirement of a tolerance.

The biological nematicide *Pasteuria* penetrans is exempted from the requirement of a tolerance in or on all raw agricultural commodities, except roots and tubers, when used as a nematicide in the production of fruits and vegetables in greenhouses.

[59 FR 66741, Dec. 28, 1994]

#### § 180.1139 Sodium 5-nitroguaiacolate; exemption from the requirement of a tolerance.

The biochemical sodium 5nitroguiacolate is exempted from the requirement of a tolerance when used as a plant growth regulator in end-use products at a concentration of 0.1% by weight and applied at an application rate of 20 g of a.i. per acre or less per

application, in or on all food commodities.

[65 FR 66181, Nov. 3, 2000]

#### § 180.1140 Sodium o-nitrophenolate; exemption from the requirement of a tolerance.

The biochemical sodium onitrophenolate is exempted from the requirement of a tolerance when used as a plant growth regulator in end-use products at a concentration of 0.2% by weight and applied at an application rate of 20 g of a.i. per acre or less per application, in or on all food commodities.

[65 FR 66181, Nov. 3, 2000]

#### § 180.1141 Sodium p-nitrophenolate; exemption from the requirement of a tolerance.

The biochemical sodium pnitrophenolate is exempted from the requirement of a tolerance when used as a plant growth regulator in end-use product at a concentration of 0.3% by weight and applied at an application rate of 20 g of a.i. per acre or less per application, in or on all food commod-

[65 FR 66181, Nov. 3, 2000]

## § 180.1142 1,4-Dimethylnaphthalene; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the residues of the plant growth regulator, 1,4-dimethylnaphthalene (1,4-DMN), when applied postharvest to all sprouting root, tuber, and bulb crops in accordance with good agricultural practices.

[77 FR 68697, Nov. 16, 2012]

## § 180.1143 Methyl anthranilate; exemption from the requirement of a tolerance.

Residues of methyl anthranilate, a biochemical pesticide, are exempt from the requirement of a tolerance in or on all food commodities, when used in accordance with good agricultural practices.

[67 FR 51088, Aug. 7, 2002]

## § 180.1145 Pseudomonas syringae; exemption from the requirement of a tolerance.

Pseudomonas syringae is exempted from the requirement of a tolerance on all raw agricultural commodities when applied postharvest according to good agricultural practices.

[60 FR 12703, Mar. 8, 1995]

## § 180.1146 Beauveria bassiana Strain GHA; exemption from the requirement of a tolerance.

Beauveria bassiana Strain GHA is exempted from the requirement of a tolerance in or on all raw agricultural commodities when applied to growing crops according to good agricultural practices.

[60 FR 18547, Apr. 12, 1995]

### § 180.1148 Occlusion Bodies of the Granulosis Virus of *Cydia* pomenella; tolerance exemption.

An exemption from the requirement of a tolerance is established for residues of the microbial pest control agent Occlusion Bodies of the Granulosis Virus of *Cydia pomonella* (codling moth) in or on all raw agricultural commodities.

[60 FR 42450, Aug. 16, 1995]

# § 180.1149 Inclusion bodies of the multi-nuclear polyhedrosis virus of Anagrapha falcifera; exemption from the requirement of a tolerance.

The microbial pest control agent inclusion bodies of the multi-nuclear polyhedrosis virus of Anagrapha falcifera is exempted from the requirement of a tolerance in or on all raw agricultural commodities when used to control certain lepidopteran pest species.

[60 FR 37020, July 19, 1995]

## § 180.1150 6-Benzyladenine; exemption from the requirement of a tolerance.

The biochemical plant regulator 6-benzyladenine (6-BA) is exempt from the requirement of a tolerance in or on apple and pear when applied at a rate of ≤182 grams of active ingredient per acre per season, and in or on pistachio

when applied at a rate of ≤60 grams of active ingredient per acre per season.

[72 FR 13179, Mar. 21, 2007]

#### § 180.1153 Lepidopteran pheromones; exemption from the requirement of a tolerance.

Lepidopteran pheromones that are naturally occurring compounds, or identical or substantially similar synthetic compounds, designated by an unbranched aliphatic chain (between 9 and 18 carbons) ending in an alcohol, aldehyde or acetate functional group and containing up to 3 double bonds in the aliphatic backbone, are exempt from the requirement of a tolerance in or on all raw agricultural commodities. This exemption only pertains to those situations when the pheromone is: Applied to growing crops at a rate not to exceed 150 grams active ingredient/ acre/year in accordance with good agricultural practices; and applied as a post-harvest treatment to stored food commodities at a rate not to exceed 3.5 grams active ingredient/1,000 ft2/year (equivalent to 150 grams active ingredient/acre/year) in accordance with good agricultural practices.

[71 FR 45399, Aug. 9, 2006]

## § 180.1156 Cinnamaldehyde; exemption from the requirement of a tolerance.

Cinnamaldehyde (3-phenyl-2-propenal) is exempted from the requirement of a tolerance in or on all food commodities, when used as a fungicide, insecticide, and algaecide in accordance with good agricultual practices.

[64 FR 7804, Feb. 17, 1999; 64 FR 14099, Mar. 24, 1999]

### §180.1157 Cytokinins; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of cytokinins (specifically: aqueous extract of seaweed meal and kinetin) in or on all food commodities when used as plant regulators on plants, seeds, or cuttings and on all food commodities after harvest in accordance with good agricultural practices.

[64 FR 31505, June 11, 1999]

### § 180.1158 Auxins; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of auxins (specifically: indole-3-acetic acid and indole-3-butyric acid) in or on all food commodities when used as plant regulators on plants, seeds, or cuttings and on all food commodities after harvest in accordance with good agricultural practices.

[64 FR 31505, June 11, 1999]

### § 180.1159 Pelargonic acid; exemption from the requirement of tolerances.

- (a) An exemption from the requirement of a tolerance is established for residues of pelargonic acid in or on all food commodities when used as a plant regulator on plants, seeds, or cuttings and on all food commodities after harvest in accordance with good agricultural practices.
- (b) Pelargonic acid when used as an herbicide is exempt from the requirement of a tolerance on all plant food commodities provided that:
- (1) Applications are not made directly to the food commodity except when used as a harvest aid or desiccant to: any root and tuber vegetable, bulb vegetable or cotton.
- (2) When pelargonic acid is used as a harvest aid or desiccant, applications must be made no later than 24 hours prior to harvest.
- (c) An exemption from the requirement of a tolerance is established for residues of pelargonic acid in or on all raw agricultural commodities and in processed commodities, when such residues result from the use of pelargonic acid as an antimicrobial treatment in solutions containing a diluted end-use concentration of pelargonic acid up to 170 ppm per application on food contact surfaces such as equipment, pipelines, tanks, vats, fillers, evaporators, pasteurizers and aseptic equipment in restaurants, food service operations, dairies, breweries, wineries, beverage and food processing plants.

[62 FR 28364, May 23, 1997, as amended at 64 FR 31505, June 11, 1999; 68 FR 7935, Feb. 19, 2003]

### § 180.1160 Jojoba oil; exemption from the requirement of a tolerance.

The insecticide and spray tank adjuvant jojoba oil is exempted from the requirement of a tolerance in or on all raw agricultural commodities when applied at the rate of 1.0% or less of the final spray in accordance with good agricultural practices, provided the oil ioioba does not contain simmondsin, simmondsin-2-ferulate, and related conjugated organonitriles including demethyl simmondsin and didemethylsimmondsin.

[61 FR 2121, Jan. 25, 1996]

### § 180.1161 Clarified hydrophobic extract of neem oil; exemption from the requirement of a tolerance.

Clarified hydrophobic extract of neem oil is exempt from the requirement of a tolerance on all food commodities when used as a botanical fungicide/insecticide/miticide.

[67 FR 43552, June 28, 2002]

#### § 180.1162 Acrylate polymers and copolymers; exemption from the requirement of a tolerance.

(a) Acrylate polymers and copolymers are exempt from the requirement of a tolerance when used as inert ingredients in pesticidal formulations applied to growing, raw agricultural commodities. This tolerance exemption covers the acrylate polymers/copolymers that are intrinsically safe and already listed in TSCA inventory or will meet the polymer tolerance exemption requirements from premanufacturing notification under 40 CFR 723.250. Polymers exempted can be used as dispensers, resins, fibers, and beads, as long as the fibers, beads and resins particle sizes are greater than 10 microns and insoluble in water. This exemption pertains to the acrylate polymers/copolymers used as inert ingredients for sprayable and dispenser pesticide formulations that are applied on food crops. Any acrylate polymers/ copolymers used for encapsulating material must be cleared as an inert ingredient when used in pesticide formulation applied on food crops.

(b) For the purposes of this exemption, acrylate polymers/copolymers used as inert ingredients in an end-use

formulation must meet the definition for a polymer as given in 40 CFR 723.250(b), are not automatically excluded by 40 723.250(d), and meet the tolerance exemption criteria in 40 CFR 723.250(e)(1), 40 CFR 723.250 (e)(2) or 40 CFR 723.250(e)(3). Therefore, acrylate polymers and copolymers that are already listed in the TSCA inventory or will meet the polymer tolerance exemption under 40 CFR 723.250 as amended on March 29, 1995 are covered by this exemption.

[61 FR 6551, Feb. 21, 1996]

## § 180.1163 Killed Myrothecium verrucaria; exemption from the requirement of a tolerance.

Killed Myrothecium verrucaria is exempted from the requirement of a tolerance in or on all raw agricultural commodities when applied as a preseed or pre- or post-planting soil treatment alone or mixed with water and the mixed suspension be applied through drip or border irrigation systems and the indicator mycotoxin levels do not exceed 15 ppm.

[61 FR 11315, Mar. 20, 1996, as amended at 61 FR 58332, Nov. 14, 1996]

### § 180.1165 Capsaicin; exemption from the requirement of a tolerance.

Capsaicin is exempt from the requirement of a tolerance in or on all food commodities when used in accordance with approved label rates and good agricultural practice.

[63 FR 39521, July 23, 1998]

# § 180.1167 Allyl isothiocyanate as a component of food grade oil of mustard; exemption from the requirement of a tolerance.

The insecticide and repellent Allyl isothiocyanate is exempt from the requirement of a tolerance for residues when used as a component of food grade oil of mustard, in or on all raw agricultural commodities, when applied according to approved labeling.

[61 FR 24894, May 17, 1996]

## § 180.1176 Sodium bicarbonate; exemption from the requirement of a tolerance.

The biochemical pesticide sodium bicarbonate is exempted from the requirement of a tolerance in or on all raw agricultural commodities when applied as a fungicide or post-harvest fungicide in accordance with good agricultural practices.

[61 FR 67473, Dec. 23, 1996]

## § 180.1177 Potassium bicarbonate; exemption from the requirement of a tolerance.

The biochemical pesticide potassium bicarbonate is exempted from the requirement of a tolerance in or on all raw agricultural commodities when applied as a fungicide or post-harvest fungicide in accordance with good agricultural practices.

[61 FR 67473, Dec. 23, 1996]

## §180.1178 Formic acid; exemption from the requirement of a tolerance.

The pesticide formic acid is exempted from the requirement of a tolerance in or on honey and honeycomb when used to control tracheal mites and suppress varroa mites in bee colonies, and applied in accordance with label use directions.

[74 FR 26535, June 3, 2009]

# § 180.1179 Plant extract derived from Opuntia lindheimeri, Quercus falcata, Rhus aromatica, and Rhizophoria mangle; exemption from the requirement of a tolerance.

The biochemical pesticide plant extract derived from Opuntia lindheimeri, Quercus falcata, Rhus aromatica, and Rhizophoria mangle is exempted from the requirement of a tolerance in or on all raw agricultural commodities when applied as a nematicide/plant regulator in accordance with good agricultural practices.

[62 FR 24842, May 7, 1997]

### §180.1180 Kaolin; exemption from the requirement of a tolerance.

Kaolin is exempted from the requirement of a tolerance for residues when used on or in food commodities to aid

in the control of insects, fungi, and bacteria (food/feed use).

[81 FR 34907, June 1, 2016]

#### § 180.1181 Bacillus cereus strain BPO1; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance for residues of the *Bacillus cereus* strain BPO1 in or on all raw agricultural commodities when applied/used in accordance with label directions.

[67 FR 70017, Nov. 20, 2002]

## § 180.1187 L-glutamic acid; exemption from the requirement of a tolerance.

L-glutamic acid is exempt from the requirement of a tolerance on all food commodities when used in accordance with good agricultural practices.

[66 FR 33198, June 21, 2001]

#### § 180.1188 Gamma aminobutyric acid; exemption from the requirement of a tolerance.

Gamma aminobutyric acid is exempt from the requirement of a tolerance on all food commodities when used in accordance with good agricultural practices.

[66 FR 33198, June 21, 2001]

## § 180.1189 Methyl salicylate; exemption from the requirement of a tolerance.

The biochemical pesticide methyl salicylate is exempt from the requirement of a tolerance for residues in or on food or feed when used as an insect repellant in food packaging and animal feed packaging at an application rate that does not exceed 0.2 mg of methyl salicylate per square inch of packaging materials.

[62 FR 61639, Nov. 19, 1997]

## § 180.1191 Ferric phosphate; exemption from the requirement of a tol-

An exemption from the requirement of a tolerance is established for residues of the biochemical pesticide, ferric phosphate (FePO<sub>4</sub>, CAS No. 11045–86-0) in or on all food commodities.

[62 FR 56105, Oct. 29, 1997]

### § 180.1193 Potassium dihydrogen phosphate; exemption from the requirement of a tolerance.

Potassium dihydrogen phosphate is exempted from the requirement of a tolerance in or on all food commodities when applied as a fungicide in accordance with good agricultural practices.

[63 FR 43085, Aug. 12, 1998]

#### § 180.1195 Titanium dioxide.

Titanium dioxide (CAS Reg. No. 13463-67-7) is exempted from the requirement of a tolerance for residues in or on growing crops, when used as an inert ingredient (UV protectant) in microencapsulated formulations of the insecticide lambda cyhalothrin at no more than 3.0% by weight of the formulation and as an inert ingredient (UV-stabilizer) at no more than 5% in pesticide formulations containing the active ingredient napropamide.

[77 FR 44155, July 27, 2012]

### § 180.1196 Peroxyacetic acid; exemption from the requirement of a tolerance.

(a) An exemption from the requirement of a tolerance is established for residues of peroxyacetic acid in or on all food commodities, when such residues result from the use of peroxyacetic acid as an antimicrobial treatment in solutions containing a diluted end use concentration of peroxyacetic acid up to 100 ppm per application on fruits, vegetables, tree nuts, cereal grains, herbs, and spices.

(b) An exemption from the requirement of a tolerance is established for residues of peroxyacetic acid, in or on all food commodities when used in sanitizing solutions containing a diluted end-use concentration of peroxyacetic acid up to 500 ppm, and applied to tableware, utensils, dishes, pipelines, tanks, vats, fillers, evaporators, pasteurizers, aseptic equipment, milking equipment, and other food processing equipment in food handling establishments including, but not limited to dairies, dairy barns, restaurants, food service operations, breweries, wineries, and beverage and food processing plants.

(c) An exemption from the requirement of a tolerance is established for

residues of the biochemical pesticide peroxyacetic acid and its metabolites and degradates, including hydrogen peroxide and acetic acid, in or on all food commodities, when used in accordance with good agricultural practices.

[74 FR 26535, June 3, 2009, as amended at 76 FR 11969, Mar. 4, 2011]

### § 180.1197 Hydrogen peroxide; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of hydrogen peroxide in or on all food commodities at the rate of  $\leq$ 1% hydrogen peroxide per application on growing and postharvest crops.

[67 FR 41844, June 20, 2002]

#### § 180.1198 Gliocladium catenulatum strain J1446; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the microbial pesticide, *Gliocladium catenulatum* strain J1446 when used in or on all food commodities.

[63 FR 37288, July 10, 1998]

#### § 180.1199

### Lysophosphatidylethanolamine (LPE); exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the biochemical pesticide lysophosphatidylethanolamine in or on all food commodities.

[67 FR 17636, Apr. 11, 2002]

### § 180.1202 Bacillus sphaericus; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the microbial pesticides, *Bacillus sphaericus* when used in or on all food crops.

[63 FR 48597, Sept. 11, 1998]

### § 180.1204 Harpin protein; exemption from the requirement of a toler-

An exemption from the requirement of a tolerance is established for residues of individual harpin proteins that meet specified physiochemical and toxicological criteria when used as biochemical pesticides on all food commodities to enhance plant growth, quality and yield, to improve overall plant health, and to aid in pest management. The physiochemical and toxicological criteria identifying harpin proteins are as follows:

- (a) Consists of a protein less than 100 kD in size, that is acidic (pI<7.0), glycine rich (>10%), and contains no more than one cystine residue.
- (b) The source(s) of genetic material encoding the protein are bacterial plant pathogens not known to be mammalian pathogens.
- (c) Elicits the hypersensitive response (HR) which is characterized as rapid, localized cell death in plant tissue after infiltration of harpin into the intercellular spaces of plant leaves.
- (d) Possesses a common secondary structure consisting of  $\alpha$  and  $\beta$  units that form an HR domain.
- (e) Is heat stable (retains HR activity when heated to 65 °C for 20 minutes).
- (f) Is readily degraded by a proteinase representative of environmental conditions (no protein fragments >3.5 kD after 15 minutes degradation with Subtilisin A).
- (g) Exhibits a rat acute oral toxicity ( $LD_{50}$ ) of greater than 5,000 mg product/kg body weight.

[69 FR 24996, May 5, 2004]

### § 180.1205 Beauveria bassiana ATCC #74040; exemption from the requirements of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the insecticide *Beauveria bassiana* (ATCC #74040) in or on all food commodities when applied or used as ground and aerial foliar sprays for use only on terrestrial crops.

[64 FR 22796, Apr. 28, 1999]

### § 180.1206 Aspergillus flavus AF36; exemption from the requirement of a tolerance.

- (a) An exemption from the requirement of a tolerance is established for residues of the microbial pesticide Aspergillus flavus AF36 in or on cotton, gin byproducts; cotton, hulls; cotton, meal; cotton, refined oil; cotton, undelinted seed.
- (b) An exemption from the requirement of a tolerance is established for residues of *Aspergillus flavus* AF36 in or on pistachio when applied as an antifungal agent and used in accordance with good agricultural practices.
- (c) An exemption from the requirement of a tolerance is established for residues of *Aspergillus flavus* AF36 in or on corn, field, forage; corn, field, grain; corn, field, stover; corn, field, aspirated grain fractions; corn, sweet, kernel plus cob with husk removed; corn, sweet, forage; corn, sweet, stover; corn, pop, grain; and corn, pop, stover, when applied/used as an antifungal agent.
- (d) Section 18 emergency exemptions. A time-limited exemption from the requirement of a tolerance is established for residues of Aspergillus flavus AF36, in or on dried figs, resulting from use of the pesticide pursuant to a FIFRA section 18 emergency exemption. This time-limited exemption from the requirement of a tolerance for residues of Aspergillus flavus AF36 in or on dried figs will expire and is revoked on December 31, 2017.
- (e) An exemption from the requirement of a tolerance is established for residues of *Aspergillus flavus* AF36 in or on almond and fig when used in accordance with label directions and good agricultural practices.

[68 FR 41541, July 14, 2003, as amended at 72 FR 28871, May 23, 2007; 72 FR 72965, Dec. 26, 2007; 74 FR 26535, 26546, June 3, 2009; 76 FR 16301, Mar. 23, 2011; 77 FR 14291, Mar. 9, 2012; 81 FR 1894, Jan. 14, 2016; 82 FR 14632, Mar. 22, 2017]

#### § 180.1207 N-acyl sarcosines and sodium N-acyl sarcosinates; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the following substances when used as inert ingredients (surfactants)

at levels not to exceed 10% in pesticide formulations containing glyphosate:

Name	CAS Reg. No.
N-acyl sarcosines.	
N-cocoyl sarcosine mixture	68411-97-2
N-lauroyl sarcosine	97-78-9
N-myristoyl sarcosine	52558-73-3
N-oleoyl sarcosine	110-25-8
N-stearoyl sarcosine	142-48-3
Sodium N-acyl sarcosinates.	
N-cocoyl sarcosine sodium salt mixture	61791-59-1
N-methyl-N-(1-oxo-9-octodecenyl) glycine	3624-77-9
N-methyl-N-(1-oxododecyl) glycine	137-16-6
N-methyl-N-(1-oxooctadecyl) glycine	5136-55-0
N-methyl-N-(1-oxotetradecyl glycine	30364-51-3

[64 FR 68046, Dec. 6, 1999]

# § 180.1209 Bacillus subtilis strain QST 713 and strain QST 713 variant soil; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the microbial pesticides *Bacillus subtilis* strain QST 713 and strain QST 713 variant soil when used in or on all food commodities.

[77 FR 73937, Dec. 12, 2012]

### § 180.1210 Phosphorous acid; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of phosphorous acid and its ammonium, sodium, and potassium salts in or on all food commodities when used as an agricultural fungicide and in or on potatoes when applied as a post-harvest treatment at 35,600 ppm or less phosphorous acid.

[71 FR 49373, Aug. 23, 2006]

#### § 180.1212 Pseudomonas chlororaphis Strain 63-28; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the microbial pesticide *Pseudomonas chlororaphis* Strain 63–28 in or on all food commodities.

[66 FR 53346, Oct. 22, 2001]

#### § 180.1213 Coniothyrium minitans strain CON/M/91-08; exemption from the requirement of a toler-

An exemption from the requirement of a tolerance is established for residues of the microbial pesticide *Coniothyrium minitans* strain CON/M/91-08 when used in or on all food commodities.

[66 FR 16874, Mar. 28, 2001]

#### § 180.1218 Indian Meal Moth Granulosis Virus; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the microbial pesticide Indian Meal Moth Granulosis Virus when used in or on all food commodities.

[68 FR 55875, Sept. 29, 2003]

### § 180.1219 Foramsulfuron; exemption from the requirement of a tolerance.

The pesticide foramsulfuron is exempted from the requirement of a tolerance in corn, field, grain/corn, field, forage/corn, field, stover/corn, pop, grain/corn, pop, forage/corn, pop, stover; corn, sweet, forage; corn, sweet, kernel plus cob with husks removed; corn, sweet, stover when applied as a herbicide in accordance with good agricultural practices.

[74 FR 26535, June 3, 2009]

### § 180.1220 1-Methylcyclopropene; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the 1-Methylcyclopropene in or on fruits and vegetables when:

- (a) Used as a post harvest plant growth regulator, *i.e.*, for the purpose of inhibiting the effects of ethylene.
- (b) Applied or used outdoors for preharvest treatments.

[73 FR 19150, Apr. 9, 2008]

#### § 180.1222 Sucrose octanoate esters; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of sucrose octanoate esters [( $\alpha$ -D-

#### **Environmental Protection Agency**

glucopyranosyl-β-D-fructofuranosyl-octanoate), mono-, di-, and triesters of sucrose octanoate] in or on all food commodities when used in accordance with good agricultural practices.

[67 FR 60152, Sept. 25, 2002]

### § 180.1223 Imazamox; exemption from the requirement of a tolerance.

The herbicide imazamox, (±) 2, -[4,5-dihydro-4-methyl-4-(1-methylethyl)-5-oxo-1H-imidazol-2-yl]-5-

(methoxymethyl)-3-pyridinecarboxylic acid, is exempt from the requirement of a tolerance on all food commodities when applied as a herbicide in accordance with good agricultural practices.

[68 FR 7433, Feb. 14, 2003]

### § 180.1224 Bacillus pumilus GB34; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the microbial pesticide *Bacillus pumilus* GB34 when used as a seed treatment in or on all food commodities. An exemption is also granted for such residues on treated but unplanted soybean seeds.

[69 FR 76625, Dec. 22, 2004]

### § 180.1225 Decanoic acid; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of decanoic acid in or on all raw agricultural commodities and in processed commodities, when such residues result from the use of decanoic acid as an antimicrobial treatment in solutions containing a diluted end-use concentration of decanoic acid (up to 170 ppm per application) on food contact surfaces such as equipment, pipelines, tanks. vats. fillers, evaporators. pasteurizers and aseptic equipment in restaurants, food service operations, dairies, breweries, wineries, beverage and food processing plants.

[68 FR 7939, Feb. 19, 2003; 68 FR 17308, Apr. 9, 2003]

#### § 180.1226 Bacillus pumilus strain QST2808; temporary exemption from the requirement of a tolerance.

A temporary exemption from the requirement of a tolerance is established for residues of the microbial pesticide *Bacillus pumilus* strain QST2808 when used in or on all agricultural commodities when applied/used in accordance with label directions.

[68 FR 36480, June 18, 2003]

### § 180.1228 Diallyl sulfides; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of diallyl sulfides when used in/on garlic, leeks, onions, and shallots.

[68 FR 40808, July 9, 2003]

### § 180.1230 Ferrous sulfate; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of ferrous sulfate.

[70 FR 33363, June 8, 2005]

### §180.1231 Lime; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of lime.

[70 FR 33363, June 8, 2005]

### § 180.1232 Lime-sulfur; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of lime-sulfur.

[70 FR 33363, June 8, 2005]

### § 180.1233 Potassium sorbate; exemption from the requirement of a tol-

An exemption from the requirement of a tolerance is established for residues of potassium sorbate.

[70 FR 33363, June 8, 2005]

### § 180.1234 Sodium carbonate; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of sodium carbonate.

[70 FR 33363, June 8, 2005]

### § 180.1235 Sodium hypochlorite; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of sodium hypochlorite.

[70 FR 33363, June 8, 2005]

### § 180.1236 Sulfur; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of sulfur.

[70 FR 33363, June 8, 2005]

### § 180.1237 Sodium metasilicate; exemption from the requirement of a tolerance.

- (a) An exemption from the requirement of a tolerance is established for residues of sodium metasilicate in or on all food commodities when used in accordance with approved label rates and good agricultural practices as a plant desiccant, so long as the sodium metasilicate does not exceed 4% by weight in aqueous solution.
- (b) An exemption from the requirement of a tolerance is established for residues of sodium metasilicate in or on all food commodities when used in accordance with approved label rates and good agricultural practices as an insecticide and fungicide, so long as the sodium metasilicate does not exceed 2.41% by weight in aqueous solution.

[71 FR 19441, Apr. 14, 2006]

### § 180.1240 Thymol; exemption from the requirement of a tolerance.

(a) Time-limited exemptions from the requirement of a tolerance are established for residues of thymol on honey and honeycomb in connection with use of the pesticide under section 18 emergency exemptions granted by the EPA. These time-limited exemptions from the requirement of a toler-

ance for residues of thymol will expire and are revoked on June 30, 2007.

(b) An exemption from the requirement of a tolerance for residues of the thymol (as present in thyme oil) in or on food commodities when applied/used in/on public eating places, dairy processing equipment, and/or food processing equipment and utensils.

[70 FR 37696, June 30, 2005, as amended at 71 FR 2895, Jan. 18, 2006; 74 FR 12617, Mar. 25, 2000]

#### § 180.1243 Bacillus subtilis var. amyloliquefaciens strain FZB24; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance for residues of the *Bacillus subtilis* var. *amyloliquefaciens* strain FZB24 in or on all agricultural commodities when applied/used in accordance with label directions.

[68 FR 44640, July 30, 2003]

### § 180.1244 Ammonium bicarbonate; exemption from the requirement of a tolerance.

An exemption from the requirement of tolerance is established for residues of ammonium bicarbonate used in or on all food commodities when used in accordance with good agricultural practices.

[69 FR 13745, Mar. 24, 2004]

### § 180.1245 Rhamnolipid biosurfactant; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of rhamnolipid biosurfactant when used in accordance with good agricultural practices as a fungicide in or on all food commodities.

[69 FR 16800, Mar. 31, 2004]

## § 180.1246 Yeast Extract Hydrolysate from Saccharomyces cerevisiae: exemption from the requirement of a tolerance.

This regulation establishes an exemption from the requirement of a tolerance for residues of the biochemical pesticide Yeast Extract Hydrolysate from Saccharomyces cerevisiae on all

food commodities when applied/used for the management of plant diseases.

[69 FR 9958, Mar. 3, 2004]

### § 180.1248 Exemption of citronellol from the requirement of a toler-

An exemption from the requirement of a tolerance is established for residues of the biochemical pesticide citronellol in or on all food commodities.

[69 FR 23146, Apr. 28, 2004]

#### § 180.1250 C8, C10, and C12 fatty acid monoesters of glycerol and propylene glycol; exemption from the requirement of a tolerance.

The C8, C10, and C12 straight-chain fatty acid monoesters of glycerol (glycerol monocaprylate, glycerol monocaprate. and glycerol monolaurate) and propylene glycol (propylene glycol monocaprylate, propylene glycol monocaprate, and propylene glycol monolaurate) are exempt from the requirement of a tolerance in or on all food commodities when used in accordance with approved label rates and good agricultural practice.

[69 FR 34944, June 23, 2004]

### § 180.1251 Geraniol; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the biochemical pesticide geraniol in or on all food commodities.

[69 FR 23151, Apr. 28, 2004]

### § 180.1253 Streptomyces lydicus WYEC 108; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the microbial pesticide Streptomyces lydicus WYEC 108 when used in or on all agricultural commodities when applied/used in accordance with label directions.

[69 FR 31301, June 3, 2004]

#### § 180.1254 Aspergillus flavus NRRL 21882; exemption from the requirement of a tolerance.

(a) An exemption from the requirement of a tolerance is established for residues of *Aspergillus flavus* NRRL

21882 on peanut; peanut, hay; peanut, meal; and peanut, refined oil.

(b) An exemption from the requirement of a tolerance is established for residues of Aspergillus flavus NRRL 21882 on corn, field, forage; corn, field, grain; corn, field, stover; corn, field, aspirated grain fractions; corn, sweet, kernel plus cob with husk removed; corn, sweet, forage; corn, sweet, stover; corn, pop, grain; and corn, pop, stover.

[75 FR 6576, Feb. 10, 2010]

### § 180.1255 Bacillus pumilus strain QST 2808; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the microbial pesticide *Bacillus pumilus* strain QST 2808 when used in or on all agricultural commodities when applied/used in accordance with label directions.

[69 FR 63954, Nov. 3, 2004]

#### § 180.1257 Paecilomyces lilacinus strain 251; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the microbial pesticide *Paecilomyces lilacinus* strain 251 when used in or on all agricultural commodities when applied/used in accordance with label directions.

[70 FR 19283, Apr. 13, 2005]

### § 180.1258 Acetic acid; exemption from the requirement of a tolerance.

- (a) An exemption from the requirement of a tolerance is established for residues of the biochemical pesticide acetic acid when used as a preservative on post-harvest agricultural commodities intended for animal feed, including Alfalfa, seed; alfalfa, hay; barley, grain; bermudagrass, hay; bluegrass, hay; bromegrass, hay; clover, hay; corn, field, grain; corn, pop, grain; cowpea, hay; fescue, hay; lespedeza, hay; lupin; oat, grain; orchardgrass, hay; peanut, hay; timothy, hay; vetch, hay; and wheat, grain, or commodities described as grain or hay.
- (b) An exemption from the requirement of a tolerance is established for residues of acetic acid in or on all food crops resulting from unintentional

#### § 180,1259

spray and drift to non-target vegetation including non-food, food and feed crops when used as a non-selective contact herbicide spray.

[75 FR 40741, July 14, 2010]

### § 180.1259 Reynoutria sachalinensis extract; exemption from the requirement of a tolerance.

Residues of the biochemical pesticide Reynoutria sachalinensis extract, when derived from the whole plant extract, are exempt from the requirement of a tolerance in or on all food commodities.

[70 FR 55277, Sept. 21, 2005]

# § 180.1260 Muscodor albus QST 20799 and the volatiles produced on rehydration; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established on all food/feed commodities, for residues of Muscodor albus QST 20799, and the volatiles produced on its rehydration, when the pesticide is used for all agricultural applications, including seed, propagule and post harvest treatments.

#### § 180.1261 Xanthomonas campestris pv. vesicatoria and Pseudomonas syringae pv. tomato specific Bacteriophages.

An exemption from the requirement of a tolerance is established for residues of *Xanthomonas campestris pv. vesicatoria* and *Pseudomonas syringae pv. tomato* specific bacteriophages in or on pepper and tomato.

[74 FR 26536, June 3, 2009]

[70 FR 56576, Sept. 28, 2005]

### § 180.1262 Sorbitol octanoate; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of sorbitol octanoate in or on all food commodities when used in accordance with label directions.

[71 FR 4518, Jan. 27, 2006]

### § 180.1263 Tetrahydrofurfuryl alcohol; exemption from the requirement of a tolerance.

Tetrahydrofurfuryl alcohol (THFA, CAS Reg. No. 97-99-4) is exempt from

the requirement of a tolerance in or on all raw agricultural commodities when used in accordance with good agricultural practices as an inert ingredient applied only:

- (a) For use as a seed treatment.
- (b) For applications prior to planting and at the time of planting.
  - (c) For use on cotton.
- (d) For use in herbicides with one application to wheat and barley prior to the pre-boot stage, and two applications to canola and soybeans pre-bloom.
- (e) For use in herbicides with two applications to field corn up to 24 inches tall (V 5 stage).

[71 FR 45415, Aug. 9, 2006]

#### § 180.1267 Pantoea agglomerans strain C9-1; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Pantoea agglomerans* strain C9-1 when used on apples and pears.

[71 FR 24596, Apr. 26, 2006]

### § 180.1268 Potassium silicate; exemption from the requirement of a tolerance.

Potassium silicate is exempt from the requirement of a tolerance in or on all food commodities so long as the potassium silicate is not applied at rates exceeding 1% by weight in aqueous solution and when used in accordance with good agricultural practices.

[71 FR 34272, June 14, 2006]

#### § 180.1269 Bacillus mycoides isolate J; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Bacillus mycoides* isolate J in or on all agricultural commodities when used in accordance with label directions and good agricultural practices.

[81 FR 67922, Oct. 3, 2016]

### § 180.1270 Isophorone; exemption from the requirement of a tolerance.

Isophorone (CAS Reg. No. 78-59-1) is exempt from the requirement of a tolerance when used as an inert ingredient in pesticide formulations applied

to beets, ginseng, rice, spinach, sugar beets, and Swiss chard.

[71 FR 45408, Aug. 9, 2006]

### § 180.1271 Eucalyptus oil; exemption from the requirement of a tolerance.

An exemption from the requirement of tolerance is established for residues of eucalyptus oil in or on honey, honeycomb, and honeycomb with honey when used at 2g or less eucalyptus oil per hive, where the eucalyptus oil contains 80% or more eucalyptol.

[71 FR 53979, Sept. 13, 2006]

#### § 180.1272 Pantoea agglomerans strain E325; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Pantoea agglomerans* strain E325 when used on apples and pears.

[71 FR 54933, Sept. 20, 2006]

#### § 180.1273 Beauveria bassiana HF23; exemption from the requirement of a tolerance.

Residues of Beauveria bassiana HF23 are exempt from the requirement of a tolerance on all food/feed commodities, when the pesticide is used for the treatment of chicken and livestock facilities, including the treatment of chicken and livestock manure.

[75 FR 10190, Mar. 5, 2010]

### § 180.1274 Tris (2-ethylhexyl) phosphate; exemption from the requirement of a tolerance.

Tris (2-ethylhexyl) phosphate (TEHP, CAS Reg. No. 78-42-2) is exempt from the requirement of a tolerance for residues in grain, aspirated fractions; barley, grain, barley, hay, barley, straw; wheat, grain; wheat, forage; wheat, hay; wheat, straw when used under the following conditions:

- (a) The use is in accordance with good agricultural practices;
- (b) Tris (2-ethylhexyl) phosphate is used as an inert ingredient in pesticide formulations with the active ingredients pinoxaden, clodinafop-propargyl, and tralkoxydium:
- (c) Tris (2-ethylhexyl) phosphate is applied no more than twice per season; and

(d) The applications occur no later than the pre-boot stage (prior to formation of edible grain).

[72 FR 5624, Feb. 7, 2007, as amended at 74 FR 26536, June 3, 2009]

#### § 180.1275 Pythium oligandrum DV 74; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established on all food/feed commodities for residues of *Pythium oligandrum* DV 74 when the pesticide is used on food crops.

[81 FR 34807, June 1, 2016]

#### § 180.1276 Tobacco mild green mosaic tobamovirus strain U2; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Tobacco mild green mosaic tobamovirus* strain U2 in or on all commodities of crop groups 17 and 18 when applied as a post-emergent herbicide and used in accordance with label directions and good agricultural practices.

[79 FR 75756, Dec. 19, 2014]

### § 180.1277 Dibasic esters; exemption from the requirement of a tolerance.

Dibasic esters (CAS Reg. No. 95481-62-2) is exempted from the requirement of a tolerance for residues when used as an inert ingredient (solvent and/or anti-freeze) at 10% W/W or less in microencapsulated pesticide formulations with the active ingredient cyfluthrin.

[73 FR 10398, Feb. 27, 2008]

### § 180.1278 Quillaja saponaria extract (saponins); exemption from the requirement of a tolerance.

Residues of the biochemical pesticide Quillaja saponaria extract (saponins) are exempt from the requirement of a tolerance in or on all food commodities.

[72 FR 41935, Aug. 1, 2007]

Poly(hexamethylenebiguanide) hydrochloride (PHMB); exemption from the requirement of a tolerance.

Poly(hexamethylenebiguanide) hydrochloride (PHMB)(CAS Reg. No. 32289–58–0) is exempt from the requirement of a tolerance for residues of the antimicrobial in or on all food commodities when the residues are the result of the lawful application of a food contact surface sanitizer containing PHMB at 550 parts per million (ppm).

[73 FR 1517, Jan. 9, 2008]

§ 180.1281 S-Abscisic Acid, (S)-5-(1-hydroxy-2,6,6-trimethyl-4-oxo-1-cyclohex-2-enyl)-3-methyl-penta-(2Z,4E)-dienoic Acid; exemption from the requirement of a tolerance

An exemption from the requirement of a tolerance is established for residues of S-Abscisic Acid in or on all food commodities when applied or used preharvest as a plant regulator.

[75 FR 11744, Mar. 12, 2010]

### § 180.1282 Bacillus firmus I-1582; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established in/on all food/feed commodities, for residues of *Bacillus firmus* I-1582 when used as a soil application or seed treatment.

[73 FR 25528, May 7, 2008]

#### § 180.1283 (Z)-7,8-epoxy-2methyloctadecane (Disparlure); exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of (Z)-7,8-epoxy-2-methyloctadecane on all food and feed crops that occur when it is used to treat trees, shrubs, and pastures and such use results in unintentional spray and drift to non-target vegetation including non-food, food, and feed crops. This active ingredient is also known as Disparlure.

[73 FR 33714, June 13, 2008]

# § 180.1284 Ammonium salts of higher fatty acids (C<sub>8</sub>-C<sub>18</sub> saturated; C<sub>8</sub>-C<sub>12</sub> unsaturated); exemption from the requirement of a tolerance.

Ammonium salts of  $C_8$ - $C_{18}$  saturated and  $C_8$ - $C_{12}$  unsaturated higher fatty acids are exempted from the requirement of a tolerance for residues in or on all food commodities when used in accordance with good agricultural practice.

[74 FR 47457, Sept. 16, 2009]

### § 180.1285 Polyoxin D zinc salt; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the residues of polyoxin D zinc salt in or on all food commodities when applied as a fungicide and used in accordance with good agricultural practices.

[77 FR 56133, Sept. 12, 2012]

# § 180.1287 Extract of Chenopodium ambrosioides near ambrosioides; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the residues of Extract of Chenopodium ambrosioides near ambrosioides when used as an insecticide/acaricide on all food commodities.

[74 FR 634, Jan. 7, 2009]

### § 180.1288 Tristyrylphenol ethoxylates; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of poly(oxy-1,2-ethanediyl),  $\alpha$ -[2,4,6-tris(1-phenylethyl)phenyl]- $\omega$ -hydroxy-, (CAS Reg. No. 70559-25-0) and poly(oxy-1,2-ethanediyl),  $\alpha$ -[tris(1-phenylethyl)phenyl]- $\omega$ -hydroxy-, (CAS Reg. No. 99734-09-5) on citrus crops, group 10, when used as inert ingredients under the following conditions:

- (a) They are applied post-harvest;
- (b) They are used as inert ingredients in pesticide formulations with azoxystrobin and fludioxonil; and
- (c) They constitute no more than 10.0% of the formulated pesticide product.

[74 FR 12625, Mar. 25, 2009]

### § 180.1289 Candida oleophila Strain O; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the residues of the microbial pesticide, *Candida oleophila* Strain O, on apples and pears when applied/used as a post-harvest biofungicide.

[74 FR 22464, May 13, 2009]

### § 180.1290 Pasteuria usgae; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Pasteuria usgae* in or on all food commodities when applied preharvest and used as a nematicide in accordance with good agricultural practices.

[75 FR 37737, June 30, 2010]

### § 180.1291 Cold pressed neem oil; exemption from the requirement of a tolerance.

Residues of the biochemical pesticide cold pressed neem oil are exempt from the requirement of a tolerance in or on all food commodities.

[74 FR 55463, Oct. 28, 2009]

### § 180.1292 Ulocladium oudemansii (U3 Strain); exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established in/on all food commodities for residues of Ulocladium oudemansii (U3 Strain), when applied or used pre-harvest-only, excluding applications made post-harvest or to processed commodities, as a microbial fungicide in accordance with good agricultural practices.

[74 FR 55458, Oct. 28, 2009]

#### § 180.1293 Trichoderma gamsii strain ICC 080; exemption from the requirement of a tolerance.

Trichoderma gamsii strain ICC 080 is exempted from the requirement of a tolerance in or on all food and feed commodities when applied preharvest and used in accordance with good agricultural practices.

[75 FR 8507, Feb. 25, 2010]

#### § 180.1294 Trichoderma asperellum strain ICC 012; exemption from the requirement of a tolerance.

Trichoderma asperellum strain ICC 012 is exempted from the requirement of a tolerance in or on all food and feed commodities when applied pre-harvest and used in accordance with good agricultural practices.

[75 FR 9530, Mar. 3, 2010]

### § 180.1295 Laminarin; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of laminarin in or on all food commodities when laminarin is applied preharvest.

[75 FR 8256, Feb. 24, 2010]

# § 180.1296 Terpene Constituents α-terpinene, d-limonene and p-cymene, of the Extract of Chenopodium ambrosioides near ambrosioides as Synthetically Manufactured; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the residues of the biochemical pesticide Terpene Constituents  $\alpha$ -terpinene, d-limonene and p-cymene, of the Extract of Chenopodium ambrosioides near ambrosioides as Synthetically Manufactured when used as an insecticide/acaricide in or on all food commodities.

[75 FR 39455, July 9, 2010]

### § 180.1297 Homobrassinolide; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the residues of homobrassinolide in or on all food commodities when applied/used as a plant growth regulator in accordance with good agricultural practices.

[75 FR 39459, July 9, 2010]

#### § 180.1298 Trichoderma hamatum isolate 382; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Trichoderma hamatum* isolate 382

in or on all food commodities when applied as a fungicide and used in accordance with good agricultural practices.

[75 FR 43076, July 23, 2010]

### §180.1299 Prohydrojasmon; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the biochemical pesticide prohydrojasmon (PDJ), propyl-3-oxo-2-pentylcyclo-pentylacetate, when used as a plant growth regulator in or on apple and grape pre-harvest, in accordance with label directions and good agricultural practices.

[78 FR 75257, Dec. 11, 2013]

### § 180.1300 Potassium hypochlorite; exemption from the requirement of a tolerance

An exemption from the requirement of a tolerance is established for residues of potassium hypochlorite in or on all commodities.

[76 FR 11343, Mar. 2, 2011]

#### § 180.1301 Escherichia coli O157:H7 specific bacteriophages; temporary exemption from the requirement of a tolerance.

A temporary exemption from the requirement of a tolerance is established for residues of lytic bacteriophages that are specific to *Escherichia coli* 0.157:H7, sequence negative for shiga toxins I and II, and grown on atoxigenic host bacteria when used/applied on food contact surfaces in food processing plants in accordance with the terms of Experimental Use Permit (EUP) No. 74234-EUP-2. This temporary exemption expires on April 1, 2013.

[76 FR 20546, Apr. 13, 2011]

#### § 180.1302 Sodium Ferric Ethylenediaminetetraacetate (EDTA); exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of sodium ferric EDTA in or on all food commodities when applied as a molluscicide and used in accordance with good agricultural practices.

[76 FR 17561, Mar. 30, 2011]

#### § 180.1303 Metarhizium anisopliae strain F52; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Metarhizium anisopliae* strain F52 in or on all food commodities when applied as an insecticide, mitcide, or ixodicide and used in accordance with good agricultural practices.

[76 FR 26198, May 6, 2011]

#### § 180.1304 Pseudomonas fluorescens strain CL145A; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Pseudomonas fluorescens* strain CL145A in or on all food commodities when applied as a molluscicide.

[76 FR 52875, Aug. 24, 2011]

#### § 180.1305 Chromobacterium subtsugae strain PRAA4-1<sup>T</sup>; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Chromobacterium subtsugae* strain PRAA4-1<sup>T</sup> in or on all food commodities when applied as an insecticide or miticide and used in accordance with good agricultural practices.

[76 FR 55272, Sept. 7, 2011]

#### § 180.1306 Isaria fumosorosea (formerly Paecilomyces fumosoroseus) Apopka strain 97; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Isaria fumosorosea* (formerly *Paecilomyces fumosoroseus*) Apopka strain 97 in or on all food commodities when applied as an insecticide or miticide and used in accordance with good agricultural practices.

[76 FR 59905, Sept. 28, 2011]

#### § 180.1307 Bacteriophage of Clavibacter michiganensis subspecies michiganensis; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of lytic bacteriophage of Clavibacter michiganensis subspecies michiganensis produced in Clavibacter michiganensis subspecies michiganensis in or on tomato when applied as a bactericide in accordance with good agricultural practices.

[76 FR 66192, Oct. 26, 2011]

#### § 180.1308 Bacillus amyloliquefaciens strain D747; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the microbial pesticide, *Bacillus amyloliquefaciens* strain D747 in or on all food commodities when used in accordance with good agricultural practices.

[77 FR 749, Jan. 6, 2012. Redesignated at 77 FR 2911, Jan. 20, 2012]

#### § 180.1309 Bacillus subtilis strain CX-9060; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the microbial pesticide *Bacillus subtilis* strain CX-9060, in or on all food commodities, when applied or used in accordance with good agricultural practices.

[77 FR 1637, Jan. 11, 2012]

### § 180.1310 Trichoderma virens strain G-41; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Trichoderma virens* strain G-41, in or on all food commodities, when applied as a fungicide and used in accordance with good agricultural practices.

[77 FR 4908, Feb. 1, 2012]

#### § 180.1311 Pasteuria nishizawae—Pn1; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Pasteuria nishizawae*—Pn1 in or on all food commodities when applied as a nematicide and used in accordance with good agricultural practices.

[77 FR 8741, Feb. 15, 2012]

#### § 180.1312 Aureobasidium pullulans strains DSM 14940 and DSM 14941; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Aureobasidium pullulans* strains DSM 14940 and DSM 14941 in or on all food commodities when used in accordance with label directions and good agricultural practices.

[80 FR 73662, Nov. 25, 2015]

#### § 180.1313 Bacillus pumilus strain GHA 180; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Bacillus pumilus* strain GHA 180 in or on all food commodities when used in accordance with good agricultural practices.

[77 FR 19112, Mar. 30, 2012]

# § 180.1314 Killed, nonviable Streptomyces acidiscabies strain RL-110<sup>T</sup>; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of killed, nonviable *Streptomyces acidiscabies* strain RL-110<sup>T</sup> in or on all food commodities when applied as a pre- or post-emergent herbicide and used in accordance with good agricultural practices.

[77 FR 35295, June 13, 2012]

### § 180.1315 Natamycin; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the residues of natamycin in or on mushrooms, pineapples, citrus, pome, stone fruit crop groups, avocado, kiwi, mango, and pomegranates when used in accordance with label directions and good agricultural practices.

[81 FR 58410, Aug. 25, 2016]

#### § 180.1316 Pasteuria spp. (Rotylenchulus reniformis nematode)—Pr3; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Pasteuria* spp. (*Rotylenchulus reniformis* nematode)—Pr3 in or on all

food commodities when applied as a nematicide and used in accordance with label directions and good agricultural practices.

[77 FR 40276, July 9, 2012]

### § 180.1317 Pesticide chemicals; exemption from the requirements of a tolerance.

An exemption from the requirement of a tolerance is established for residues of Didecyl dimethyl ammonium chloride in or on broccoli resulting from the use of Didecyl dimethyl ammonium chloride as a seed treatment at a treatment concentration of 1200 ppm prior to planting by immersion.

[77 FR 47296, Aug. 8, 2012]

### § 180.1318 3-decen-2-one; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the biochemical pesticide, 3-decen-2-one, in or on potatoes when applied as a potato sprout inhibitor and used in accordance with label directions and good agricultural practices.

[78 FR 11766, Feb. 20, 2013]

### § 180.1319 Banda de *Lupinus albus* doce (BLAD); exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the residues of Banda de Lupinus albus doce (BLAD), a naturally occurring polypeptide from the catabolism of a seed storage protein ( $\beta$ -conglutin) of sweet lupines (Lupinus albus), in or on all food commodities when applied as a fungicide and used in accordance with label directions and good agricultural practices.

[78 FR 17604, Mar. 22, 2013]

### § 180.1320 Methyl jasmonate; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of methyl jasmonate in or on all food commodities when methyl jasmonate is applied pre-harvest.

[78 FR 22794, Apr. 17, 2013]

#### § 180.1321 Complex Polymeric Polyhydroxy Acids; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for the residues of complex polymeric polyhydroxy acids in or on all food commodities when applied as a plant growth regulator and used in accordance with good agricultural practices.

[78 FR 46267, July 31, 2013]

### § 180.1322 Bacillus pumilus strain BU F-33; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Bacillus pumilus* strain BU F-33 in or on all food commodities when applied to elicit induced systemic resistance in plants and used in accordance with label directions and good agricultural practices.

[78 FR 35149, June 12, 2013]

#### § 180.1323 Ethyl-2E,4Z-decadienoate (Pear Ester); exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the biochemical pesticide, ethyl-2E,4Z-decadienoate (pear ester), in or on all food commodities, when used in accordance with label directions and good agricultural practices.

[78 FR 53054, Aug. 28, 2013]

### § 180.1324 GS-omega/kappa-Hxtx-Hv1a; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the pesticide GS-omega/kappa-Hxtx-Hvla in or on all food commodities when applied or used in accordance with label directions and good agricultural practices.

[79 FR 10685, Feb. 26, 2014]

# § 180.1325 Heat-killed Burkholderia spp. strain A396 cells and spent fermentation media exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of heat-killed *Burkholderia spp.* 

#### **Environmental Protection Agency**

strain A396 cells and spent fermentation media in or on all food commodities when applied as a biological insecticide to agricultural crops and used in accordance with label directions and good agricultural practices.

[79 FR 15704, Mar. 21, 2014]

#### § 180.1326 Pseudomonas fluorescens strain D7; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Pseudomonas fluorescens* strain D7 in or on all food commodities when used in accordance with label directions and good agricultural practices.

[79 FR 60750, Oct. 8, 2014]

#### § 180.1327 Tetraacetylethylenediamine (TAED) and its metabolite Diacetylethylenediamine (DAED); exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues pesticide, of the tetraacetylethylenediamine (TAED). and its metabolite diacetylethylenediamine (DAED), in or on rice and strawberries, when used as a fungicide and bactericide in accordance with label directions and good agricultural practices.

[79 FR 59121, Oct. 1, 2014]

#### § 180.1328 Beauveria bassiana strain ANT-03; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Beauveria bassiana* strain ANT-03 in or on all food commodities, when applied as a microbial insecticide and used in accordance with label directions and good agricultural practices.

[79 FR 77396, Dec. 24, 2014]

#### § 180.1329 Bacillus subtilis strain IAB/ BS03, exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Bacillus subtilis* strain IAB/BS03 in or on all food commodities when used in accordance with label directions and good agricultural practices.

[80 FR 9217, Feb. 20, 2015]

### § 180.1330 1-Octanol; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of 1-octanol in or on root and tuber vegetables when applied as a plant growth regulator in accordance with label directions and good agricultural practices.

[80 FR 25953, May 6, 2015]

#### § 180.1331 Trichoderma asperelloides strain JM41R; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Trichoderma asperelloides* strain JM41R in or on all food commodities when used in accordance with label directions and good agricultural practices.

[80 FR 28203, May 18, 2015]

### § 180.1332 Lavandulyl senecioate; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the arthropod pheromone, lavandulyl senecioate (5-methyl-2-(1-methylethenyl)-4-hexenyl 3-methyl-2-butonate), in or on all raw agricultural commodities when applied or used in microbeads/dispensers at a rate not to exceed 150 grams active ingredient/acre/year in accordance with good agricultural practices.

[80 FR 49171, Aug. 17, 2015]

#### § 180.1333 Potassium Salts of Hops Beta acids; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of the biochemical potassium salts of hops beta acids in or on honey and honeycomb, when used for the control of Varroa mites in accordance with label directions and good agricultural practices.

[80 FR 63683, Oct. 21, 2015]

### § 180.1334 Choline Chloride; Exemption from the Requirement of a Tolerance.

An exemption from the requirement of a tolerance is established for residues of Choline Chloride in or on all food commodities when Choline Chloride is applied pre-harvest and used in accordance with label directions and good agricultural practices.

[80 FR 78149, Dec. 16, 2015]

#### § 180.1335 Isaria fumosorosea strain FE 9901; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Isaria fumosorosea* strain FE 9901 in or on all food commodities when used in accordance with label directions and good agricultural practices.

[81 FR 47311, July 21, 2016]

#### § 180.1336 Bacillus amyloliquefaciens strain PTA-4838; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Bacillus amyloliquefaciens* strain PTA-4838 in or on all food commodities.

[81 FR 41222, June 24, 2016]

# § 180.1337 Citrus tristeza virus expressing spinach defensin proteins 2, 7, and 8; exemption from the requirement of a tolerance.

A temporary exemption from the requirement of a tolerance is established for residues of the microbial pesticide Citrus tristeza virus expressing spinach defensin proteins 2, 7, and 8 (either alone or in combinations with each other) in or on the commodities listed in fruit, citrus group 10–10, when used in accordance with the terms of Experimental Use Permit No. 88232–EUP–2. This temporary exemption from the requirement of a tolerance expires on August 31, 2020.

[81 FR 59502, Aug. 30, 2016]

#### § 180.1338 Aspergillus flavus strains TC16F, TC35C, TC38B, and TC46G; temporary exemptions from the requirement of a tolerance.

Temporary exemptions from the requirement of a tolerance are established for residues of Aspergillus flavus strains TC16F, TC35C, TC38B, and TC46G in or on the food and feed commodities of corn, field; corn, pop; and corn, sweet when used in accordance with the terms of Experimental Use

Permit No. 91163-EUP-1. These temporary exemptions from the requirement of a tolerance expire on June 30, 2020.

[81 FR 63710, Sept. 16, 2016]

# § 180.1339 Spodoptera frugiperda multiple nucleopolyhedrovirus strain 3AP2; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Spodoptera frugiperda* multiple nucleopolyhedrovirus strain 3AP2 in or on all food commodities when used in accordance with label directions and good agricultural practices.

[81 FR 83706, Nov. 22, 2016]

#### § 180.1340 Muscodor albus strain SA-13 and the volatiles produced on rehydration; exemption from the requirement of a tolerance.

An exemption from the requirement of a tolerance is established for residues of *Muscodor albus* strain SA-13 and the volatiles produced on rehydration in or on all food commodities when used in accordance with label directions and good agricultural practices.

[81 FR 86581, Dec. 1, 2016]

#### Subpart E—Pesticide Chemicals Not Requiring a Tolerance or an Exemption From a Tolerance

SOURCE: 66 FR 66772, Dec. 27, 2001, unless otherwise noted.

#### § 180.2000 Scope.

This subpart sets forth the pesticide chemicals for use in agricultural or other food-related settings for which neither a tolerance nor an exemption is deemed to be needed by EPA.

#### § 180.2003 Definitions.

- (a) Food uses are the uses of a pesticide chemical that are likely to yield residues in food or feed crops, meat, milk, poultry or egg.
- (b) Non-food uses are those uses that are not likely to yield residues in food