

NOTIFICATION OF RESAMPLING AND RETESTING

Medical Marijuana Treatment Centers (MMTCs) are required to notify the OMMU if they are resampling and retesting a previously failed Retail Batch from a Certified Marijuana Testing Laboratory (CMTL). Please complete this form and send to OMMULABS@flhealth.gov prior to resampling and retesting by a CMTL.

MMTC Name and License Number:		Date:	
Product Name:			
Product Type and Description:			
MMTC Retail Batch Number:			
Total Number of Final Products in Retail Batch:		Total Weight or Volume of Retail Batch:	
Location of Quarantined Product Marked "Not for Sale":			

Name of CMTL that Performed Initial Sampling and Testing:	
--	--

Name of CMTL Performing Resampling and Retesting:	
--	--

- A previously failed Retail Batch must pass two complete regulatory compliance tests using two new samples in order for the Retail Batch to be eligible for dispensation by an MMTC.
- A previously failed Retail Batch may only be resampled and retested twice.
- A previously failed Retail Batch that fails either retest must be disposed of in accordance with Rule 64-4.207, F.A.C., or remediated, if permitted by Rule 64-4.213, F.A.C.
- An MMTC must provide two passing Certificates of Analysis for the previously failed Retail Batch to the OMMU via email to OMMULABS@flhealth.gov prior to removing the Retail Batch from quarantine and transferring it to a dispensing facility.