

Consumer Product Safety Commission

(viii) 7.12.4.2. If the base/stand supports the bassinet bed and the angle of the mattress support surface measured in 7.12.4.1 is less than 20 degrees from a horizontal plane, evaluate whether the bassinet has a false latch/lock visual indicator per 6.10.4.

(ix) 7.12.4.3. If the base/stand supports the bassinet bed, and the angle of the mattress support surface measured in 7.12.4.1 is less than 20 degrees from a horizontal plane, and the bassinet does not contain a false latch/lock visual indicator, test the unit in accordance with sections 7.4.2 through 7.4.7.

- (x) 7.12.5. Repeat 7.12.2 through 7.12.4 for all of the manufacturer's base/stand recommended positions and use modes.
- (xi) 7.12.6. Repeat 7.12.4 through 7.12.5 with the bassinet bed rotated 180 degrees from the manufacturers recommended use orientation, if the base/stand supports the bassinet bed in this orientation.
- (A) Rationale. (1) This test requirement addresses fatal and nonfatal incidents involving bassinet beds that tipped over or fell off their base/stand when they were not properly locked/ latched to their base/stand or the latch failed to engage as intended. Products that appear to be in an intended use position when the lock or latch is not properly engaged can create a false sense of security by appearing to be stable. Unsecured or misaligned lock/ latch systems are a hidden hazard because they are not easily seen by consumers due to being located beneath the bassinet or covered by decorative skirts. In addition, consumers will avoid activating lock/latch mechanisms for numerous reasons if a bassinet bed appears stable when placed on a stand/base. Because of these foreseeable use conditions, this requirement has been added to ensure that bassinets with a removable bassinet bed feature will be inherently stable or it is obvious that they are not properly secured.
- (2) 6.10 allows bassinet bed designs that:
- (i) Cannot be supported by the base/stand in an unlocked configuration,
- (ii) Automatically lock and cannot be placed in an unlocked position on the base/stand,

- (iii) Are clearly and obviously unstable when the lock/latch is misaligned or unused.
- (iv) Provide a visual warning to consumers when the product is not properly locked onto the base/stand, or
- (v) Have lock/latch mechanisms that are not necessary to provide needed stability.
 - (B) [Reserved]

[78 FR 63034, Oct. 23, 2013, as amended at 78 FR 77574, Dec. 24, 2013]

EFFECTIVE DATE NOTE: At 78 FR 63034, Oct. 23, 2013, §1218.2 was amended by adding paragraphs (b)(3)(i) through (iv), (b)(5) and (b)(7), effective April 23, 2015.

PART 1219—SAFETY STANDARD FOR FULL-SIZE BABY CRIBS

Sec.

1219.1 Scope, compliance dates, and definitions.

1219.2 Requirements for full-size baby cribs.

AUTHORITY: The Consumer Product Safety Improvement Act of 2008, Pub. L. 110-314, Sec. 104, 122 Stat. 3016 (August 14, 2008); section 3 of Pub. L. 112-28, 125 Stat. 273 (August 12, 2011).

EFFECTIVE DATE NOTE: At 78 FR 73696, Dec. 9, 2013, the authority citation was revised, effective March 24, 2014. For the convenience of the user, the revised text is set forth as follows:

AUTHORITY: Sec. 104, Pub. L. 110-314, 122 Stat. 3016 (August 14, 2008); Sec. 3, Pub. L. 112-28, 125 Stat. 273 (August 12, 2011).

SOURCE: 75 FR 81786, Dec. 28, 2010, unless otherwise noted.

§ 1219.1 Scope, compliance dates, and definitions.

- (a) Scope. This part establishes a consumer product safety standard for new and used full-size baby cribs.
- (b) Compliance dates. (1) Except as provided in paragraph (b)(2) of this section, compliance with this part 1219 shall be required on June 28, 2011, and applies to the manufacture, sale, contract for sale or resale, lease, sublet, offer, provision for use, or other placement in the stream of commerce of a new or used full-size baby crib on or after that date.
- (2) Child care facilities, family child care homes, and places of public accommodation affecting commerce shall be required to comply with this part on

December 28, 2012, but this provision applies only to the offer or provision for use of cribs by child care facilities, family child care homes, and places of public accommodation affecting commerce and not the sale, resale, or other placement in the stream of commerce of cribs by these entities.

- (c) Definitions. (1) Full-size baby crib means a bed that is:
- (i) Designed to provide sleeping accommodations for an infant;
- (ii) Intended for use in the home, in a child care facility, a family child care home, or place of public accommodation affecting commerce; and

(iii) Within a range of ±5.1 cm (±2 in,) of the following interior dimensions: The interior dimensions shall be 71 ±1.6 cm (28 ±% in.) wide as measured between the innermost surfaces of the crib sides and 133 ±1.6 cm (52% ±% in.) long as measured between the innermost surfaces of the crib end panels. slats, rods, or spindles. Both measurements are to be made at the level of the mattress support spring in each of its adjustable positions and no more than 5 cm (2 in.) from the crib corner posts or from the first spindle to the corresponding point of the first spindle at the other end of the crib. If a crib has contoured or decorative spindles. in either or both of the sides or ends, the measurement shall be determined from the largest diameter of the first turned spindle within a range of 10 cm (4 in.) above the mattress support spring in each of its adjustable positions, to a corresponding point on the first spindle or innermost surface of the opposite side of the crib.

(2) Place of public accommodation affecting commerce means any inn, hotel, or other establishment that provides lodging to transient guests, except that such term does not include an establishment treated as an apartment building for purposes of any State or local law or regulation or an establishment located within a building that contains not more than five rooms for rent or hire and that is actually occupied as a residence by the proprietor of such establishment.

§ 1219.2 Requirements for full-size baby cribs.

Each full-size baby crib shall comply with all applicable provisions of ASTM F1169-11, Standard Consumer Safety Specification for Full-Size Baby Cribs, approved August 15, 2011. The Director of the Federal Register approves this incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. You may obtain a copy from ASTM International, 100 Barr Harbor Drive. P.O. Box 0700. West Conshohocken, PA 19428; telephone 610-832-9585; www.astm.org. You may inspect a copy at the Office of the Secretary, U.S. Consumer Product Safety Commission, Room 820, 4330 East West Highway, Bethesda, MD 20814, telephone 301-504-7923, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http:// www.archives.gov/federal_register/ code of federal regulations/ ibr locations.html.

[77 FR 45245, July 31, 2012]

EFFECTIVE DATE NOTE: At 78 FR 73696, Dec. 9, 2013, §1219.2 was revised, effective Mar. 24, 2014. For the convenience of the user, the revised text is set forth as follows:

§ 1219.2 Requirements for full-size baby cribs.

Each full-size baby crib shall comply with all applicable provisions of ASTM F1169-13, Standard Consumer Safety Specification for Full-Size Baby Cribs, approved May 1, 2013. The Director of the Federal Register approves this incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. You may obtain a copy from ASTM International, 100 Barr Harbor Drive, P.O. Box 0700, West Conshchocken, PA 19428; telephone 610-832-9585; www.astm.org. You may inspect a copy at the Office of the Secretary, U.S. Consumer Product Safety Commission. Room 820, 4330 East West Highway, Bethesda, MD 20814, telephone 301-504-7923, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/ federal_register/code_of_federal_regulations/ ibr locations.html.

Consumer Product Safety Commission

PART 1220—SAFETY STANDARD FOR NON-FULL-SIZE BABY CRIBS

Sec.

1220.1 Scope, compliance dates, and definitions.

1220.2 Requirements for non-full-size baby oribs.

AUTHORITY: The Consumer Product Safety Improvement Act of 2008, Pub. L. 110-314, § 104, 122 Stat. 3016 (August 14, 2008).

SOURCE: 75 FR 81787, Dec. 28, 2010, unless otherwise noted.

§ 1220.1 Scope, compliance dates, and definitions.

- (a) Scope. This part establishes a consumer product safety standard for new and used non-full-size baby cribs.
- (b) Compliance dates. (1) Except as provided in paragraph (b)(2) of this section, compliance with this part 1220 shall be required on June 28, 2011, and applies to the manufacture, sale, contract for sale or resale, lease, sublet, offer, provision for use, or other placement in the stream of commerce of a new or used non-full-size baby crib on or after that date.
- (2) Child care facilities, family child care homes, and places of public accommodation affecting commerce shall be required to comply with this part on December 28, 2012, but this provision applies only to the offer or provision for use of cribs by child care facilities, family child care homes, and places of public accommodation affecting commerce and not the sale, resale, or other placement in the stream of commerce of cribs by these entities.
- (c) Definitions. (1) Non-full-size baby crib means a hed that is:
- (i) Designed to provide sleeping accommodations for an infant:
- (ii) Intended for use in or around the home, for travel, in a child care facility, in a family child care home, in a place of public accommodation affecting commerce and other purposes;
- (iii) Has an interior length dimension either greater than 139.7 cm (55 in.) or smaller than 126.3 cm (49 % in.), or, an interior width dimension either greater than 77.7 cm (30% in.) or smaller than 64.3 cm (25% in.), or both;
- (iv) Includes, but is not limited to, the following:

- (A) Portable crib—a non-full-size baby crib designed so that it may be folded or collapsed, without disassembly, to occupy a volume substantially less than the volume it occupies when it is used
- (B) Crib pen—a non-full-size baby crib with rigid sides the legs of which may be removed or adjusted to provide a play pen or play yard for a child.
- (C) Specialty crib—an unconventionally shaped (circular, hexagonal, etc.) non-full-size baby crib incorporating a special mattress or other unconventional components.
- (D) Undersize crib—a non-full-size baby crib with an interior length dimension smaller than 126.3 cm (49% in.), or an interior width dimension smaller than 64.3 cm (25% in.), or both.
- (E) Oversize crib—a non-full-size baby crib with an interior length dimension greater than 139.7 cm (55 in.), or an interior width dimension greater than 77.7 cm (30% in.), or both.
- (v) Does not include mesh/net/screen cribs, nonrigidly constructed baby cribs, cradles (both rocker and pendulum types), car beds, baby baskets, and bassinets (also known as junior cribs).
- (2) Play yard means a framed enclosure that includes a floor and has mesh or fabric sided panels primarily intended to provide a play or sleeping environment for children. It may fold for storage or travel.
- (3) Place of public accommodation affecting commerce means any inn, hotel, or other establishment that provides lodging to transient guests, except that such term does not include an establishment treated as an apartment building for purposes of any State or local law or regulation or an establishment located within a building that contains not more than five rooms for rent or hire and that is actually occupied as a residence by the proprietor of such establishment.

§ 1220.2 Requirements for non-full-size baby cribs.

(a) Except as provided in paragraph (b) of this section, each non-full-size baby crib shall comply with all applicable provisions of ASTM F 406-10a, Standard Consumer Safety Specification for Non-Full-Size Baby Cribs/Play

Yards, approved October 15, 2010. The Director of the Federal Register approves this incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. You may obtain a copy from ASTM International, 100 Bar Harhor Drive. PO በፖበበ Box Conshohocken, PA 19428; telephone 610-832-9585; http://www.astm.org. You may inspect a copy at the Office of the Secretary, U.S. Consumer Product Safety Commission, Room 820, 4330 East West Highway, Bethesda, MD 20814, telephone 301-504-7923, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http:// $www.archives.gov/federal_register/$ code of federal regulations/ ibr locations.html.

- (b) Comply with the ASTM F 406-10a standard with the following additions or exclusions:
- (1) Do not comply with sections 5.6.2 through 5.6.2.4 of ASTM F 406-10a.
- (2) Do not comply with section 5.16.2 of ASTM F 406-10a,
- (3) Do not comply with section 6.10 of ASTM F 406-10a.
- (4) Do not comply with section 7, Performance Requirements for Mesh/Fabric Products, of ASTM F 406-10a.
- (5) Instead of complying with section 8.10.1 of ASTM F 406-10a, comply with the following:
- (i) The spindle/slat static force test shall be performed with the spindle/slat assemblies removed from the crib and rigidly supported within 3 in. of each end of the upper and lower horizontal rails in a manner that shall not interfere with a spindle/slat deflecting under the applied force. For cribs incorporating foldable or moveable sides for purposes of easier access to the occupant, storage and/or transport, each side segment (portion of side separated by hinges for folding) shall be tested separately.
 - (ii) [Reserved]
- (6) Do not comply with sections 8.11 through 8.11.2.4 of ASTM F 406-10a.
- (7) Do not comply with sections 8.12 through 8.12.2.2 of ASTM F 406-10a.
- (8) Do not comply with section 8.14 through 8.14.2 of ASTM F 406-10a.
- (9) Do not comply with sections 8.15 through 8.15.3.3 of ASTM F 406-10a.

- (10) Do not comply with sections 8.16 through 8.16.3 of ASTM F 406-10a.
- (11) Do not comply with section 9.3.2 through 9.3.2.4 of ASTM F 406-10a.
- (12) Instead of complying with section 9.4.2.6 of ASTM F 406-10a, comply with the following warning requirement:
- (i) Child can become entrapped and die when improvised netting or covers are placed on top of product. Never add such items to confine child in product.
 - (ii) [Reserved]

PART 1221—SAFETY STANDARD FOR PLAY YARDS

Sec.

1221.1 Scope.

1221.2 Requirements for play yards.

AUTHORITY: The Consumer Product Safety Improvement Act of 2008, Pub. L. 110-314, section 104, 122 Stat. 3016 (August 14, 2008).

SOURCE: 77 FR 52228, Aug. 29, 2012, unless otherwise noted.

§ 1221.1 Scope.

This part establishes a consumer product safety standard for play yards manufactured or imported on or after February 28, 2013.

EFFECTIVE DATE NOTE: At 78 FR 50335. Aug. 19, 2013, §1221.1 was revised, effective Feb. 19, 2014. For the convenience of the user, the revised text is set forth as follows:

§ 1221.1 Scope.

This part establishes a consumer product safety standard for play yards manufactured or imported on or after February 19, 2014.

§ 1221.2 Requirements for play yards.

(a) Except as provided in paragraph (b) of this section, each play yard must comply with all applicable provisions of ASTM F406-12a, Standard Consumer Safety Specification for Non-Full-Size Baby Cribs/Play Yards, approved on May 1, 2012. The Director of the Federal Register approves this incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. You may obtain a copy from ASTM International, 100 Bar Harbor Drive, P.O. Box 0700, West Conshohocken, PA 19428; http://www.astm.org. You may inspect a copy at the Office of the Secretary, U.S. Consumer Product Safety Commission, Room 820, 4330 East-West

Highway, Bethesda, MD 20814, telephone 301-504-7923, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/to locations.html.

- (b) Comply with the ASTM F406-12a standard with the following exclusions:
- (1) Do not comply with section 5.17 of ASTM F406-12a.
- (2) Do not comply with section 5.19 of ASTM F406-12a.
- (3) Do not comply with section 5.20 of ASTM F406-12a.
- (4) Do not comply with section 6, Performance Requirements for Rigid-Sided Products, of ASTM F406-12a, in its entirety.
- (5) Do not comply with sections 8.1 through 8.10.5 of ASTM F406-12a.
- (6) Instead of complying with section 9.4.2.10 of ASTM F406-12a, comply with only the following:
- (i) 9.4.2.10 For products that have a separate mattress that is not permanently fixed in place: Use ONLY mattress/pad provided by manufacturer.
 - (ii) [Reserved]
- (7) Do not comply with section 10.1.1.1 of ASTM F406-12a.

EFFECTIVE DATE NOTE: At 78 FR 50335, Aug. 19, 2013, §1221.2 was revised, effective Feb. 19, 2014. For the convenience of the user, the revised text is set forth as follows:

§ 1221.2 Requirements for play yards.

(a) Except as provided in paragraph (b) of this section, each play yard must comply with all applicable provisions of ASTM F406-13, Standard Consumer Safety Specification for Non-Full-Size Baby Cribs/Play Yards, approved on May 1, 2013. The Director of the Federal Register approves this incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR Part 51. You may obtain a copy from ASTM International, 100 Bar Harbor Drive, P.O. Box 0700, West Conshohocken, PA 19428; http://www.astm.org. You may inspect a copy at the Office of the Secretary, U.S. Consumer Product Safety Commission, Room 820, 4330 East West Highway, Bethesda, MD 20814, telephone 301-504-7923, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to:http://www.archives.gov/federal_register/ code of federal regulations/ ibr locations.html.

- (b) Comply with the ASTM F406-13 standard with the following exclusions:
- (1) Do not comply with section 5.17 of ASTM F406-13.
- (2) Do not comply with section 5.20 of ASTM F406-13.
- (3) Do not comply with section 6, Performance Requirements for Rigid-Sided Products, of ASTM F406-13, in its entirety.
- (4) Do not comply with sections 8.1 through 8.10.5 of ASTM F406-13.
- (5) Instead of complying with section 9.4.2.10 of ASTM F406-13, comply only with the following:
- (i) 9.4.2.10 For products that have a separate mattress that is not permanently fixed in place: Use ONLY mattress/pad provided by manufacturer.
- (ii) [Reserved]
- (6) Do not comply with section 10.1.1.1 of ASTM F406-13.

PART 1223—SAFETY STANDARD FOR INFANT SWINGS

Sec.

1223.1 Scope.

1223.2 Requirements for infant swings.

AUTHORITY: The Consumer Product Safety Improvement Act of 2008, Pub. L. 110-314, Sec. 104, 122 Stat. 3016 (August 14, 2008); section 3 of Pub. L. 112-28, 125 Stat. 273 (August 12, 2011).

SOURCE: 77 FR 66713, Nov. 7, 2012, unless otherwise noted.

§ 1223.1 Scope.

This part establishes a consumer product safety standard for infant swings.

§ 1223.2 Requirements for infant swings.

Each infant swing shall comply with all applicable provisions of ASTM F2088-13, Standard Consumer Safety Specification for Infant Swings, approved on January 15, 2013. The Director of the Federal Register approves this incorporation by reference in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. You may obtain a copy from ASTM International, 100 Barr Harbor Drive, PO 0700 Box Conshohocken, PA 19428; telephone 610-832-9585; www.astm.org. You may inspect a copy at the Office of the Secretary, U.S. Consumer Product Safety Commission, Room 820, 4330 East West Highway, Bethesda, MD 20814, telephone 301-504-7923, or at the National