

US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 — 2,000 Feet

USNG Page **17R LK 92 60**

Map Plate **5**

Page 26

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R LK 96 60**

Map Plate **6**

Page 27

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R MK 00 60**

Map Plate **7**

Page 28

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R MK 04 60**

Map Plate **8**

Page 29

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R MK 08 60**

Map Plate **9**

Page 30

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency managment officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R MK 12 60**

Map Plate **10**

Page 31

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W
Changing by 5'W per yr
Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 16 60**

Map Plate **11**

Page 32

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 20 60**

Map Plate **12**

Page 33

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R MK 24 60**

Map Plate **13**

Page 34

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R MK 28 60**

Map Plate **14**

Page 35

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency managment officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 32 60**

Map Plate **15**

Page 36

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency managment officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 68 65**

Map Plate **18**

Page 37

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 — 2,000 Feet

USNG Page **17R LK 72 65**

Map Plate **19**

Page 38

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 76 65**

Map Plate **20**

Page 39

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R LK 80 65**

Map Plate **21**

Page 40

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 84 65**

Map Plate **22**

Page 41

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat

- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 Feet 2,000

USNG Page **17R LK 92 65**

Map Plate **23**

Page 42

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 96 65**

Map Plate **24**

Page 43

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W
Changing by 5'W per yr
Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 Feet 2,000

USNG Page **17R MK 00 65**

Map Plate **25**

Page 44

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R MK 04 65**

Map Plate **26**

Page 45

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5' W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 08 65**

Map Plate **27**

Page 46

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 2,000 Feet

USNG Page **17R MK 12 65**

Map Plate **28**

Page 47

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 16 65**

Map Plate **29**

Page 48

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 20 65**

Map Plate **30**

Page 49

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5' W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency managment officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 Feet 2,000

USNG Page **17R MK 24 65**

Map Plate **31**

Page 50

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 28 65**

Map Plate **32**

Page 51

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid	
100,000-m Square ID	**LK**
Grid Zone Designation	**17R**

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 64 70**

Map Plate **36**

Page 52

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat
- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 68 70**

Map Plate **37**

Page 53

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R LK 72 70**

Map Plate **38**

Page 54

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 76 70**

Map Plate **39**

Page 55

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat
- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R LK 80 70**

Map Plate **40**

Page 56

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency managment officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R LK 84 70**

Map Plate **41**

Page 57

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 92 70**

Map Plate **43**

Page 58

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 96 70**

Map Plate **44**

Page 59

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010





Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 — 2,000 Feet

USNG Page **17R MK 00 70**

Map Plate **45**

Page 60

US National Grid
100,000-m Square ID
MK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat: TS, 1, 2, 3, 4, 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 Feet 2,000

USNG Page **17R MK 04 70**

Map Plate **46**

Page 61

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 08 70**

Map Plate **47**

Page 62

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 12 70**

Map Plate **48**

Page 63

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 16 70**

Map Plate **49**

Page 64

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5





US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R MK 20 70**

Map Plate **50**

Page 65

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 24 70**

Map Plate **51**

Page 66

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 2,000 Feet

USNG Page **17R LK 64 75**

Map Plate **56**

Page 67

Legend

Ref Point	
HOSPITAL	
City Limits	
Evacuation Route	
Existing Water	

Cat
- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

US National Grid
100,000-m Square ID
LK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 68 75**

Map Plate **57**

Page 68

Legend

Ref Point
HOSPITAL
City Limits
Evacuation Route
Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

61 330m.E

US National Grid
100,000-m Square ID
LK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 72 75**

Map Plate **58**

Page 69

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat
- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R LK 76 75**

Map Plate **59**

Page 70

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 Feet 2,000

USNG Page **17R LK 80 75**

Map Plate **60**

Page 71

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R LK 84 75**

Map Plate **61**

Page 72

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R LK 88 75**

Map Plate **62**

Page 73

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 — 2,000 Feet

USNG Page **17R LK 92 75**

Map Plate **63**

Page 74

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid

100,000-m Square ID
LK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W
Changing by 5'W per yr
Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 — 2,000 Feet

USNG Page **17R LK 96 75**

Map Plate **64**

Page 75

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 00 75**

Map Plate **65**

Page 76

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 Feet 2,000

USNG Page **17R MK 04 75**

Map Plate **66**

Page 77

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat
TS
1
2
3
4
5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W
Changing by 5'W per yr
Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 08 75**

Map Plate **67**

Page 78

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R MK 12 75**

Map Plate **68**

Page 79

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R LK 60 80**

Map Plate **77**

Page 80

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 64 80**

Map Plate **78**

Page 81

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 68 80**

Map Plate **79**

Page 82

Legend

Ref Point
HOSPITAL
City Limits
Evacuation Route
Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R LK 72 80**

Map Plate **80**

Page 83

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 Feet 2,000

USNG Page **17R LK 76 80**

Map Plate **81**

Page 84

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
LK

Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN
Diagram Not to Scale
Mag. Declination 4°31'W
Changing by 5'W per yr
Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 80 80**

Map Plate **82**

Page 85

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 — 2,000 Feet

USNG Page **17R LK 84 80**

Map Plate **83**

Page 86

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid	
100,000-m Square ID	**LK**
Grid Zone Designation	**17R**

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 88 80**

Map Plate **84**

Page 87

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
TS
1
2
3
4
5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R LK 92 80**

Map Plate **85**

Page 88

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010

US National Grid
100,000-m Square ID
LK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet
0 2,000

USNG Page **17R LK 96 80**

Map Plate **86**

Page 89

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid
100,000-m Square ID
MK
Grid Zone Designation
17R

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

Feet

0 2,000

USNG Page **17R MK 00 80**

Map Plate **87**

Page 90

Legend

- Ref Point
- HOSPITAL
- City Limits
- Evacuation Route
- Existing Water

Cat
- TS
- 1
- 2
- 3
- 4
- 5



This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010



US National Grid	
100,000-m Square ID	**MK**
Grid Zone Designation	**17R**

Datum = NAD 1983, 1,000-m USNG

GN

Diagram Not to Scale

Mag. Declination 4°31'W Changing by 5'W per yr Date 2009

This map is for reference & planning purposes only. Hurricane evacuation decision-making and growth management implementation are local responsibilities. Please consult with local authorities.

Notes:
1. Surge limits are based on still water storm tide height elevation above NAVD88 at high tide with no wave setup.
2. Total Storm Tide limits were derived from Maximum of Maximums surge heights over LIDAR based digital elevation.
3. The Points of Reference are locations determined to be relevant to emergency management officials.

Storm Tide Zones

Charlotte County, 2010

Scale - 1:24,000

0 Feet 2,000

USNG Page **17R MK 04 80**

Map Plate **88**

Page 91

Legend

- Ref Point
- **HOSPITAL**
- **City Limits**
- **Evacuation Route**
- **Existing Water**

Cat

- TS
- 1
- 2
- 3
- 4
- 5



Produced by Southwest Florida Regional Planning Council for Florida Division of Emergency Management, 2009-2010